

### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Date of last issue: 2024/06/07 Version Revision Date: SDS Number: 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Supplier's company name, address and phone number

Company name of supplier **MSD** 

Address Kumagaya, Saitama Prefecture, Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone 048-588-8411

E-mail address EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

#### 2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Flammable liquids Category 3

Acute toxicity (Oral) Category 3

Acute toxicity (Inhalation) Category 4

Acute toxicity (Dermal) Category 3

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 1

Germ cell mutagenicity Category 1B

Carcinogenicity Category 1B

Category 1B Reproductive toxicity

single exposure

Specific target organ toxicity - : Category 1 (Central nervous system)



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Date of last issue: 2024/06/07 Version Revision Date: SDS Number: 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Specific target organ toxicity - : Category 2 (Nervous system)

single exposure

Specific target organ toxicity - :

single exposure

Category 3

Specific target organ toxicity - :

repeated exposure

Category 1 (Central nervous system)

Aspiration hazard Category 1

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

#### **GHS** label elements

Hazard pictograms











Signal word Danger

Hazard statements H226 Flammable liquid and vapour.

> H301 + H311 Toxic if swallowed or in contact with skin. H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H360D May damage the unborn child.

H370 Causes damage to organs (Central nervous system). H371 May cause damage to organs (Nervous system). H372 Causes damage to organs (Central nervous system)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.

Call a POISON CENTER/ doctor if you feel unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse.

P391 Collect spillage.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Important symptoms and out lines of the emergency assumed

Important symptoms and out- : Vapours may form explosive mixture with air.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Date of last issue: 2024/06/07 Version Revision Date: SDS Number: 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Solvent naphtha (petroleum), light aromatic	64742-95-6	52.5	9-1700
Ethion	563-12-2	16	-
Chlorpyrifos	2921-88-2	8.5	5-3724
2-Methyl-1-propanol	78-83-1	8	2-3049
(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	67375-30-8	>= 1 - < 10	-
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	2	9-1691, 3-7
2,6-Di-tert-butyl-p-cresol	128-37-0	1	3-540, 9-1805

#### 4. FIRST AID MEASURES

In the case of accident or if you feel unwell, seek medical ad-General advice

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Toxic if swallowed or in contact with skin. May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye damage.

Harmful if inhaled.

May cause drowsiness or dizziness.



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

May cause genetic defects.

May cause cancer.

May damage the unborn child. Causes damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Sulphur oxides Oxides of phosphorus

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: : tive equipment and emer-

gency procedures

Remove all sources of ignition. Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/06/07

 11.0
 2024/09/28
 935016-00018
 Date of first issue: 2016/10/12

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

#### Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

**Storage** 

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Oxidizing solids Oxidizing liquids

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH
Ethion	563-12-2	TWA	4 μg/m3 (OEB 4)	Internal
	Further inform	ation: Skin		
		Wipe limit	40 μg/100 cm2	Internal
		TWA (Inhalable fraction and vapor)	0.05 mg/m3	ACGIH
Chlorpyrifos	2921-88-2	TWA (Inhalable fraction and vapor)	0.1 mg/m3	ACGIH
2-Methyl-1-propanol	78-83-1	ACL	50 ppm	JP OEL ISHL
		OEL-M	50 ppm 150 mg/m3	JP OEL JSOH
		TWA	50 ppm	ACGIH
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	OEL-M (Mist)	3 mg/m3	JP OEL JSOH
	Further information: Group 1: carcinogenic to humans			
		TWA (Inhal-	5 mg/m3	ACGIH



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

		able particu- late matter)		
2,6-Di-tert-butyl-p-cresol	128-37-0	8h-OEL-M	10 mg/m3	JP ISHL OEL 577-2(2)
		TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH

#### **Biological occupational exposure limits**

Components	CAS-No.	Target sub- stance	Biological specimen	Sam- pling time	Permissible concentration	Basis
Chlorpyrifos	2921-88-2	Acetylcho- linesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcho- linesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI

**Engineering measures** Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Personal protective equipment

If adequate local exhaust ventilation is not available or expo-Respiratory protection

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapour type

Material Chemical-resistant gloves

Remarks Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash

hands before breaks and at the end of workday.

Impermeable protective gloves

Wear the following personal protective equipment: Eye protection

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Select appropriate protective clothing based on chemical Skin and body protection



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version 11.0

Revision Date: 2024/09/28

SDS Number: 935016-00018 Date of last issue: 2024/06/07 Date of first issue: 2016/10/12

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

Colour yellow

Odour strong

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling

point and boiling range

No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) Not applicable

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- :

per flammability limit

No data available

Lower explosion limit / Lower flammability limit

No data available

Flash point 43 °C

Decomposition temperature No data available

No data available pΗ

No data available Evaporation rate

No data available Auto-ignition temperature

Viscosity

Viscosity, kinematic No data available

Solubility(ies)

Water solubility No data available



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Partition coefficient: n-

octanol/water

: No data available

Vapour pressure : No data available

Density and / or relative density

Relative density : 0.96 - 1.02

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion
Eye contact

#### **Acute toxicity**

Toxic if swallowed or in contact with skin.

Harmful if inhaled.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 69.28 mg/kg



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 2.57 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 377.55 mg/kg

Method: Calculation method

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.61 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Ethion:

Acute oral toxicity : LD50 (Rat): 13 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.450 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 62 mg/kg

**Chlorpyrifos:** 

Acute oral toxicity : LD50 (Rat, female): 68 mg/kg

Acute dermal toxicity : LD50 (Rat, females): 1,250 mg/kg

2-Methyl-1-propanol:

Acute oral toxicity : LD50 (Rat, female): 3,350 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 18.18 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit, female): 2,460 mg/kg

Method: OECD Test Guideline 402

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Acute oral toxicity : LD50 (Rat): 57 mg/kg

Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)

Acute inhalation toxicity : LC50 (Rat): > 1.16 - 1.21 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 420

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.778 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Ethion:

Species : Rabbit

Result : Mild skin irritation



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

**Chlorpyrifos:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

2-Methyl-1-propanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species : Rabbit

Result : Rabbit : Skin irritation

Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Ethion:

Result : No eye irritation

**Chlorpyrifos:** 

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/06/07

 11.0
 2024/09/28
 935016-00018
 Date of first issue: 2016/10/12

2-Methyl-1-propanol:

Species : Rabbit

Result : Irreversible effects on the eye Method : OECD Test Guideline 405

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species : Rabbit

Result : No eye irritation

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

#### Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Ethion:

Exposure routes : Skin contact Species : Guinea pig Result : negative

**Chlorpyrifos:** 

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Result : negative

2-Methyl-1-propanol:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Species : Humans Result : negative

Germ cell mutagenicity

May cause genetic defects.

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermato-

gonia

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 11.0 Revision Date: 2024/09/28

SDS Number: 935016-00018

Date of last issue: 2024/06/07 Date of first issue: 2016/10/12

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo heritable germ cell mutagenicity

tests in mammals

Ethion:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Test Type: in vitro micronucleus test

Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat Result: negative

Test Type: In vivo micronucleus test

Species: Mouse Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

**Chlorpyrifos:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

2-Methyl-1-propanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Result: negative

Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

May cause cancer.

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assess-

ment

: Sufficient evidence of carcinogenicity in animal experiments



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Ethion:

Species : Rat
Application Route : Ingestion
Exposure time : 18 Months
Result : negative

Species : Mouse
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

**Chlorpyrifos:** 

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Ethion:



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

**Chlorpyrifos:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

2-Methyl-1-propanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.3800

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 414

Result: negative

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

May cause drowsiness or dizziness.

Causes damage to organs (Central nervous system). May cause damage to organs (Nervous system).

Components:

Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

Ethion:

Assessment : Causes damage to organs.

**Chlorpyrifos:** 

Target Organs : Nervous system

Assessment : Causes damage to organs.

2-Methyl-1-propanol:

Assessment : May cause respiratory irritation.

May cause drowsiness or dizziness.



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/06/07

 11.0
 2024/09/28
 935016-00018
 Date of first issue: 2016/10/12

### (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Assessment : May cause respiratory irritation.

Remarks : Based on national or regional regulation.

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

#### STOT - repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

#### **Components:**

#### Ethion:

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

#### 2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

#### Repeated dose toxicity

#### **Components:**

#### Solvent naphtha (petroleum), light aromatic:

Species : Rat
LOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

#### Ethion:

Species : Dog

NOAEL : 0.05 mg/kg
Application Route : Ingestion
Exposure time : 90 Days



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Date of last issue: 2024/06/07 Version Revision Date: SDS Number: 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

**Chlorpyrifos:** 

**Species** Rat **NOAEL** 0.1 mg/kg LOAEL 1 mg/kg Application Route Ingestion Exposure time 13 Weeks

**Species** Rat

**NOAEL** > 0.000296 mg/lApplication Route inhalation (vapour)

Exposure time 13 Weeks

**Species** Rat NOAEL > 5 mg/kgApplication Route Skin contact Exposure time 21 Days

2-Methyl-1-propanol:

**Species** Rat

NOAEL > 1,450 mg/kg Application Route Ingestion Exposure time 90 Days

Method **OECD Test Guideline 408** 

**Species** Rat NOAEL >= 7.5 mg/lApplication Route inhalation (vapour)

Exposure time 17 Weeks

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Species Dog NOAEL 3.5 mg/kg LOAEL 13.3 mg/kg Application Route Ingestion Exposure time 90 Days

Hydrocarbons, C10, aromatics, <1% naphthalene:

**Species** Rat NOAEL 300 mg/kg **Application Route** Ingestion 13 Weeks

Remarks Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Exposure time

**Species** Rat **NOAEL** 25 mg/kg Application Route Ingestion



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2024/06/07

 11.0
 2024/09/28
 935016-00018
 Date of first issue: 2016/10/12

Exposure time : 22 Months

#### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

#### **Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **Components:**

#### Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### 2-Methyl-1-propanol:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **Experience with human exposure**

#### **Components:**

Ethion:

Ingestion : Symptoms: Blurred vision, Dizziness, Headache

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

#### **Components:**

#### Solvent naphtha (petroleum), light aromatic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 4.5 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

plants Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5

mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOELR (Daphnia magna (Water flea)): 2.6 mg/l

Exposure time: 21 d

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Ethion:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50: 0.056 - 7.7 μg/l Exposure time: 48 h

M-Factor (Acute aquatic tox-

icity)

M-Factor (Chronic aquatic

toxicity)

10,000

10,000

**Chlorpyrifos:** 

Toxicity to fish : LC50 :  $> 0.1 - 1 \mu g/I$ 

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50:  $> 0.01 - 0.1 \,\mu g/l$ 

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus subspicatus): 0.48 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox-

icitv)

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.3 µg/l

Exposure time: 35 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0046 µg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

10,000

2-Methyl-1-propanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l

Exposure time: 96 h



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,799

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 117

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 20 mg/l

Exposure time: 21 d

Toxicity to microorganisms

EC50: > 1,000 mg/lExposure time: 16 h

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Toxicity to fish LC50 (Cyprinus carpio (Carp)): 0.00084 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0003 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1

ma/l

1,000

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.03 µg/l

Exposure time: 34 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Daphnia magna (Water flea)): 0.03 μg/l

Exposure time: 21 d

1,000



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

city)

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l

Exposure time: 30 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): 0.316 mg/l

Exposure time: 21 d

ic toxicity)

M-Factor (Chronic aquatic

toxicity)



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Toxicity to microorganisms : EC50: > 10,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

#### Persistence and degradability

#### **Components:**

Solvent naphtha (petroleum), light aromatic:

Biodegradability : Result: Inherently biodegradable.

Biodegradation: 94 % Exposure time: 25 d

Ethion:

Biodegradability : Result: not rapidly degradable

**Chlorpyrifos:** 

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 22 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Stability in water : Degradation half life (DT50): > 2 Months

2-Methyl-1-propanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 74 % Exposure time: 28 d

Method: OECD Test Guideline 301D

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

**Hydrocarbons, C10, aromatics, <1% naphthalene:** 

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 49.56 % Exposure time: 28 d

Method: OECD Test Guideline 301F

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4.5 %



# **Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**

Version 11.0

Revision Date: 2024/09/28

SDS Number: 935016-00018

Date of last issue: 2024/06/07 Date of first issue: 2016/10/12

Exposure time: 28 d

Method: OECD Test Guideline 301C

**Bioaccumulative potential** 

**Components:** 

**Ethion:** 

Partition coefficient: n-

octanol/water

log Pow: 5.07

**Chlorpyrifos:** 

Bioaccumulation

Species: Danio rerio (zebra fish)
Bioconcentration factor (BCF): 6,918
Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 5.21

Method: OECD Test Guideline 107

2-Methyl-1-propanol:

Partition coefficient: n-

octanol/water

: log Pow: 1

Method: OECD Test Guideline 117

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 910

Partition coefficient: n-

octanol/water

log Pow: 6.94

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-

octanol/water

log Pow: 5.1

Mobility in soil
No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available



### Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

#### **International Regulations**

**UNRTDG** 

**UN** number UN 1992

Proper shipping name FLAMMABLE LIQUID, TOXIC, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Ethion)

Class 3 Subsidiary risk 6.1 Ш Packing group Labels 3 (6.1) Environmentally hazardous yes

**IATA-DGR** 

UN/ID No. UN 1992

Proper shipping name Flammable liquid, toxic, n.o.s.

(Solvent naphtha (petroleum), light aromatic, Ethion)

3 Class Subsidiary risk 6.1 Ш Packing group

Labels Flammable Liquids, Toxic 366

Packing instruction (cargo

aircraft)

Packing instruction (passen-355

ger aircraft)

**IMDG-Code** 

UN 1992 **UN** number

FLAMMABLE LIQUID. TOXIC. N.O.S. Proper shipping name

(Solvent naphtha (petroleum), light aromatic, Ethion, Chlorpyr-

ifos)

Class 3 Subsidiary risk 6.1 Packing group Ш Labels 3 (6.1) **EmS Code** F-E, S-D Marine pollutant yes



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: 11.0 2024/09/28

SDS Number: 935016-00018

Date of last issue: 2024/06/07 Date of first issue: 2016/10/12

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 131

#### 15. REGULATORY INFORMATION

#### **Related Regulations**

#### **Fire Service Law**

Group 4, Type 2 petroleums, Water insoluble liquid, (1000 litre), Hazardous rank III

#### **Chemical Substance Control Law**

**Priority Assessment Chemical Substance** 

Chemical name	Number
2,6-Di-tert-butyl-4-methylphenol	64

#### **Industrial Safety and Health Law**

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### **Substances Prevented From Impairment of Health**

Not applicable

### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### **Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
O,O,O',O'-Tetraethyl S,S'-methylene	>=10 - <20	-
bis(phosphorodithioate)		
O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl)	>=1 - <10	-
phosphorothioate		



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

Butanol	8	-
(S)-α-Cyano-3-phenoxybenzyl 3-(2,2-	>=1 - <10	From April 1st, 2025
dichlorovinyl)-2,2-dimethyl-cis-		-
cyclopropanecarboxylate		
2,6-Di-tert-butyl-4-cresol	>=1 - <10	-
Petroleum naphtha	>=50 - <60	-

#### **Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
O,O,O',O'-Tetraethyl S,S'-methylene bis(phosphorodithioate)	-
O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate	-
Butanol	-
(S)-α-Cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethyl-cis-	From April 1st, 2025
cyclopropanecarboxylate	
2,6-Di-tert-butyl-4-cresol	-
Petroleum naphtha	-

### Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Chemical name
ethion
O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) thiophosphate
Isobutyl alcohol
(S)-alpha-Cyano-3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethyl-
cis-cyclopropanecarboxylate

### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### Ordinance on Prevention of Lead Poisoning

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

#### Poisonous and Deleterious Substances Control Law

Deleterious substance

2 diotorio de Capotario	
Chemical name	Cabinet Order Number
Preparations containing tetraethylmethylenebisdithiophosphate	71
Diethyl-3,5,6-trichloro-2-pyridylthiophosphate and preparations con-	37.4
taining it	



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

#### **Class I Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl)	249	8.5
phosphorothioate		
2,6-Di-tert-butyl-4-cresol	207	1.0

#### **High Pressure Gas Safety Act**

Not applicable

#### **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

#### **Aviation Law**

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

#### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Y)

Pack transportation : Classified as marine pollutant

#### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

#### Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### **Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

compile the Safety Data eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

JP ISHL OEL 577-2(2) : Concentration standard (Value set by the Minister of Health,

Labour and Welfare stipulated under the Ministerial Ordinance

Article 577-2(2))

JP OEL ISHL : Japan. Administrative Control Levels

JP OEL JSOH : Japan Society for Occupational Health. Recom-

mendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

JP ISHL OEL 577-2(2) / 8h- : 8-hour Occupational Exposure Limit-Mean

OEL-M

JP OEL ISHL / ACL : Administrative Control level

JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/06/07 11.0 2024/09/28 935016-00018 Date of first issue: 2016/10/12

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN