according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 8.0 28.09.2024 937677-00019 Date of first issue: 12.10.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

### 1.4 Emergency telephone number

+1-908-423-6000

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Acute toxicity, Category 3

Acute toxicity, Category 4

Acute toxicity, Category 4

Acute toxicity, Category 3

H301: Toxic if swallowed.

H332: Harmful if inhaled.

H311: Toxic in contact with skin.

Skin irritation, Category 2 H315: Causes skin irritation.
Serious eye damage, Category 1 H318: Causes serious eye damage.

Germ cell mutagenicity, Category 1B H340: May cause genetic defects.

Carcinogenicity, Category 1B H350: May cause cancer.

Reproductive toxicity, Category 1B H360D: May damage the unborn child.

Specific target organ toxicity - single ex- H370: Causes damage to organs.

posure, Category 1

Specific target organ toxicity - single ex-

posure, Category 3

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

H336: May cause drowsiness or dizziness.

1/39

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

exposure, Category 1 longed or repeated exposure.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Short-term (acute) aquatic hazard, Cate- H400: Very to

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting

effects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :











Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H301 + H311 Toxic if swallowed or in contact with skin. H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H360D May damage the unborn child. H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Solvent naphtha (petroleum), light aromatic

**Ethion** 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Chlorpyrifos

2-Methyl-1-propanol

Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6 265-199-0 649-356-00-4	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Muta. 1B; H340 Carc. 1B; H350 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 50 - < 70
Ethion	563-12-2 209-242-3 015-047-00-2	Acute Tox. 2; H300 Acute Tox. 2; H330 Acute Tox. 2; H310 STOT SE 1; H370 (Central nervous system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 10 - < 20

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878  $\,$ 



# **Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 8.0 28.09.2024 937677-00019 Date of first issue: 12.10.2016

		M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000 Acute toxicity estimate  Acute oral toxicity: 13 mg/kg Acute inhalation toxicity (dust/mist):	
Chlorpyrifos	2921-88-2 220-864-4 015-084-00-4	0,45 mg/l Acute dermal toxicity: 62 mg/kg Acute Tox. 3; H301 Acute Tox. 4; H312 Repr. 1B; H360D STOT SE 1; H370 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 2,5 - < 10
		M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000	
		Acute toxicity estimate  Acute oral toxicity: 68 mg/kg Acute dermal toxicity: 1.250 mg/kg	
2-Methyl-1-propanol	78-83-1 201-148-0 603-108-00-1	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 STOT SE 3; H336	>= 3 - < 10
(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	67375-30-8 607-422-00-X	Acute Tox. 3; H301 Acute Tox. 4; H332 Skin Irrit. 2; H315 STOT SE 3; H335 STOT RE 2; H373 (Central nervous	>= 2,5 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 8.0 28.09.2024 937677-00019 Date of first issue: 12.10.2016

		system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000  Acute toxicity estimate  Acute oral toxicity: 57 mg/kg Acute inhalation toxicity (dust/mist): 1,5 mg/l	
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411 EUH066	>= 1 - < 2,5
2,6-Di-tert-butyl-p-cresol	128-37-0 204-881-4	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2,5

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Toxic if swallowed or in contact with skin.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye damage.

Harmful if inhaled.

May cause drowsiness or dizziness.

May cause genetic defects.

May cause cancer.

May damage the unborn child. Causes damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Unsuitable extinguishing

media

High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides
Sulphur oxides

Oxides of phosphorus Chlorine compounds Nitrogen oxides (NOx)

### 5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.

Soak up with inert absorbent material.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

accordance with the particular national regulations. Keep

away from heat and sources of ignition.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

7.3 Specific end use(s)

Specific use(s) : No data available

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	TWA	25 ppm 120 mg/m3	FOR-2011- 12-06-1358
Ethion	563-12-2	TWA	4 μg/m3 (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	40 μg/100 cm2	Internal
Chlorpyrifos	2921-88-2	TWA	0,1 mg/m3	FOR-2011- 12-06-1358
	Further information: Chemicals that can be absorbed through the skin.			
2-Methyl-1- propanol	78-83-1	Т	25 ppm 75 mg/m3	FOR-2011- 12-06-1358
	Further information: Chemicals that can be absorbed through the skin.			
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA	25 ppm 120 mg/m3	FOR-2011- 12-06-1358

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
2-Methyl-1-propanol	Workers	Inhalation	Long-term local ef- fects	310 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 07.06.2024 28.09.2024 937677-00019 Date of first issue: 12.10.2016 8.0

	Consumers	Inhalation	Long-term local effects	55 mg/m3
2,6-Di-tert-butyl-p- cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m3
	Workers	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,86 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,25 mg/kg bw/day
Hydrocarbons, C10, aromatics, <1% naphthalene	Workers	Inhalation	Long-term systemic effects	151 mg/m3
	Workers	Skin contact	Long-term systemic effects	12,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	32 mg/m3
	Consumers	Skin contact	Long-term systemic effects	7,5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	7,5 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
2,6-Di-tert-butyl-p-cresol	Fresh water	0,199 µg/l
	Intermittent use/release	0,02 μg/l
	Marine water	0,02 µg/l
	Sewage treatment plant	0,17 mg/l
	Fresh water sediment	0,0996 mg/kg dry
	Movino codiment	weight (d.w.)
	Marine sediment	0,00996 mg/kg dry weight (d.w.)
	Soil	0,04769 mg/kg
		dry weight (d.w.)
	Oral (Secondary Poisoning)	8,33 mg/kg food

### 8.2 Exposure controls

### **Engineering measures**

Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust ventilation.

Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Eye/face protection Wear the following personal protective equipment:

Chemical resistant goggles must be worn.

If splashes are likely to occur, wear:

Face-shield

Equipment should conform to NS EN 166

Hand protection

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash

hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical re-

sistance data and an assessment of the local exposure poten-

tial.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic pro-

tective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : yellow

Odour : strong

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

: No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Lower explosion limit / Lower :

flammability limit

No data available

Flash point : 43 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : 0,96 - 1,02

Density : No data available

Relative vapour density : No data available

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 Date of first issue: 12.10.2016 28.09.2024 937677-00019 8.0

10.3 Possibility of hazardous reactions

Hazardous reactions Flammable liquid and vapour.

Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

**SECTION 11: Toxicological information** 

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of: Inhalation

exposure Skin contact Ingestion

Eye contact

**Acute toxicity** 

Toxic if swallowed or in contact with skin.

Harmful if inhaled.

**Product:** 

Acute toxicity estimate: 69,28 mg/kg Acute oral toxicity

Method: Calculation method

Acute toxicity estimate: 2,57 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute toxicity estimate: 377,55 mg/kg Acute dermal toxicity

Method: Calculation method

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity LC50 (Rat): > 5,61 mg/l

Exposure time: 4 h

Test atmosphere: vapour

cute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Ethion:

Acute oral toxicity : LD50 (Rat): 13 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,450 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 62 mg/kg

**Chlorpyrifos:** 

Acute oral toxicity : LD50 (Rat, female): 68 mg/kg

Acute dermal toxicity : LD50 (Rat, females): 1.250 mg/kg

2-Methyl-1-propanol:

Acute oral toxicity : LD50 (Rat, female): 3.350 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 18,18 mg/l

Exposure time: 6 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit, female): 2.460 mg/kg

Method: OECD Test Guideline 402

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Acute oral toxicity : LD50 (Rat): 57 mg/kg

Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)

Acute inhalation toxicity : LC50 (Rat): > 1,16 - 1,21 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 420

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4,778 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

#### Skin corrosion/irritation

Causes skin irritation.

#### **Components:**

### Solvent naphtha (petroleum), light aromatic:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

Ethion:

Species : Rabbit

Result : Mild skin irritation

**Chlorpyrifos:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

2-Methyl-1-propanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

# (S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species : Rabbit Result : Skin irritation

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 28.09.2024 937677-00019 Date of first issue: 12.10.2016 8.0

2,6-Di-tert-butyl-p-cresol:

Species Rabbit

Method **OECD Test Guideline 404** 

Result No skin irritation

Based on data from similar materials Remarks

Serious eye damage/eye irritation

Causes serious eye damage.

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Species Rabbit

Method **OECD Test Guideline 405** 

No eye irritation Result

Ethion:

Result No eye irritation

**Chlorpyrifos:** 

Species Rabbit

Method **OECD Test Guideline 405** 

Result No eye irritation

2-Methyl-1-propanol:

Species Rabbit

Method **OECD Test Guideline 405** Irreversible effects on the eye Result

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Species Rabbit

. Result No eye irritation

Hydrocarbons, C10, aromatics, <1% naphthalene:

Species Rabbit

Result No eye irritation

Remarks Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Species Rabbit

Method OECD Test Guideline 405

Result No eye irritation

Remarks Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### Solvent naphtha (petroleum), light aromatic:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

#### Ethion:

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### **Chlorpyrifos:**

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

#### 2-Methyl-1-propanol:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

# (S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Result : negative

Remarks : Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact
Species : Humans
Result : negative

Germ cell mutagenicity

May cause genetic defects.

Components:

Solvent naphtha (petroleum), light aromatic:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Genotoxicity in vivo : Test Type: Sister chromatid exchange analysis in spermato-

gonia

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity- As-

sessment

Positive result(s) from in vivo heritable germ cell mutagenicity

tests in mammals

Ethion:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Test Type: in vitro micronucleus test

Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat Result: negative

Test Type: In vivo micronucleus test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Species: Mouse Result: positive

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

**Chlorpyrifos:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

2-Methyl-1-propanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: in vitro micronucleus test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion
Method: OECD Test Guideline 474

Result: negative

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Result: negative

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

### Carcinogenicity

May cause cancer.

#### **Components:**

#### Solvent naphtha (petroleum), light aromatic:

Species : Mouse
Application Route : Skin contact
Exposure time : 2 Years
Result : positive

Carcinogenicity - Assess-

ment

Sufficient evidence of carcinogenicity in animal experiments

#### Ethion:

Species : Rat
Application Route : Ingestion
Exposure time : 18 Months
Result : negative

Species: MouseApplication Route: IngestionExposure time: 24 MonthsResult: negative

# **Chlorpyrifos:**

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

# (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

Reproductive toxicity

May damage the unborn child.

**Components:** 

Solvent naphtha (petroleum), light aromatic:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Ethion:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

**Chlorpyrifos:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

**Application Route: Ingestion** 

Result: positive

Reproductive toxicity - As-

sessment

: Clear evidence of adverse effects on development, based on

animal experiments.

2-Methyl-1-propanol:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.3800

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 414

Result: negative

# (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

#### Hydrocarbons, C10, aromatics, <1% naphthalene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

#### 2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

#### STOT - single exposure

May cause drowsiness or dizziness. Causes damage to organs.

### **Components:**

### Solvent naphtha (petroleum), light aromatic:

Assessment : May cause drowsiness or dizziness.

Ethion:

Assessment : Causes damage to organs.

**Chlorpyrifos:** 

Target Organs : Nervous system

Assessment : Causes damage to organs.

2-Methyl-1-propanol:

Assessment : May cause respiratory irritation., May cause drowsiness or

dizziness.

# (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Assessment : May cause respiratory irritation.

Remarks : Based on national or regional regulation.

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

#### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### **Components:**

#### Ethion:

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

# (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Exposure routes : Ingestion

Target Organs : Central nervous system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 28.09.2024 937677-00019 Date of first issue: 12.10.2016 8.0

2,6-Di-tert-butyl-p-cresol:

Assessment No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

**Components:** 

Solvent naphtha (petroleum), light aromatic:

**Species** Rat LOAEL 500 mg/kg : Ingestion Application Route Exposure time 28 Days

Ethion:

Species Dog

Species : Duy
NOAEL : 0,05 mg/k
Application Route : Ingestion : 0,05 mg/kg Exposure time 90 Days

**Chlorpyrifos:** 

**Species** Rat NOAEL : 0,1 mg/kg : 1 mg/kg : Ingestion LOAEL Application Route Exposure time : 13 Weeks

Species Rat

NOAEL > 0,000296 mg/l Application Route inhalation (vapour)

Exposure time 13 Weeks

Species Rat NOAEL : > 5 mg/kgApplication Route : Skin contact Exposure time : 21 Days

2-Methyl-1-propanol:

Species : Rat

: > 1.450 mg/kg: Ingestion NOAEL Application Route Exposure time 90 Days

Method : OECD Test Guideline 408

Species : Rat

NOAEL : >= 7.5 mg/l

Application Route : inhalation (vapour)

Exposure time : 17 Weeks

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

# (S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Species: DogNOAEL: 3,5 mg/kgLOAEL: 13,3 mg/kgApplication Route: IngestionExposure time: 90 Days

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Species : Rat

NOAEL : 300 mg/kg

Application Route : Ingestion

Exposure time : 13 Weeks

Remarks : Based on data from similar materials

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rat

NOAEL : 25 mg/kg

Application Route : Ingestion

Exposure time : 22 Months

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

#### Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Components:

#### Solvent naphtha (petroleum), light aromatic:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### 2-Methyl-1-propanol:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

### Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

#### **Product:**

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

#### **Experience with human exposure**

#### **Components:**

Ethion:

Ingestion : Symptoms: Blurred vision, Dizziness, Headache

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

#### Solvent naphtha (petroleum), light aromatic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8,2 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 4,5 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: EL50 (Pseudokirchneriella subcapitata (microalgae)): 3,1 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0,5

mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR: 2,6 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 211

Ethion:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,18 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 Date of first issue: 12.10.2016 28.09.2024 937677-00019 8.0

Toxicity to daphnia and other : EC50: 0,056 - 7,7 µg/l

aquatic invertebrates

Exposure time: 48 h

M-Factor (Acute aquatic tox- : 10.000

icity)

M-Factor (Chronic aquatic : 10.000

toxicity)

**Chlorpyrifos:** 

Toxicity to fish LC50 :  $> 0.1 - 1 \mu g/I$ 

Exposure time: 96 h

Toxicity to daphnia and other :  $EC50 : > 0.01 - 0.1 \,\mu g/l$ 

aquatic invertebrates

Exposure time: 48 h

plants

Toxicity to algae/aquatic : EC50 (Scenedesmus subspicatus): 0,48 mg/l

Exposure time: 96 h

M-Factor (Acute aquatic tox- :

10.000

Toxicity to fish (Chronic tox- : NOEC: 0,3 µg/l

icity)

Exposure time: 35 d

Toxicity to daphnia and other : NOEC: 0,0046 µg/l aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Species: Mysidopsis bahia (opossum shrimp)

M-Factor (Chronic aquatic

toxicity)

: 10.000

2-Methyl-1-propanol:

: LC50 (Pimephales promelas (fathead minnow)): 1.430 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): 1.100 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.799

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 117

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : > 1.000 mg/l

Exposure time: 16 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 28.09.2024 937677-00019 Date of first issue: 12.10.2016 8.0

Toxicity to daphnia and other : aquatic invertebrates (Chron-

NOEC: 20 mg/l Exposure time: 21 d

ic toxicity)

Species: Daphnia magna (Water flea)

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2dimethylcyclopropanecarboxylate:

Toxicity to fish LC50 (Cyprinus carpio (Carp)): 0,00084 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0003 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1

Exposure time: 72 h

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1.000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,03 µg/l

Exposure time: 34 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other:

aquatic invertebrates (Chron-

NOEC: 0.03 µg/l Exposure time: 21 d

: 1.000

M-Factor (Chronic aquatic

toxicity)

ic toxicity)

Species: Daphnia magna (Water flea)

### Hydrocarbons, C10, aromatics, <1% naphthalene:

LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Toxicity to fish

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin **Formulation**

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 Date of first issue: 12.10.2016 28.09.2024 937677-00019 8.0

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 0,57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to microorganisms EC50 : > 10.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,053 mg/l

Exposure time: 30 d

Species: Oryzias latipes (Japanese medaka)

Method: OECD Test Guideline 210

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,316 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

Species: Daphnia magna (Water flea)

# 12.2 Persistence and degradability

### Components:

Solvent naphtha (petroleum), light aromatic:

Biodegradability Result: Inherently biodegradable.

Biodegradation: 94 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Exposure time: 25 d

Ethion:

Biodegradability : Result: not rapidly degradable

**Chlorpyrifos:** 

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 22 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Stability in water : Degradation half life (DT50): > 2 Months

2-Methyl-1-propanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 74 % Exposure time: 28 d

Method: OECD Test Guideline 301D

(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 49,56 % Exposure time: 28 d

Method: OECD Test Guideline 301F

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4,5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

Ethion:

Partition coefficient: n-

: log Pow: 5,07

octanol/water

**Chlorpyrifos:** 

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

Bioaccumulation : Species: Danio rerio (zebra fish)

Bioconcentration factor (BCF): 6.918 Method: OECD Test Guideline 305

Partition coefficient: n- : log Pow: 5,21

octanol/water Method: OECD Test Guideline 107

2-Methyl-1-propanol:

Partition coefficient: n- : log Pow: 1

octanol/water Method: OECD Test Guideline 117

(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Bioaccumulation : Species: Fish

Bioconcentration factor (BCF): 910

Partition coefficient: n- : log Pow: 6,94

octanol/water

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1.800

Partition coefficient: n- : log Pow: 5,1

octanol/water

No data available

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 8.0 28.09.2024 937677-00019 Date of first issue: 12.10.2016

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 1992
ADR : UN 1992
RID : UN 1992
IMDG : UN 1992
IATA : UN 1992

#### 14.2 UN proper shipping name

**ADN** : FLAMMABLE LIQUID, TOXIC, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Ethion)

ADR : FLAMMABLE LIQUID, TOXIC, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Ethion)

RID : FLAMMABLE LIQUID, TOXIC, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Ethion)

**IMDG** : FLAMMABLE LIQUID, TOXIC, N.O.S.

(Solvent naphtha (petroleum), light aromatic, Ethion, Chlorpyr-

ifos)

IATA : Flammable liquid, toxic, n.o.s.

(Solvent naphtha (petroleum), light aromatic, Ethion)

#### 14.3 Transport hazard class(es)

Class Subsidiary risks

**ADN** : 3 6.1 **ADR** : 3 6.1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 07.06.2024
8.0	28.09.2024	937677-00019	Date of first issue: 12.10.2016

 RID
 : 3
 6.1

 IMDG
 : 3
 6.1

 IATA
 : 3
 6.1

14.4 Packing group

**ADN** 

Packing group : III
Classification Code : FT1
Hazard Identification Number : 36
Labels : 3 (6.1)

**ADR** 

Packing group : III
Classification Code : FT1
Hazard Identification Number : 36
Labels : 3 (6.1)
Tunnel restriction code : (D/E)

**RID** 

Packing group : III
Classification Code : FT1
Hazard Identification Number : 36
Labels : 3 (6.1)

**IMDG** 

Packing group : III Labels : 3 (6.1) EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y343
Packing group : III

Labels : Flammable Liquids, Toxic

IATA (Passenger)

Packing instruction (passen: 355

ger aircraft)

Packing instruction (LQ) : Y343 Packing group : III

Labels : Flammable Liquids, Toxic

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

**IMDG** 

Marine pollutant : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 28: Solvent naphtha (petroleum), light aromatic

Number on list 29: Solvent naphtha (petroleum), light aromatic

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation (Annex XIV)

Regulation (EC) on substances that deplete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

Not applicable

Not applicable

Not applicable

Not applicable

: Ethion Chlorpyrifos

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 8.0 28.09.2024 937677-00019 Date of first issue: 12.10.2016

of dangerous chemicals (S)-α-Cyano-3-phenoxybenzyl (1R,

3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

H3 STOT SPECIFIC TARGET 50 t 200 t

ORGAN TOXICITY - SINGLE EXPOSURE

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS 5.000 t 50.000 t

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

34 Petroleum products: (a) 2.500 t 25.000 t

gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

#### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version Revision Date: SDS Number: Date of last issue: 07.06.2024 8.0 28.09.2024 937677-00019 Date of first issue: 12.10.2016

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

#### **Full text of H-Statements**

H226 : Flammable liquid and vapour.

H300 : Fatal if swallowed. H301 : Toxic if swallowed.

H304 : May be fatal if swallowed and enters airways.

H310 : Fatal in contact with skin.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.

H318 : Causes serious eye damage.

H330 : Fatal if inhaled. H332 : Harmful if inhaled.

H335 : May cause respiratory irritation. H336 : May cause drowsiness or dizziness.

H340 : May cause genetic defects.

H350 : May cause cancer.

H360D : May damage the unborn child. H370 : Causes damage to organs.

H372 : Causes damage to organs through prolonged or repeated

exposure.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H411 : Toxic to aquatic life with long lasting effects.

EUH066 : Repeated exposure may cause skin dryness or cracking.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Carc. : Carcinogenicity
Eye Dam. : Serious eye damage
Flam. Liq. : Flammable liquids
Muta. : Germ cell mutagenicity
Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits

FOR-2011-12-06-1358 / : Long term exposure limit

TWA

FOR-2011-12-06-1358 / T : Ceiling

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 07.06.2024

 8.0
 28.09.2024
 937677-00019
 Date of first issue: 12.10.2016

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### Classification of the mixture:

#### Classification procedure:

Flam. Liq. 3	H226	Based on product data or assessment
Acute Tox. 3	H301	Calculation method
Acute Tox. 4	H332	Calculation method
Acute Tox. 3	H311	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Muta. 1B	H340	Calculation method
Carc. 1B	H350	Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 8.0	Revision Date: 28.09.2024	SDS Number: 937677-00019	Date of last issue: 07.06.2024 Date of first issue: 12.10.2016
Repr.	1B	H360D	Calculation method
STOT	SE 1	H370	Calculation method
STOT	SE 3	H336	Calculation method
STOT	RE 1	H372	Calculation method
Asp. 7	Tox. 1	H304	Based on product data or assessment
Aquat	ic Acute 1	H400	Calculation method
Aquat	ic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN