

# Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.3
 28.09.2024
 3771248-00017
 Date of first issue: 19.11.2018

**SECTION 1: IDENTIFICATION** 

Product name : Febantel / Pyrantel Pamoate / Praziquantel Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street

Bendigo 3550, Victoria Austrailia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS label elements**

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cellulose	9004-34-6	>= 10 -< 30
Febantel	58306-30-2	>= 10 -< 30
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	>= 10 -< 30
praziquantel	55268-74-1	< 10



### Febantel / Pyrantel Pamoate / Praziguantel **Formulation**

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

9005-25-8 < 10 Starch

**SECTION 4. FIRST AID MEASURES** 

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

Wash with water and soap. In case of skin contact

Get medical attention if symptoms occur.

If in eyes, rinse well with water. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

> Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Contact with dust can cause mechanical irritation or drying of the skin.

Dust contact with the eyes can lead to mechanical irritation. Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 23. 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : 2Z

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use.



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.3
 28.09.2024
 3771248-00017
 Date of first issue: 19.11.2018

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Cellulose	9004-34-6	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 μg/m3 (OEB 2)	Internal
praziquantel	55268-74-1	TWA	0.5 mg/m3 (OEB 2)	Internal
Starch	9005-25-8	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

ommended guidelines, use respiratory protection.

Filter type
Hand protection

: Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available



### Febantel / Pyrantel Pamoate / Praziquantel **Formulation**

Date of last issue: 06.04.2024 Version Revision Date: SDS Number: 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

Vapour pressure Not applicable

Relative vapour density Not applicable

Relative density No data available

No data available Density

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity Not classified as a reactivity hazard. Chemical stability

Possibility of hazardous reac-

tions

Stable under normal conditions.

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes Inhalation

> Skin contact Ingestion



### Febantel / Pyrantel Pamoate / Praziquantel **Formulation**

Version 2.3

Revision Date: SDS Number: 28.09.2024 3771248-00017 Date of last issue: 06.04.2024 Date of first issue: 19.11.2018

Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 2,000 mg/kg Acute oral toxicity

Method: Calculation method

**Components:** 

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

: LC50 (Rat): > 5.8 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

: LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Febantel:

Acute oral toxicity LD50 (Rabbit): 1,250 mg/kg

Acute dermal toxicity LD50 (Rabbit): > 2,000 mg/kg

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-

methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

: LD50 (Rat): > 24,000 mg/kg Acute oral toxicity

LD50 (Mouse): > 24,000 mg/kg

LD50 (Dog): 2,000 mg/kg

praziquantel:

Acute oral toxicity : LD50 (Rat): 2,480 mg/kg

LD50 (Mouse): 2,454 mg/kg

LD50 (Dog): > 200 mg/kg

LD50 (Rabbit): 1,050 mg/kg

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

: LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

Febantel:

Species : Rabbit

Result : No skin irritation

praziquantel:

Species : Rabbit
Method : Draize Test
Remarks : slight irritation

#### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

Febantel:

Species : Rabbit

Result : No eye irritation

praziquantel:

Species : Rabbit

Result : Mild eye irritation Method : Draize Test

Starch:

Species : Rabbit

Result : No eye irritation

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### praziquantel:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### **Chronic toxicity**

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Febantel:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

praziquantel:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.3
 28.09.2024
 3771248-00017
 Date of first issue: 19.11.2018

Test Type: Chromosomal aberration Test system: Chinese hamster cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat Result: negative

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Febantel:

Species : Mouse
Application Route : Ingestion
Exposure time : 21 Months
Result : negative

praziquantel:

Species : Hamster
Application Route : Oral
Exposure time : 80 weeks

NOAEL : 100 mg/kg body weight

Result : negative

Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 104 weeks

NOAEL : 250 mg/kg body weight

Result : negative

Remarks : No significant adverse effects were reported

Reproductive toxicity

Not classified based on available information.



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

**Components:** 

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

Febantel:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 3,000 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

praziquantel:

Effects on fertility : Test Type: Fertility

Species: Rat

Remarks: No significant adverse effects were reported

Test Type: Fertility Species: Mouse



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.3
 28.09.2024
 3771248-00017
 Date of first issue: 19.11.2018

Remarks: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Remarks: No significant adverse effects were reported

Test Type: Development

Species: Mouse

Remarks: No significant adverse effects were reported

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### **Components:**

#### Cellulose:

Species : Rat

NOAEL : >= 9,000 mg/kg

Application Route : Ingestion Exposure time : 90 Days

## 4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species : Dog
NOAEL : 10 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 3 d

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 19 d

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 600 mg/kg Application Route : Oral Exposure time : 30 d

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 600 mg/kg Application Route : Oral



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 23. 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

Exposure time : 90 d

Remarks : No significant adverse effects were reported

praziquantel:

Species : Rat

NOAEL : 1,000 mg/kg

Application Route : Oral

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 60 mg/kg LOAEL : 180 mg/kg

Application Route : Oral

Target Organs : Gastrointestinal tract

Remarks : No significant adverse effects were reported

Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

**Components:** 

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea,

Headache, Dizziness, Fever

praziquantel:

Inhalation : Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal

discomfort, decrease body temperature, Allergic reactions

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

Components:

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

Febantel:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.2 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 0.43

mg/

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.001 - 0.01 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

## 4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

praziquantel:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 29.2 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

LC50 (Danio rerio (zebra fish)): 31.6 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 35 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

#### Persistence and degradability

#### **Components:**

#### Cellulose:



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.3
 28.09.2024
 3771248-00017
 Date of first issue: 19.11.2018

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

**Components:** 

Febantel:

Partition coefficient: n- : log Pow: 1.95

octanol/water Remarks: Calculation

praziquantel:

Partition coefficient: n- : log Pow: 2.012

octanol/water pH: 7

Mobility in soil
No data available

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

**International Regulations** 

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Febantel)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Febantel)

Class : 9 Packing group : III



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.3
 28.09.2024
 3771248-00017
 Date of first issue: 19.11.2018

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

: 956

Packing instruction (passen-

956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Febantel)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

**ADG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Febantel)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Environmentally hazardous : yes

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons:

Standard) Instrument

Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might

apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

tions.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16: ANY OTHER RELEVANT INFORMATION**

**Further information** 

Revision Date : 28.09.2024

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No



# Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.3 28.09.2024 3771248-00017 Date of first issue: 19.11.2018

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN