

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Febantel / Pyrantel Pamoate / Praziquantel Formulation
Supplier's company name, ac Company name of supplier		
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemi	GHS classification of chemical product						
Short-term (acute) aquatic hazard	:	Category 2					
Long-term (chronic) aquatic hazard	:	Category 1					
GHS label elements							
Hazard pictograms	:						
Signal word	:	Warning					
Hazard statements	:	H401 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.					
Precautionary statements	:	Prevention: P273 Avoid release to the environment.					
		Response:					



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 21.82 %

Other hazards which do not result in classification

Important symptoms and out- lines of the emergency as- sumed	as- Contact v	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
		May form explosive dust-air mixture during processing, han- dling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Cellulose	9004-34-6	>= 20 - < 30	
Febantel	58306-30-2	>= 20 - < 25	-
4,4'-methylenebis[3-hydroxy-2- naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2- [2-(2-thienyl)vinyl]pyrimidine (1:1)	22204-24-6	>= 20 - < 30	-
praziquantel	55268-74-1	>= 2.5 - < 10	-
Starch	9005-25-8	>= 1 - < 10	8-98

4. FIRST AID MEASURES

General advice	vice imme	e of accident or if you feel unwell, seek medical ad- diately. ptoms persist or in all cases of doubt seek medical
If inhaled	,	remove to fresh air. al attention if symptoms occur.
In case of skin contact		water and soap. al attention if symptoms occur.
In case of eye contact		rinse well with water. al attention if irritation develops and persists.
If swallowed		ed, DO NOT induce vomiting. al attention if symptoms occur.



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Ver 7.0	sion	Revision Date: 2024/09/28	-	0S Number: 71250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19
	and effe delayed Protect	nportant symptoms ects, both acute and d ion of first-aiders o physician	:	the skin. Dust contact with First Aid responde and use the recon when the potentia	bughly with water. can cause mechanical irritation or drying of the eyes can lead to mechanical irritation. ers should pay attention to self-protection, nmended personal protective equipment I for exposure exists (see section 8). cally and supportively.
5. F	IREFIGI	HTING MEASURES			
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuita media	able extinguishing	:	None known.	
	Specific fighting	c hazards during fire-	:	concentrations, ar potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. bustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (N Sulphur oxides	NOx)
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray to	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
	Special for firef	l protective equipment ighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Vers 7.0	sion	Revision Date: 2024/09/28	-	0S Number: 71250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19
		ls and materials for ment and cleaning up	:	tainer for disposal Avoid dispersal of with compressed Dust deposits sho es, as these may leased into the att Local or national u posal of this mate employed in the c mine which regula Sections 13 and 1	dust in the air (i.e., clearing dust surfaces
7. H		IG AND STORAGE			
	Handli	ng			
		cal measures	:	causing an explos	precautions, such as electrical grounding
	Advice	otal ventilation on safe handling nce of contact e measures	::	Use only with adequate ventilation. Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Oxidizing agents If exposure to chemical is likely during typical use, provide ey flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.	
	Storage	e			
	-	ons for safe storage	:	Keep in properly I	abelled containers.



Version 7.0	Revision Date: 2024/09/28	SDS Number: 3771250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19
Mate	rials to avoid		ance with the particular national regulations. h the following product types:

Packaging material		Unsuitable material: None known.
Packaging material	•	Unsultable material. None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Strong oxidizing agents

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Cellulose	9004-34-6	TWA	10 mg/m3	ACGIH
4,4'-methylenebis[3-hydroxy-2- naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1- methyl-2-[2-(2- thienyl)vinyl]pyrimidine (1:1)	22204-24-6	TWA	250 μg/m3 (OEB 2)	Internal
praziquantel	55268-74-1	TWA	0.5 mg/m3 (OEB 2)	Internal
Starch	9005-25-8	TWA	10 mg/m3	ACGIH

Engineering measures	:	All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Personal protective equipme	ent	
Respiratory protection Filter type Hand protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type
Material	:	Chemical-resistant gloves
Remarks Eye protection	:	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.



Version 7.0	Revision Date: 2024/09/28		S Number: 1250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19
Skin a	and body protection	:	Additional body task being perfo posable suits) t	r laboratory coat. garments should be used based upon the prmed (e.g., sleevelets, apron, gauntlets, dis- o avoid exposed skin surfaces. e degowning techniques to remove potentially lothing.
9. PHYSIC	CAL AND CHEMICAL P	ROP	ERTIES	
Physi	cal state	:	powder	
Colou	Ir	:	yellow	
Odou	r	:	No data availa	ble
Odou	r Threshold	:	No data availa	ble
Meltir	ng point/freezing point	:	No data availa	ble
	g point, initial boiling and boiling range	:	No data availa	ble
Flamr	mability (solid, gas)	:	May form explo dling or other r	osive dust-air mixture during processing, han- neans.
Flam	mability (liquids)	:	Not applicable	
Up	r explosion limit and upp oper explosion limit / Up er flammability limit			
	wer explosion limit / wer flammability limit	:	No data availa	ble
Flash	point	:	Not applicable	
Deco	mposition temperature	:	No data availa	ble
pН		:	No data availa	ble
Evapo	oration rate	:	Not applicable	
Auto-	ignition temperature	:	No data availa	ble
Visco Vis	sity scosity, kinematic	:	Not applicable	
	ility(ies) ater solubility	:	No data availa	ble
Partiti	ion coefficient: n-	:	Not applicable	

octanol/water



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
7.0		3771250-00017	Date of first issue: 2018/11/19

Vapour pressure : Not applicable Density and / or relative density
Density and / or relative density
Relative density : No data available
Density : No data available
Relative vapour density : Not applicable
Explosive properties : Not explosive
Oxidizing properties : The substance or mixture is not classified as oxidizing.
Molecular weight : No data available
Particle characteristics Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	 Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents. 	
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.	
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	No hazardous decomposition products are known.	

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact
		Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method



VersionRevision Date:SDS Number:Date of last issue: 2024/04/067.02024/09/283771250-00017Date of first issue: 2018/11/19	
---	--

Components:

Cellulose:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
Febantel:		
Acute oral toxicity	:	LD50 (Rabbit): 1,250 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
4,4'-methylenebis[3-hydroxy methyl-2-[2-(2-thienyl)vinyl]	/-2- pyr	naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1- imidine (1:1):
Acute oral toxicity	:	LD50 (Rat): > 24,000 mg/kg
		LD50 (Mouse): > 24,000 mg/kg
		LD50 (Dog): 2,000 mg/kg
praziquantel:		
Acute oral toxicity	:	LD50 (Rat): 2,480 mg/kg
		LD50 (Mouse): 2,454 mg/kg
		LD50 (Dog): > 200 mg/kg
		LD50 (Rabbit): 1,050 mg/kg
Starch:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
Skin corrosion/irritation		

Not classified based on available information.

Components:

Feba	ntal	-
гера	пе	

Species	:	Rabbit
Result	:	No skin irritation



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

praziquantel:

Species Method Remarks	: Rabbit
Method	: Draize Test
Remarks	: slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Febantel:

Species	:	Rabbit
Result	:	No eye irritation

praziquantel:

Species Result Method	: Rabbit
Result	: Mild eye irritation
Method	: Draize Test

Starch:

Species Result	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

praziquantel:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species Result	:	Guinea pig
Result	:	Not a skin sensitizer.

Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Test Type Exposure routes Species Result	:	negative

Germ cell mutagenicity

Not classified based on available information.



Version 7.0	Revision Date: 2024/09/28	-	S Number: 1250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19		
Com	ponents:					
Cellu	llose:					
Geno	Genotoxicity in vitro		: Test Type: Bacterial reverse mutation assay (AMES) Result: negative			
			Test Type: In vitr Result: negative	o mammalian cell gene mutation test		
Geno	otoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in v cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative			
Feba	ntel:					
Geno	otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)		
				damage and repair, unscheduled DNA syn- lian cells (in vitro)		
Geno	otoxicity in vivo	:	Test Type: Mamr cytogenetic assa Species: Mouse Application Route Result: negative			

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
praziquantel:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Test system: Chinese hamster cells Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Rat Result: negative
Starch:	
	Test Turner Destarial reverse mutation second (AMEC)

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



Febantel / Pyrantel Pamoate / Praziquantel Formulation

/ersion 7.0	Revision Date: 2024/09/28		DS Number: 71250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19
Ш			Result: negative	
			C C	
	inogenicity classified based on ava	ailabla	information	
	ponents:	allable	inionnauon.	
Cellu	llose:			
Spec		:	Rat	
	cation Route	:	Ingestion	
	sure time	:	72 weeks	
Resu	lit	÷	negative	
Feba	intel:			
Spec		:	Mouse	
	cation Route	:	Ingestion	
Expo Resu	sure time		21 Months negative	
nrazi	iquantel:		Ū.	
Spec	-		Hamster	
	cation Route	÷	Oral	
	sure time	:	80 weeks	
NOA		:	100 mg/kg body	weight
Resu		:	negative	here offecto were reported
Rema	arks	÷	No significant ad	lverse effects were reported
Spec		:	Rat	
	cation Route	:	Oral	
Expo NOA	sure time	:	104 weeks 250 mg/kg body	weight
Resu		÷	negative	weight
Rema	arks	:		lverse effects were reported
Dopr	oductivo toxicity			
-	oductive toxicity classified based on avail	ailable	information.	
	ponents:			
	llose:			
	ts on fertility	:	Test Type: One- Species: Rat Application Rout Result: negative	generation reproduction toxicity study e: Ingestion



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

Febantel:		
Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Effects on foetal develop- ment	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
4,4'-methylenebis[3-hydrox methyl-2-[2-(2-thienyl)vinyl]		naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-
	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 3,000 mg/kg body weight Result: No effects on fertility and early embryonic develop- ment were detected.
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 1,000 mg/kg body weight Result: No effects on fertility and early embryonic develop- ment were detected.
praziquantel:		
Effects on fertility	:	Test Type: Fertility Species: Rat Remarks: No significant adverse effects were reported
		Test Type: Fertility Species: Mouse Remarks: No significant adverse effects were reported
Effects on foetal develop- ment	:	Test Type: Development Species: Rat Remarks: No significant adverse effects were reported
		Test Type: Development Species: Mouse Remarks: No significant adverse effects were reported



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Cellulose:

Species	:	Rat
NOAEL	:	>= 9,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species NOAEL LOAEL Application Route Exposure time Remarks	:	Dog 10 mg/kg 30 mg/kg Ingestion 3 d No significant adverse effects were reported
Species NOAEL Application Route Exposure time Remarks	:	Dog 600 mg/kg Oral 19 d No significant adverse effects were reported
Species NOAEL Application Route Exposure time Remarks	:	Dog 600 mg/kg Oral 30 d No significant adverse effects were reported
Species NOAEL Application Route Exposure time Remarks	:	Dog 600 mg/kg Oral 90 d No significant adverse effects were reported
praziquantel: Species NOAEL Application Route Remarks Species	::	Rat 1,000 mg/kg Oral No significant adverse effects were reported Dog



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version 7.0	Revision Date: 2024/09/28	SDS Number: 3771250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19
NOAE LOAE Applio Targe Rema	L cation Route t Organs	: 60 mg/kg : 180 mg/kg : Oral : Gastrointestinal : No significant a	l tract dverse effects were reported
Starc Speci NOAE Applic Expos Metho	es EL cation Route sure time	: Rat : >= 2,000 mg/kg : Skin contact : 28 Days : OECD Test Gui	
Not cl Expe	ation toxicity assified based on avai rience with human ex ponents:		
	yl-2-[2-(2-thienyl)viny	l]pyrimidine (1:1):	, compound with (E)-1,4,5,6-tetrahydro-1- dominal pain, Nausea, Vomiting, Diarrhoea, ziness, Fever
prazio Inhala	quantel: ation		adache, Tiredness, Dizziness, Gastrointestinal rease body temperature, Allergic reactions

12. ECOLOGICAL INFORMATION

Ecotoxicity		
Components:		
Cellulose: Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Febantel: Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.2 mg/l Exposure time: 48 h



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version 7.0	Revision Date: 2024/09/28		S Number: 71250-00017	Date of last issue: 2024/04/06 Date of first issue: 2018/11/19
Toxicit plants	y to algae/aquatic	:	ErC50 (Desmoder mg/l Exposure time: 72 Method: OECD Te	
M-Fact icity)	tor (Acute aquatic tox-	:	1	
Toxicit	y to daphnia and other c invertebrates (Chron- ity)	:	Exposure time: 21 Method: OECD To	
M-Fact toxicity	tor (Chronic aquatic	:	10	
	ethylenebis[3-hydroxy I-2-[2-(2-thienyl)vinyl]			ompound with (E)-1,4,5,6-tetrahydro-1-

Acute aquatic toxicity	:	Toxic effects cannot be excluded
Chronic aquatic toxicity	:	Toxic effects cannot be excluded

praziquantel:

Toxicity to fish	:	LC50 (Carassius auratus (goldfish)): 29.2 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203
		LC50 (Danio rerio (zebra fish)): 31.6 mg/l Exposure time: 96 hrs Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 35 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to microorganisms	:	EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209

Persistence and degradability

Components:

Cellulose:

Biodegradability	:	Result: Readily biodegradable.



7.0 2024/09/28 3771250-00017 Date of first issue: 2018/11/19	Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
	7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

Bioaccumulative potential

Components:

Febantel:

Partition coefficient: n- octanol/water	:	log Pow: 1.95 Remarks: Calculation

praziquantel:

Partition coefficient: n-	:	log Pow: 2.012
octanol/water		pH: 7

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal	methods
----------	---------

Waste from residues	:	Dispose of in accordance with local regulations.	
		Do not dispose of waste into sewer.	
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Febantel)
Class	:	9
Packing group	:	
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Febantel)
Class	:	9
Packing group	:	III



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

Labels Packing instruction (cargo aircraft)	:	Miscellaneous 956
Packing instruction (passen- ger aircraft)	:	956
Environmentally hazardous	:	yes
IMDG-Code UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Febantel)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

: 171

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable



on Existing Chemicals having Mutagenicity

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information

Not applicable Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity Not applicable Substances Subject to be Notified Names Not applicable Substances Subject to be Indicated Names Not applicable Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2) Not applicable Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations) Not applicable Ordinance on Prevention of Hazards Due to Specified Chemical Substances Not applicable Ordinance on Prevention of Lead Poisoning Not applicable Ordinance on Prevention of Tetraalkyl Lead Poisoning Not applicable **Ordinance on Prevention of Organic Solvent Poisoning** Not applicable Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances) Not applicable **Poisonous and Deleterious Substances Control Law** Not applicable Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof Not applicable **High Pressure Gas Safety Act** Not applicable **Explosive Control Law** Not applicable **Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation	:	Not classified as noxious liquid substance
Pack transportation	:	Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

Waste Disposal and Public Cleansing Law		
Industrial waste		
The components of this pro-	duc	t are reported in the following inventories:
AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd
Full text of other abbreviatio	ns	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
7.0	2024/09/28	3771250-00017	Date of first issue: 2018/11/19

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN