

Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Febantel / Pyrantel Pamoate / Praziquantel Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Veterinary product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

20 Spartan Road

1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

Response:

P391 Collect spillage.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 21,82 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Febantel	58306-30-2 261-205-0	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ——— M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
4,4'-methylenebis[3-hydroxy-2- naphthoic] acid, compound with (E)- 1,4,5,6-tetrahydro-1-methyl-2-[2-(2- thienyl)vinyl]pyrimidine (1:1)	22204-24-6 244-837-1		>= 20 - < 30
praziquantel	55268-74-1 259-559-6	Aquatic Chronic 3; H412	>= 2,5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.

Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Contact with dust can cause mechanical irritation or drying of

the skin

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

Local/Total ventilation

: Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cellulose	9004-34-6	OEL-RL	10 mg/m3	ZA OEL
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
4,4'- methylenebis[3- hydroxy-2- naphthoic] acid, compound with (E)-1,4,5,6- tetrahydro-1-	22204-24-6	TWA	250 μg/m3 (OEB 2)	Internal



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

methyl-2-[2-(2- thienyl)vinyl]pyrimi dine (1:1)				
praziquantel	55268-74-1	TWA	0.5 mg/m3 (OEB 2)	Internal
Starch	9005-25-8	OEL-RL	10 mg/m3	ZA OEL
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
praziquantel	Water	0,03 mg/l

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder Colour : yellow

Odour : No data available
Odour Threshold : No data available



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

; No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility
Partition coefficient: n-

octanol/water

No data available

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : Not applicable

Molecular weight : No data available

Particle size : No data available



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

Febantel:

Acute oral toxicity : LD50 (Rabbit): 1.250 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Acute oral toxicity : LD50 (Rat): > 24.000 mg/kg

LD50 (Mouse): > 24.000 mg/kg



Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 3771256-00015
 Date of first issue: 19.11.2018

LD50 (Dog): 2.000 mg/kg

praziquantel:

Acute oral toxicity : LD50 (Rat): 2.480 mg/kg

LD50 (Mouse): 2.454 mg/kg

LD50 (Dog): > 200 mg/kg

LD50 (Rabbit): 1.050 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Febantel:

Species : Rabbit

Result : No skin irritation

praziquantel:

Species : Rabbit
Method : Draize Test
Remarks : slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Febantel:

Species : Rabbit

Result : No eye irritation

praziquantel:

Species : Rabbit
Method : Draize Test
Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

praziquantel:



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Febantel:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

praziquantel:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Chinese hamster cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Rat Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Febantel:

Species : Mouse
Application Route : Ingestion
Exposure time : 21 Months
Result : negative



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

praziquantel:

Species : Hamster
Application Route : Oral
Exposure time : 80 weeks

NOAEL : 100 mg/kg body weight

Result : negative

Remarks : No significant adverse effects were reported

Species : Rat
Application Route : Oral
Exposure time : 104 weeks

NOAEL : 250 mg/kg body weight

Result : negative

Remarks : No significant adverse effects were reported

Reproductive toxicity

Not classified based on available information.

Components:

Febantel:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 3.000 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 1.000 mg/kg body weight Result: No effects on fertility and early embryonic develop-

ment were detected.

praziquantel:

Effects on fertility : Test Type: Fertility

Species: Rat



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

Remarks: No significant adverse effects were reported

Test Type: Fertility Species: Mouse

Remarks: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Remarks: No significant adverse effects were reported

Test Type: Development

Species: Mouse

Remarks: No significant adverse effects were reported

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Species : Dog
NOAEL : 10 mg/kg
LOAEL : 30 mg/kg
Application Route : Ingestion
Exposure time : 3 d

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 600 mg/kg Application Route : Oral Exposure time : 19 d

Remarks : No significant adverse effects were reported

Species : Dog NOAEL : 600 mg/kg Application Route : Oral Exposure time : 30 d

Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 600 mg/kg
Application Route : Oral
Exposure time : 90 d

Remarks : No significant adverse effects were reported

praziquantel:

Species : Rat



Febantel / Pyrantel Pamoate / Praziguantel **Formulation**

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

NOAEL 1.000 mg/kg

Application Route Oral

Remarks No significant adverse effects were reported

Species Dog **NOAEL** 60 mg/kg LOAEL 180 mg/kg

Application Route Oral

Target Organs Gastrointestinal tract

Remarks No significant adverse effects were reported

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-

methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ingestion Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhoea,

Headache, Dizziness, Fever

praziquantel:

Inhalation Symptoms: Headache, Tiredness, Dizziness, Gastrointestinal

discomfort, decrease body temperature, Allergic reactions

SECTION 12: Ecological information

12.1 Toxicity

Components:

Febantel:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,2 mg/l

Toxicity to algae/aquatic

plants

Exposure time: 48 h

ErC50 (Desmodesmus subspicatus (green algae)): > 0,43

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

ic toxicity)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

NOEC: > 0,001 - 0,01 mg/lExposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

M-Factor (Chronic aquatic

toxicity)

10

4,4'-methylenebis[3-hydroxy-2-naphthoic] acid, compound with (E)-1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl)vinyl]pyrimidine (1:1):

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

praziquantel:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 29,2 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

LC50 (Danio rerio (zebra fish)): 31,6 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 35 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Febantel:

Partition coefficient: n- : log Pow: 1,95

octanol/water Remarks: Calculation

praziquantel:

Partition coefficient: n- : log Pow: 2,012

octanol/water pH: 7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Febantel)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Febantel)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Febantel)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

(Febantel)

IATA : Environmentally hazardous substance, solid, n.o.s.

(Febantel)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956 Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H302 : Harmful if swallowed. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.



Febantel / Pyrantel Pamoate / Praziquantel Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 3.1 30.09.2023 3771256-00015 Date of first issue: 19.11.2018

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

ZA OEL : South Africa. The Regulations for Hazardous Chemical

Agents, Occupational Exposure Limits

ZA OEL / OEL-RL : Occupational Exposure Limit Restricted limit - 8- hour expo-

sure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Aquatic Chronic 1 H410 Calculation method



Febantel / Pyrantel Pamoate / Praziquantel Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 3.1
 30.09.2023
 3771256-00015
 Date of first issue: 19.11.2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN