

# Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

#### **SECTION 1. IDENTIFICATION**

Product name : Fenbendazole (0.5%) Pellets Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma

Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

**GHS** label elements

Hazard pictograms

¥2>

Signal Word : Warning

Hazard Statements : H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste



## Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

disposal plant.

#### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 1 -< 5
fenbendazole	43210-67-9	>= 0,25 -< 1

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Contact with dust can cause mechanical irritation or drying of

delayed Protection of first-aiders the skin.

Dust contact with the eyes can lead to mechanical irritation.

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.



## Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

Hazardous combustion prod: :

ucts

Carbon oxides Silicon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Minimize dust generation and accumulation. Keep container closed when not in use.



## Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	CMP (Mist)	5 mg/m <sup>3</sup>	AR OEL
		CMP - CPT (Mist)	10 mg/m³	AR OEL
		TWA (Inhalable particulate matter)	5 mg/m³	ACGIH
fenbendazole	43210-67-9	TWA	100 μg/m3 (OEB 2)	Internal

**Engineering measures**: Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Combined particulates and organic vapor type

Filter type

Hand protection Material

: Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Hygiene measures

Work uniform or laboratory coat.

: If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment,



# Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : pellets

Color : tan

to

light brown

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature

: No data available



## Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

### **Acute toxicity**

Not classified based on available information.

### **Components:**

### White mineral oil (petroleum):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

#### fenbendazole:



## Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

LD50 (Mouse): > 10.000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### White mineral oil (petroleum):

Species : Rabbit

Result : No skin irritation

fenbendazole:

Species : Rabbit

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

### White mineral oil (petroleum):

Species : Rabbit

Result : No eye irritation

fenbendazole:

Species : Rabbit

Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

### Respiratory sensitization

Not classified based on available information.

#### Components:

### White mineral oil (petroleum):

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

#### White mineral oil (petroleum):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test



# Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

fenbendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: in vitro test

Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Result: equivocal

### Carcinogenicity

Not classified based on available information.

### **Components:**

### White mineral oil (petroleum):

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

fenbendazole:

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years

NOAEL : 405 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Target Organs : Lymph nodes, Liver

### Reproductive toxicity

Not classified based on available information.



## Fenbendazole (0.5%) Pellets Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.7
 30.09.2023
 7987905-00008
 Date of first issue: 22.03.2021

#### **Components:**

White mineral oil (petroleum):

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Skin contact

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

fenbendazole:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

General Toxicity Parent: NOAEL: 15 mg/kg body weight

Fertility: LOAEL: 45 mg/kg body weight

Result: Effects on fertility.

Effects on fetal development : Test Type: Development

Species: Dog, female Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: Fetotoxicity.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Result: No effects on fetal development.

Reproductive toxicity - As-

sessment

 Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

### STOT-single exposure

Not classified based on available information.



# Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

### STOT-repeated exposure

Not classified based on available information.

### **Components:**

### fenbendazole:

Routes of exposure : Ingestion

Target Organs : Liver, Stomach, Nervous system, Lymph nodes

Assessment : May cause damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

#### **Components:**

### White mineral oil (petroleum):

Species : Rat

LOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat LOAEL : >= 1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 4 Weeks

Method : OECD Test Guideline 412

### fenbendazole:

Species : Rat

LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Kidney, Liver

Species : Rat

NOAEL : > 2.500 mg/kg

Application Route : Oral Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Species : Rat

LOAEL : 1.600 mg/kg
Application Route : Oral
Exposure time : 90 Days

Target Organs : Central nervous system

Symptoms : Tremors

Species : Dog
NOAEL : 4 mg/kg
LOAEL : 8 mg/kg
Exposure time : 6 Months

Target Organs : Stomach, Nervous system, Lymph nodes



## Fenbendazole (0.5%) Pellets Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 7987905-00008 Date of first issue: 22.03.2021 1.7

Aspiration toxicity

Not classified based on available information.

**Components:** 

fenbendazole:

No aspiration toxicity classification

**Experience with human exposure** 

**Components:** 

fenbendazole:

Ingestion Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

**SECTION 12. ECOLOGICAL INFORMATION** 

**Ecotoxicity** 

**Components:** 

White mineral oil (petroleum):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l

Exposure time: 28 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.000 mg/l

Exposure time: 21 d

fenbendazole:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,009 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0088 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- :

ic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0,00113 mg/l

100

aquatic invertebrates (Chron-Exposure time: 21 Days

Method: OECD Test Guideline 211



# Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

M-Factor (Chronic aquatic

toxicity)

Persistence and degradability

**Components:** 

White mineral oil (petroleum):

Biodegradability : Result: Not readily biodegradable.

10

Biodegradation: 31 % Exposure time: 28 d

**Bioaccumulative potential** 

Components:

fenbendazole:

Partition coefficient: n-

octanol/water

log Pow: 3,32

Mobility in soil

Components:

fenbendazole:

Distribution among environ-

mental compartments

: log Koc: 3,8 - 4,7 Method: FDA 3.08

Other adverse effects

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION** 

**International Regulations** 

**UNRTDG** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes



## Fenbendazole (0.5%) Pellets Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 7987905-00008 Date of first issue: 22.03.2021 1.7

**IATA-DGR** 

UN/ID No. UN 3077

Proper shipping name Environmentally hazardous substance, solid, n.o.s.

(fenbendazole)

Class 9 Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous ves

**IMDG-Code** 

**UN** number UN 3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, Proper shipping name

N.O.S.

956

956

(fenbendazole)

Class 9 Ш Packing group Labels 9 **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Not applicable

Registry.

Control of precursors and essential chemicals for the Not applicable

preparation of drugs.

The ingredients of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

### **SECTION 16. OTHER INFORMATION**



## Fenbendazole (0.5%) Pellets Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 1.7 30.09.2023 7987905-00008 Date of first issue: 22.03.2021

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

**Further information** 

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average AR OEL / CMP : TLV (Threshold Limit Value) AR OEL / CMP - CPT : STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific



# Fenbendazole (0.5%) Pellets Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 1.7
 30.09.2023
 7987905-00008
 Date of first issue: 22.03.2021

context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8