

Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

SECTION 1. IDENTIFICATION

Product name : Fenbendazole (0.5%) Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma

Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye

irritation

Category 1

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 2

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment. P280 Wear eye protection/ face protection.



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor. P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Calcium bis(dihydrogenorthophosphate) mono-	10031-30-8	>= 30 -< 50	
hydrate			
Sodium chloride	7647-14-5	>= 20 -< 30	
Langbeinite	14977-37-8	>= 1 -< 5	
Paraffin oil	8012-95-1	>= 1 -< 2,5	
fenbendazole	43210-67-9	>= 0,25 -< 1	

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Causes serious eye damage.

Contact with dust can cause mechanical irritation or drying of

the skin.



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Avoid generating dust; fine dust dispersed in air in sufficient

concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Oxides of phosphorus

Metal oxides Carbon oxides Chlorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

	<u> </u>			
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin oil	8012-95-1	CMP (Mist)	5 mg/m³	AR OEL
		CMP - CPT (Mist)	10 mg/m ³	AR OEL
		TWA (Inhalable particulate matter)	5 mg/m³	ACGIH
fenbendazole	43210-67-9	TWA	100 µg/m3 (OEB 2)	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

: Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available



Fenbendazole (0.5%) Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 1161519-00017 Date of first issue: 19.12.2016 4.1

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure No data available

Relative vapor density No data available

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size No data available

SECTION 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Hazardous decomposition

products

Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact



Fenbendazole (0.5%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1161519-00017 Date of first issue: 19.12.2016

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg

Method: Calculation method

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2,6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: OECD Test Guideline 403

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 7.940 mg/kg

Sodium chloride:

Acute oral toxicity : LD50 (Rat): 3.550 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 42 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Langbeinite:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 425

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

LD50 (Mouse): > 10.000 mg/kg



Fenbendazole (0.5%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1161519-00017 Date of first issue: 19.12.2016

Skin corrosion/irritation

Not classified based on available information.

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:

Species : Rabbit

Result : No skin irritation

Sodium chloride:

Species : Rabbit

Result : No skin irritation

Langbeinite:

Species : reconstructed human epidermis (RhE)
Method : Regulation (EC) No. 440/2008, Annex, B.46

Result : No skin irritation

Remarks : Based on data from similar materials

Paraffin oil:

Species : Rabbit

Result : No skin irritation

fenbendazole:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:

Species : Rabbit

Result : Irreversible effects on the eye

Sodium chloride:

Species : Rabbit

Result : No eye irritation

Langbeinite:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Paraffin oil:

Species : Rabbit

Result : No eye irritation



Fenbendazole (0.5%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1161519-00017 Date of first issue: 19.12.2016

fenbendazole:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Sodium chloride:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : negative

Langbeinite:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Method: OECD Test Guideline 487

Result: negative

Remarks: Based on data from similar materials

Sodium chloride:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay

(in vitro) Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Langbeinite:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

fenbendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: in vitro test

Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Result: equivocal

Carcinogenicity

Not classified based on available information.

Components:

Sodium chloride:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

fenbendazole:

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years

NOAEL : 405 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Target Organs : Lymph nodes, Liver

Reproductive toxicity

Not classified based on available information.

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening

test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 421

Result: negative



Fenbendazole (0.5%) Solid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 1161519-00017 Date of first issue: 19.12.2016 4.1

Remarks: Based on data from similar materials

Effects on fetal development Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Langbeinite:

Effects on fertility Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Test Type: Combined repeated dose toxicity study with the Effects on fetal development

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

fenbendazole:

Effects on fertility Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

General Toxicity Parent: NOAEL: 15 mg/kg body weight

Fertility: LOAEL: 45 mg/kg body weight

Result: Effects on fertility.

Effects on fetal development Test Type: Development

Species: Dog, female Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the

offspring were detected., No teratogenic effects.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: Fetotoxicity.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 120 mg/kg body weight



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Result: No effects on fetal development.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

fenbendazole:

Routes of exposure : Ingestion

Target Organs : Liver, Stomach, Nervous system, Lymph nodes

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:

Species : Rat

NOAEL : > 300 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Method : OECD Test Guideline 407

Remarks : Based on data from similar materials

Sodium chloride:

Species : Rat

LOAEL : 2.533 mg/kg
Application Route : Ingestion
Exposure time : 2 y

Langbeinite:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 28 d

Method : OECD Test Guideline 422

Remarks : Based on data from similar materials

Paraffin oil:

Species : Rat, female LOAEL : 161 mg/kg Application Route : Ingestion Exposure time : 90 Days



Fenbendazole (0.5%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1161519-00017 Date of first issue: 19.12.2016

fenbendazole:

Species : Rat
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Kidney, Liver

Species : Rat

NOAEL : > 2.500 mg/kg

Application Route : Oral Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Species : Rat

LOAEL : 1.600 mg/kg

Application Route : Oral Exposure time : 90 Days

Target Organs : Central nervous system

Symptoms : Tremors

Species : Dog
NOAEL : 4 mg/kg
LOAEL : 8 mg/kg
Exposure time : 6 Months

Target Organs : Stomach, Nervous system, Lymph nodes

Aspiration toxicity

Not classified based on available information.

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

fenbendazole:

No aspiration toxicity classification

Experience with human exposure

Components:

fenbendazole:

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhea

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Calcium bis(dihydrogenorthophosphate) monohydrate:



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Sodium chloride:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 5.840 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.136 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50: > 2.000 mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 252 mg/l

Exposure time: 33 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia pulex (Water flea)): 314 mg/l

Exposure time: 21 d

Toxicity to microorganisms : EC10: > 1.000 mg/l

Langbeinite:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Paraffin oil:

Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

fenbendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,009 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0088 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,00113 mg/l

Exposure time: 21 Days

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Paraffin oil:

Partition coefficient: n-

log Pow: > 4

octanol/water

Remarks: Calculation

fenbendazole:

Partition coefficient: n-

: log Pow: 3,32

octanol/water

Mobility in soil

Components:

fenbendazole:

Distribution among environ: log Koc: 3,8 - 4,7



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

mental compartments Method: FDA 3.08

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(fenbendazole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo :

aircraft)

Packing instruction (passen-

: 956

956

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



Fenbendazole (0.5%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.1
 30.09.2023
 1161519-00017
 Date of first issue: 19.12.2016

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents : Not applicable

Registry.

Control of precursors and essential chemicals for the

preparation of drugs.

Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023 Date format : dd.mm.yyyy

Further information

Sources of key data used to

compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AR OEL : Argentina. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average AR OEL / CMP : TLV (Threshold Limit Value) AR OEL / CMP - CPT : STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Fenbendazole (0.5%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.1 30.09.2023 1161519-00017 Date of first issue: 19.12.2016

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8