according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 06.04.2024 3579686-00017 Date of first issue: 24.10.2018 5.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Fenbendazole (10%) Liquid Formulation

Other means of identification: COOPERS PANACUR 100 ORAL ANTHELMINTIC FOR

CATTLE AND HORSES (37088)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-

stance/Mixture

: Veterinary product

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

**MSD** Company

Kilsheelan

Clonmel Tipperary, IE

Telephone 353-51-601000

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

## 1.4 Emergency telephone number

+1-908-423-6000

### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 2 H361fd: Suspected of damaging fertility. Suspected

of damaging the unborn child.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

exposure, Category 2 longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate-H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Cat-H410: Very toxic to aquatic life with long lasting

egory 1

effects.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Hazard pictograms :



¥2

Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damag-

ing the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Hazardous components which must be listed on the label:

fenbendazole

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.02.2024

 5.0
 06.04.2024
 3579686-00017
 Date of first issue: 24.10.2018

	Registration number		
fenbendazole	43210-67-9 256-145-7	Repr. 2; H361fd STOT RE 2; H373 (Liver, Stomach, Nervous system, Lymph nodes) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ————————————————————————————————————	>= 10 - < 20
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319 ————————————————————————————————————	>= 0,1 - < 1

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Suspected of damaging fertility. Suspected of damaging the

unborn child.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

**SECTION 5: Firefighting measures** 

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides Metal oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.02.2024

 5.0
 06.04.2024
 3579686-00017
 Date of first issue: 24.10.2018

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Gases

7.3 Specific end use(s)

Specific use(s) : No data available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
fenbendazole	43210-67-9	TWA	100 μg/m3 (OEB 2)	Internal
Silicon dioxide	7631-86-9	TWA (respirable dust)	1,5 mg/m3 (Silica)	FOR-2011- 12-06-1358

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects  Value	
Silicon dioxide	Workers	Inhalation	Long-term systemic effects	4 mg/m3
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic effects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic effects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.02.2024

 5.0
 06.04.2024
 3579686-00017
 Date of first issue: 24.10.2018

Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
fenbendazole		0,0001 mg/l
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	
	Soil	0,456 mg/kg

#### 8.2 Exposure controls

## **Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Equipment should conform to NS EN 143

Filter type : Particulates type (P)

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : suspension

Colour : white

Odour : characteristic

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Odour Threshold : No data available

Melting point/freezing point : < 2 °C

Initial boiling point and boiling

range

No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : 6-7

Viscosity

Viscosity, dynamic : 100 - 300 mPa.s

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : 1,062 - 1,072 g/cm<sup>3</sup>

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

## 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

## 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

#### **Acute toxicity**

Not classified based on available information.

### **Components:**

### fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

LD50 (Mouse): > 10.000 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

#### Skin corrosion/irritation

Not classified based on available information.

#### **Components:**

### fenbendazole:

Species : Rabbit

Result : No skin irritation

### Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

#### fenbendazole:

Species : Rabbit

Result : No eye irritation

## Benzyl alcohol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

#### **Components:**

## Benzyl alcohol:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

## Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### fenbendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: in vitro assay

Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Result: equivocal

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

#### Carcinogenicity

Not classified based on available information.

## **Components:**

## fenbendazole:

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years

NOAEL : 405 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Target Organs : Lymph nodes, Liver

Benzyl alcohol:

Species : Mouse

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Application Route : Ingestion Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### **Components:**

#### fenbendazole:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 15 mg/kg body weight

Fertility: LOAEL: 45 mg/kg body weight

Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Dog, female Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected., No teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Result: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal experi-

ments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

Species: Rat

Application Route: Ingestion

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 06.04.2024 3579686-00017 Date of first issue: 24.10.2018 5.0

Remarks: Based on data from similar materials

Effects on foetal develop-

Test Type: Embryo-foetal development

ment

Species: Mouse Application Route: Ingestion

Result: negative

#### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

#### fenbendazole:

Exposure routes : Ingestion

Target Organs : Liver, Stomach, Nervous system, Lymph nodes

Assessment : May cause damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

#### **Components:**

### fenbendazole:

Species
LOAEL
Application Route Rat : 500 mg/kg : Oral : 2 Weeks : Kidney, Liver Target Organs

Species : Rat

NOAEL > 2.500 mg/kg

NOAEL
Application Route
Exposure time
Remarks Oral 30 Days

Remarks No significant adverse effects were reported

Species Rat

1.600 mg/kg

LOAEL
Application Route
Exposure time
Target Organs : Oral : 90 Days

: Target Organs Central nervous system

Symptoms Tremors

**Species** Dog NOAEL 4 mg/kg LOAEL : 8 mg/kg Exposure time : 6 Months

: Stomach, Nervous system, Lymph nodes Target Organs

### Benzyl alcohol:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Species Rat

NOAEL 1,072 mg/l

Application Route inhalation (dust/mist/fume)

Exposure time 28 Days

Method **OECD Test Guideline 412** 

### **Aspiration toxicity**

Not classified based on available information.

#### Components:

#### fenbendazole:

No aspiration toxicity classification

#### 11.2 Information on other hazards

### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **Experience with human exposure**

#### **Components:**

fenbendazole:

Ingestion Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

## **Components:**

#### fenbendazole:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,009 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,0088 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- :

100

Toxicity to daphnia and other: aquatic invertebrates (Chron-

NOEC: 0,00113 mg/l Exposure time: 21 Days

ic toxicity)

Species: Daphnia magna (Water flea)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 10

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 51 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

#### 12.2 Persistence and degradability

#### **Components:**

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 92 - 96 %

Exposure time: 14 d

## 12.3 Bioaccumulative potential

### **Components:**

fenbendazole:

Partition coefficient: n-

: log Pow: 3,32

octanol/water

Benzyl alcohol:

Partition coefficient: n-

octanol/water

: log Pow: 1,05

## 12.4 Mobility in soil

#### **Components:**

fenbendazole:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.02.2024

 5.0
 06.04.2024
 3579686-00017
 Date of first issue: 24.10.2018

Distribution among environmental compartments : log Koc: 3,8 - 4,7 Method: FDA 3.08

#### 12.5 Results of PBT and vPvB assessment

#### **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(fenbendazole)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

**ADR** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(fenbendazole)

**RID** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(fenbendazole)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, **IMDG** 

N.O.S.

(fenbendazole)

**IATA** Environmentally hazardous substance, liquid, n.o.s.

(fenbendazole)

14.3 Transport hazard class(es)

Class Subsidiary risks

**ADN** 9 **ADR** 9 RID 9 **IMDG** 9

**IATA** 9

14.4 Packing group

ADN

Packing group Ш Classification Code M6 Hazard Identification Number : 90 Labels

**ADR** 

Packing group Ш Classification Code M6 Hazard Identification Number : 90 Labels 9 Tunnel restriction code (-)

**RID** 

Ш Packing group Classification Code M6 Hazard Identification Number : 90 Labels 9

**IMDG** 

Packing group Ш Labels

**EmS Code** F-A, S-F

IATA (Cargo)

Packing instruction (cargo

aircraft)

964

Packing instruction (LQ) Y964 Packing group Ш

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

**ADN** 

Environmentally hazardous : yes

**ADR** 

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

**IMDG** 

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75, 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Restrictions on the manufacture, placing on

18/21

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

If you intend to use this product as tattoo ink, please contact your ven-

dor.

Not applicable

Not applicable

Not applicable

REACH - Candidate List of Substances of Very High :

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

### Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

## The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

**Full text of H-Statements** 

H302 : Harmful if swallowed.

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H361fd : Suspected of damaging fertility. Suspected of damaging the

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits

FOR-2011-12-06-1358 / : Long term exposure limit

**TWA** 

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Sources of key data used to : compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## Fenbendazole (10%) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 23.02.2024 5.0 06.04.2024 3579686-00017 Date of first issue: 24.10.2018

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Repr. 2 H361fd Calculation method STOT RE 2 H373 Calculation method Aquatic Acute 1 H400 Calculation method Aquatic Chronic 1 H410 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN