

# Fenbendazole (22.2%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 06.04.2024
 2569754-00016
 Date of first issue: 27.02.2018

**Section 1: Identification** 

**Product identifier** : Fenbendazole (22.2%) Solid Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

#### Section 2: Hazard identification

Classification of the substance or mixture

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :



\*

Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damag-

ing the unborn child.

H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated expo-

sure if swallowed.



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	cal name CAS-No.	
Starch	9005-25-8	>= 50 -< 70
fenbendazole	43210-67-9	>= 20 -< 25

#### Section 4: First-aid measures

## Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : Suspected of damaging fertility. Suspected of damaging the

unborn child.

May cause damage to organs through prolonged or repeated

exposure if swallowed.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

### Section 5: Fire-fighting measures

## **Extinguishing media**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

## Special hazards arising from the substance or mixture

Specific hazards during fire- : Exposure to combus

fighting

Hazardous combustion prod- : Carbon oxides

ucts

Exposure to combustion products may be a hazard to health.

Nitrogen oxides (NOx)

Sulphur oxides

#### Special protective actions for fire-fighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.



## Fenbendazole (22.2%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 06.04.2024
 2569754-00016
 Date of first issue: 27.02.2018

#### Section 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### Section 7: Handling and storage

#### Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### Section 8: Exposure controls/personal protection

#### **Control parameters**

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	PEL (long term)	10 mg/m3	SG OEL
		TWA	10 mg/m3	ACGIH
fenbendazole	43210-67-9	TWA	100 μg/m3 (OEB 2)	Internal

Appropriate engineering control measures

Use feasible engineering controls to minimize exposure to

compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

Hand protection

Material : Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance : granules

Colour : white to off-white

Odour : No data available

Odour Threshold : No data available

pH : 5-7

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.
Oxidizing agents

Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

## **Section 11: Toxicological information**

Information on likely routes of : Inhalation

exposure

Skin contact Ingestion Eye contact

## **Acute toxicity**

Not classified based on available information.

#### Components:

#### Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

LD50 (Mouse): > 10,000 mg/kg



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

#### Skin corrosion/irritation

Not classified based on available information.

#### Components:

#### fenbendazole:

Species : Rabbit

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### **Components:**

#### Starch:

Species : Rabbit

Result : No eye irritation

#### fenbendazole:

Species : Rabbit

Result : No eye irritation

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

#### Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

### fenbendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

Test Type: DNA Repair

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: in vitro assay

Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Result: equivocal

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### fenbendazole:

Species : Mouse . Application Route Exposure time : oral (feed) : 2 Years

NOAEL 405 mg/kg body weight

Result : negative

: Rat Species Species
Application Route
Exposure time
NOAFI : Oral : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Target Organs : Lymph nodes, Liver

## Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### **Components:**

#### fenbendazole:

Effects on fertility Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 15 mg/kg body weight

Fertility: LOAEL: 45 mg/kg body weight

Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Development Species: Dog, female

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected., No teratogenic effects

Test Type: Embryo-foetal development



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Result: No effects on foetal development

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on sexual function and

fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

### STOT - single exposure

Not classified based on available information.

## STOT - repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

### **Components:**

#### fenbendazole:

Exposure routes : Ingestion

Target Organs : Liver, Stomach, Nervous system, Lymph nodes

Assessment : May cause damage to organs through prolonged or repeated

exposure.

## Repeated dose toxicity

### **Components:**

#### Starch:

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days

Method : OECD Test Guideline 410

#### fenbendazole:

Species : Rat LOAEL : 500 mg/kg Application Route : Oral



## Fenbendazole (22.2%) Solid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 06.04.2024
 2569754-00016
 Date of first issue: 27.02.2018

Exposure time : 2 Weeks
Target Organs : Kidney, Liver

Species : Rat

NOAEL : > 2,500 mg/kg

Application Route : Oral Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Species : Rat

LOAEL : 1,600 mg/kg Application Route : Oral

Application Route : Oral Exposure time : 90 Days

Target Organs : Central nervous system

Symptoms : Tremors

Species: DogNOAEL: 4 mg/kgLOAEL: 8 mg/kgExposure time: 6 Months

Target Organs : Stomach, Nervous system, Lymph nodes

#### **Aspiration toxicity**

Not classified based on available information.

#### Components:

#### fenbendazole:

No aspiration toxicity classification

#### **Experience with human exposure**

### **Components:**

fenbendazole:

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

## **Section 12: Ecological information**

#### **Toxicity**

## **Components:**

## fenbendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0088 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- : 100



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

icity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l

aquatic invertebrates (Chron- Exposure time: 21 Days

ic toxicity) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 10

toxicity)

Persistence and degradability

No data available

**Bioaccumulative potential** 

**Components:** 

fenbendazole:

Partition coefficient: n- : log Pow: 3.32

octanol/water

Mobility in soil

Components:

fenbendazole:

Distribution among environ-

mental compartments

: log Koc: 3.8 - 4.7 Method: FDA 3.08

Other adverse effects

No data available

Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**Section 14: Transport information** 

**International Regulations** 

**UNRTDG** 

UN number : UN 3077

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

Transport hazard class(es) : 9

Packing group : III
Labels : 9
Environmental hazards : yes



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

**IATA-DGR** 

UN/ID No. : UN 3077

UN proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(fenbendazole)

Transport hazard class(es) : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 956

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

956

(fenbendazole)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A

EmS Code : F-A, S-F Marine pollutant : yes

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **Section 15: Regulatory information**

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

: Not applicable

Not applicable

Fire Safety (Petroleum and Flammable Materials)

Regulations

Regulations

## The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



## Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

IECSC : not determined

#### **Section 16: Other information**

Revision Date : 06.04.2024

**Further information** 

Sources of key data used to compile the Safety Data

Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Internal technical data, data from raw material SDSs, OECD

eChem Portal search results and European Chemicals Agen-

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-



# Fenbendazole (22.2%) Solid Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 06.04.2024 2569754-00016 Date of first issue: 27.02.2018

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN