

**Fenbendazole (7%) Liquid Formulation**

Version 2.18      Revision Date: 30.09.2023      SDS Number: 26402-00024      Date of last issue: 04.04.2023  
Date of first issue: 29.10.2014

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Fenbendazole (7%) Liquid Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 2  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read

## Fenbendazole (7%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	>= 3 -< 10
Silicon, amorphous	112945-52-5	>= 1 -< 10

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Suspected of damaging fertility. Suspected of damaging the unborn child.

## Fenbendazole (7%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

---

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

## Fenbendazole (7%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Silicon, amorphous	112945-52-5	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

#### Personal protective equipment

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection : Chemical-resistant gloves

**Fenbendazole (7%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

---

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : suspension

Colour : white

Odour : characteristic

Odour Threshold : No data available

pH : 6 - 8

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

**Fenbendazole (7%) Liquid Formulation**

Version 2.18      Revision Date: 30.09.2023      SDS Number: 26402-00024      Date of last issue: 04.04.2023  
Date of first issue: 29.10.2014

---

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : insoluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****fenbendazole:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

**Fenbendazole (7%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

---

LD50 (Mouse): &gt; 10,000 mg/kg

**Silicon, amorphous:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LC50 (Rat): > 2.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****fenbendazole:**

- Species : Rabbit  
Result : No skin irritation

**Silicon, amorphous:**

- Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****fenbendazole:**

- Species : Rabbit  
Result : No eye irritation

**Silicon, amorphous:**

- Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Fenbendazole (7%) Liquid Formulation**

Version 2.18      Revision Date: 30.09.2023      SDS Number: 26402-00024      Date of last issue: 04.04.2023  
Date of first issue: 29.10.2014

---

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****fenbendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Metabolic activation: Metabolic activation  
Result: equivocal

**Silicon, amorphous:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Carcinogenicity**

Not classified based on available information.

**Components:****fenbendazole:**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 405 mg/kg body weight  
Result : negative



**Fenbendazole (7%) Liquid Formulation**

Version 2.18      Revision Date: 30.09.2023      SDS Number: 26402-00024      Date of last issue: 04.04.2023  
Date of first issue: 29.10.2014

---

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 5 mg/kg body weight  
Result : negative  
Target Organs : Lymph nodes, Liver

**Silicon, amorphous:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 103 weeks  
Result : negative  
Remarks : Based on data from similar materials

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****fenbendazole:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
General Toxicity - Parent: NOAEL: 15 mg/kg body weight  
Fertility: LOAEL: 45 mg/kg body weight  
Result: Effects on fertility

Effects on foetal development : Test Type: Development  
Species: Dog, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: Fetotoxicity

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 120 mg/kg body weight  
Result: No effects on foetal development

## Fenbendazole (7%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

---

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### Silicon, amorphous:

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### Components:

#### fenbendazole:

Exposure routes : Ingestion  
Target Organs : Liver, Stomach, Nervous system, Lymph nodes  
Assessment : May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### fenbendazole:

Species : Rat  
LOAEL : 500 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Target Organs : Kidney, Liver

Species : Rat  
NOAEL : > 2,500 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

Species : Rat  
LOAEL : 1,600 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Central nervous system  
Symptoms : Tremors

**Fenbendazole (7%) Liquid Formulation**

Version 2.18      Revision Date: 30.09.2023      SDS Number: 26402-00024      Date of last issue: 04.04.2023  
Date of first issue: 29.10.2014

---

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 8 mg/kg  
Exposure time : 6 Months  
Target Organs : Stomach, Nervous system, Lymph nodes

**Silicon, amorphous:**

Species : Rat  
NOAEL : 1.3 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

**Aspiration toxicity**

Not classified based on available information.

**Components:****fenbendazole:**

No aspiration toxicity classification

**Experience with human exposure****Components:****fenbendazole:**

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****fenbendazole:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l  
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

M-Factor (Acute aquatic toxicity) : 100

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l  
Exposure time: 21 Days  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

**Fenbendazole (7%) Liquid Formulation**

Version 2.18      Revision Date: 30.09.2023      SDS Number: 26402-00024      Date of last issue: 04.04.2023  
Date of first issue: 29.10.2014

---

**Silicon, amorphous:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 10,000 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3.32

**Mobility in soil****Components:****fenbendazole:**

Distribution among environmental compartments : log Koc: 3.8 - 4.7  
Method: FDA 3.08

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

**Fenbendazole (7%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

---

ding site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

**IATA-DGR**

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (fenbendazole)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

**IMDG-Code**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Fenbendazole (7%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

---

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 30.09.2023

**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agen-  
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

SG OEL : Singapore. Workplace Safety and Health (General Provisions)  
Regulations - First Schedule Permissible Exposure Limits of  
Toxic Substances.

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

**Fenbendazole (7%) Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.18	30.09.2023	26402-00024	Date of first issue: 29.10.2014

---

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN