

Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fenbendazole Paste Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure (Oral)

Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damag-

ing the unborn child.

H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated expo-

sure if swallowed.



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe vapours.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	>= 10 -<= 18.75
Ethanol#	64-17-5	<= 0.04
Diethyl malonate#	105-53-3	<= 0.006
2-Furaldehyde#	98-01-1	<= 0.006
Cinnamaldehyde#	104-55-2	<= 0.002
Isovaleraldehyde#	590-86-3	<= 0.002
Acetaldehyde#	75-07-0	<= 0.0002
Trans-hex-2-en-1-ol#	928-95-0	<= 0.0002

[#] Voluntarily-disclosed substance

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.



Fenbendazole Paste Formulation

SDS Number: Date of last issue: 2023/09/30 Version Revision Date: 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. Suspected of damaging fertility. Suspected of damaging the

Most important symptoms and effects, both acute and

delayed

May cause damage to organs through prolonged or repeated

exposure if swallowed.

unborn child.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Use only with adequate ventilation.

Advice on safe handling

Do not breathe vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in p

Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
fenbendazole	43210-67-9	TWA	100 μg/m3 (OEB	Internal



Fenbendazole Paste Formulation

Version SDS Number: Date of last issue: 2023/09/30 Revision Date: 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

			2)	
Ethanol	64-17-5	PSD	1,000 ppm	ID OEL
	Further information: Confirmed animal carcinogen.			
		STEL	1,000 ppm	ACGIH
2-Furaldehyde	98-01-1	NAB	2 ppm	ID OEL
	Further information: Confirmed animal carcinogen., Skin			
		TWA	0.2 ppm	ACGIH
Acetaldehyde	75-07-0	KTD	25 ppm	ID OEL
			45 mg/m3	
	Further information: Suspected human carcinogen			
		С	25 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
2-Furaldehyde	98-01-1	Furoic acid	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/l	ACGIH BEI

Engineering measures Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

If adequate local exhaust ventilation is not available or expo-Respiratory protection

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection Combined particulates and organic vapour type

Material Chemical-resistant gloves

Eye protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.



Fenbendazole Paste Formulation

Version Revision Date: 6.2 2024/09/28

SDS Number: 887501-00022

Date of last issue: 2023/09/30 Date of first issue: 2016/09/16

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : white to off-white

Odour : cinnamon-like

Odour Threshold : No data available

pH : 6-8

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available



Fenbendazole Paste Formulation

Version SDS Number: Date of last issue: 2023/09/30 **Revision Date:** 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

No data available Particle size

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

fenbendazole:

Acute oral toxicity LD50 (Rat): > 10,000 mg/kg

LD50 (Mouse): > 10,000 mg/kg

Ethanol:

Acute oral toxicity LD50 (Rat): 10,470 mg/kg

Method: OECD Test Guideline 401

LC50 (Rat, male): 116.9 mg/l Acute inhalation toxicity

> Exposure time: 4 h Test atmosphere: vapour

Acute dermal toxicity LD50 (Rabbit): > 15,800 mg/kg



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Diethyl malonate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on data from similar materials

2-Furaldehyde:

Acute oral toxicity : LD50 (Rat): 108 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 1 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg

Method: Expert judgement

Cinnamaldehyde:

Acute oral toxicity : LD50 (Rat): 2,200 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 1,260 mg/kg

Isovaleraldehyde:

Acute oral toxicity : LD50 (Rat): 5,740 mg/kg

Acute inhalation toxicity : LC50 (Rat): 42.7 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 2,534 mg/kg

Acetaldehyde:

Acute oral toxicity : LD50 (Rat): 661 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 3,540 mg/kg

Trans-hex-2-en-1-ol:

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 4,500 mg/kg

Skin corrosion/irritation

Not classified based on available information.



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Components:

fenbendazole:

Species : Rabbit

Result : No skin irritation

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Diethyl malonate:

Species : Rabbit

Result : No skin irritation

2-Furaldehyde:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

Cinnamaldehyde:

Species : human skin Result : Skin irritation

Isovaleraldehyde:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

Acetaldehyde:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Trans-hex-2-en-1-ol:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

fenbendazole:

Species : Rabbit



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Result : No eye irritation

Ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Diethyl malonate:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

2-Furaldehyde:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Cinnamaldehyde:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Isovaleraldehyde:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Acetaldehyde:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Trans-hex-2-en-1-ol:

Result : Irreversible effects on the eye Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Ethanol:

Test Type : Mouse ear swelling test (MEST)

Exposure routes : Skin contact Species : Mouse



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Result : negative

Diethyl malonate:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

2-Furaldehyde:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Cinnamaldehyde:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in hu-

mans

Isovaleraldehyde:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of low to moderate skin sensitisation

rate in humans

Acetaldehyde:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Trans-hex-2-en-1-ol:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

fenbendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: in vitro assay

Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Result: equivocal

Ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion

Result: negative

Diethyl malonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: Directive 67/548/EEC, Annex, B.13/14

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Remarks: Based on data from similar materials

2-Furaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation as-

say

Species: Mouse

Application Route: Ingestion

Result: negative

Cinnamaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion

Result: negative

Isovaleraldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Acetaldehyde:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Result: positive

Test Type: in vitro micronucleus test

Result: positive

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Rat

Application Route: Intraperitoneal injection

Result: positive

Test Type: Mammalian bone marrow sister chromatid ex-

change

Species: Mouse

Application Route: Intraperitoneal injection

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

Trans-hex-2-en-1-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: in vitro micronucleus test Method: OECD Test Guideline 487

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

fenbendazole:

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years

NOAEL : 405 mg/kg body weight

Result : negative

Species : Rat Application Route : Oral



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Target Organs : Lymph nodes, Liver

2-Furaldehyde:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

Species : Hamster

Application Route : inhalation (vapour)

Exposure time : 52 weeks Result : negative

Species : Mouse
Application Route : Skin contact
Exposure time : 47 weeks
Result : positive

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

Cinnamaldehyde:

Species : Rat
Application Route : Ingestion
Exposure time : 106 weeks
Result : negative

Remarks : Based on data from similar materials

Species : Mouse

Application Route : Intraperitoneal injection

Exposure time : 24 weeks Result : negative

Isovaleraldehyde:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years Result : negative

Remarks : Based on data from similar materials

Acetaldehyde:

Species : Rat
Application Route : Inhalation
Exposure time : 121 weeks
Result : positive



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Carcinogenicity - Assess-

ment

: Sufficient evidence of carcinogenicity in animal experiments

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

fenbendazole:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 15 mg/kg body weight

Fertility: LOAEL: 45 mg/kg body weight

Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Development Species: Dog, female

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected., No teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Result: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal experi-

ments.

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Diethyl malonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

2-Furaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Cinnamaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

Acetaldehyde:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Trans-hex-2-en-1-ol:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

Components:

2-Furaldehyde:

Assessment : May cause respiratory irritation.

Isovaleraldehyde:

Assessment : May cause respiratory irritation.

Acetaldehyde:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Components:

fenbendazole:

Exposure routes : Ingestion

Target Organs : Liver, Stomach, Nervous system, Lymph nodes

Assessment : May cause damage to organs through prolonged or repeated

exposure.

2-Furaldehyde:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

fenbendazole:

Species : Rat
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Kidney, Liver

Species : Rat

NOAEL : > 2,500 mg/kg

Application Route : Oral Exposure time : 30 Days

Remarks : No significant adverse effects were reported



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Species : Rat

LOAEL : 1,600 mg/kg Application Route : Oral

Exposure time : 90 Days
Target Organs : Central nervous system

Symptoms : Tremors

Species : Dog
NOAEL : 4 mg/kg
LOAEL : 8 mg/kg
Exposure time : 6 Months

Target Organs : Stomach, Nervous system, Lymph nodes

Ethanol:

Species : Rat

NOAEL : 1,730 mg/kg LOAEL : 3,200 mg/kg Application Route : Ingestion Exposure time : 90 Days

2-Furaldehyde:

Species : Rat
NOAEL : 53 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Cinnamaldehyde:

Species : Rat
NOAEL : 200 mg/kg
Application Route : Ingestion
Exposure time : 12 Weeks

Acetaldehyde:

Species : Rat
NOAEL : 125 mg/kg
LOAEL : 675 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 0.3 mg/kg
LOAEL : 1 mg/kg

Application Route : inhalation (vapour)

Exposure time : 13 Weeks

Trans-hex-2-en-1-ol:



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 98 Days

Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:

fenbendazole:

No aspiration toxicity classification

Experience with human exposure

Components:

fenbendazole:

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

fenbendazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0088 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox- :

icity)

100

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.00113 mg/l

Exposure time: 21 Days

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

plants Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l

Exposure time: 100 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to microorganisms

EC50 (Protozoa): 5,800 mg/l

Exposure time: 4 h

Diethyl malonate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 12 - 17 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 179 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 800 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 115 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 3,097 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

2-Furaldehyde:

Toxicity to fish : EC50 (Leuciscus idus (Golden orfe)): 29 mg/l

Exposure time: 48 h

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 29 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic

plants

NOEC (Microcystis aeruginosa (blue-green algae)): 2.7 mg/l

Exposure time: 8 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): 0.33 mg/l

Exposure time: 12 d

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.9 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 760 mg/l

Exposure time: 30 min



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Method: OECD Test Guideline 209

Cinnamaldehyde:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.15 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.21 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 16.09 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: 71 mg/l

Exposure time: 3 h Method: ISO 8192

Isovaleraldehyde:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.25 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 177 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 137.37

ma/l

Exposure time: 96 h

EC10 (Desmodesmus subspicatus (green algae)): 101.83

mg/l

Exposure time: 96 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 310 mg/l

Exposure time: 17 h

Method: DIN 38 412 Part 8

Acetaldehyde:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 30.8 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 57.4 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Trans-hex-2-en-1-ol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 163 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 226

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Components:

Ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Diethyl malonate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 99 % Exposure time: 28 d

Method: Regulation (EC) No. 440/2008, Annex, C.4-A

2-Furaldehyde:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 93.5 % Exposure time: 14 d

Cinnamaldehyde:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Isovaleraldehyde:



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 887501-00022 6.2 2024/09/28 Date of first issue: 2016/09/16

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 49.5 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Acetaldehyde:

Biodegradability Result: Readily biodegradable.

Biodegradation: 80 % Exposure time: 14 d

Method: OECD Test Guideline 301C

Trans-hex-2-en-1-ol:

Biodegradability Result: Readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

fenbendazole:

Partition coefficient: n-

octanol/water

log Pow: 3.32

Ethanol:

Partition coefficient: n-

octanol/water

log Pow: -0.35

Diethyl malonate:

Partition coefficient: n-

octanol/water

log Pow: 0.96

2-Furaldehyde:

Partition coefficient: n-

octanol/water

log Pow: 0.83

Remarks: Calculation

Cinnamaldehyde:

Partition coefficient: n-

octanol/water

log Pow: 2.107

Isovaleraldehyde:

Partition coefficient: n-

octanol/water

log Pow: 1.5

Acetaldehyde:

Partition coefficient: n-

octanol/water

: log Pow: 0.45

Trans-hex-2-en-1-ol:

Partition coefficient: n-

octanol/water

log Pow: 1.61

Remarks: Calculation



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Mobility in soil

Components:

fenbendazole:

Distribution among environ- : log Koc: 3.8 - 4.7 mental compartments : Method: FDA 3.08

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(fenbendazole)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(fenbendazole)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(fenbendazole)



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

Class : 9
Packing group : III
Labels : 9

EmS Code : F-A, S-F Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Glycerine

Sodium hydroxide

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Not applicable

control, Annex I

Type of hazardous materials subject to distribution and : Not applicable

control, Annex II

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2024/09/28

Further information

Sheet

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

ACGIH / C : Ceiling limit

ID OEL / NAB : Long term exposure limit ID OEL / PSD : Short term exposure limit

ID OEL / KTD : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-



Fenbendazole Paste Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/09/30 6.2 2024/09/28 887501-00022 Date of first issue: 2016/09/16

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN