

**Fenbendazole Premix Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 1503374-00017      Date of last issue: 04.04.2023  
Date of first issue: 31.03.2017

---

**SECTION 1: IDENTIFICATION**

Product name : Fenbendazole Premix Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.

## Fenbendazole Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Calcium carbonate	471-34-1	>= 30 -< 60
fenbendazole	43210-67-9	>= 10 -< 30
Paraffin oil	8012-95-1	>= 10 -< 30

**SECTION 4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated

## Fenbendazole Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

exposure if swallowed.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
 Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
 Nitrogen oxides (NO<sub>x</sub>)  
 Sulphur oxides  
 Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Use water spray to cool unopened containers.  
 Remove undamaged containers from fire area if it is safe to do so.  
 Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
 Use personal protective equipment.

Hazchem Code : 2Z

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
 Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
 Prevent further leakage or spillage if safe to do so.  
 Retain and dispose of contaminated wash water.  
 Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

## Fenbendazole Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- |                             |   |  |
|-----------------------------|---|--|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.   |
| Local/Total ventilation     | : | Use only with adequate ventilation.  |
| Advice on safe handling     | : | Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures            | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.   |
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Store in accordance with the particular national regulations.   |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents  |

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Calcium carbonate	471-34-1	TWA	10 mg/m <sup>3</sup> (Calcium carbonate)	AU OEL

## Fenbendazole Premix Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 1503374-00017      Date of last issue: 04.04.2023  
 Date of first issue: 31.03.2017

fenbendazole	43210-67-9	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Paraffin oil	8012-95-1	TWA (Mist)	5 mg/m <sup>3</sup>	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : powder

Colour : light brown

Odour : characteristic

Odour Threshold : No data available

pH : No data available

**Fenbendazole Premix Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

**Fenbendazole Premix Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Calcium carbonate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**fenbendazole:**

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg  
LD50 (Mouse): > 10,000 mg/kg

**Paraffin oil:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Fenbendazole Premix Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 1503374-00017      Date of last issue: 04.04.2023  
Date of first issue: 31.03.2017

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Calcium carbonate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**fenbendazole:**

Species : Rabbit  
Result : No skin irritation

**Paraffin oil:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Calcium carbonate:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**fenbendazole:**

Species : Rabbit  
Result : No eye irritation

**Paraffin oil:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Calcium carbonate:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact



**Fenbendazole Premix Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Calcium carbonate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

**fenbendazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Metabolic activation: Metabolic activation  
Result: equivocal

**Carcinogenicity**

Not classified based on available information.

**Components:****fenbendazole:**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 405 mg/kg body weight  
Result : negative

**Fenbendazole Premix Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 1503374-00017      Date of last issue: 04.04.2023  
Date of first issue: 31.03.2017

---

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 5 mg/kg body weight  
Result : negative  
Target Organs : Lymph nodes, Liver

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Calcium carbonate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**fenbendazole:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
General Toxicity - Parent: NOAEL: 15 mg/kg body weight  
Fertility: LOAEL: 45 mg/kg body weight  
Result: Effects on fertility

Effects on foetal development : Test Type: Development  
Species: Dog, female  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: Fetotoxicity

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 63 mg/kg body weight

## Fenbendazole Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 120 mg/kg body weight  
 Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

**Components:****fenbendazole:**

Exposure routes : Ingestion  
 Target Organs : Liver, Stomach, Nervous system, Lymph nodes  
 Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Calcium carbonate:**

Species : Rat  
 NOAEL : > 1,000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 28 Days  
 Method : OECD Test Guideline 422

**fenbendazole:**

Species : Rat  
 LOAEL : 500 mg/kg  
 Application Route : Oral  
 Exposure time : 2 Weeks  
 Target Organs : Kidney, Liver

Species : Rat  
 NOAEL : > 2,500 mg/kg  
 Application Route : Oral  
 Exposure time : 30 Days  
 Remarks : No significant adverse effects were reported

**Fenbendazole Premix Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 1503374-00017      Date of last issue: 04.04.2023  
Date of first issue: 31.03.2017

---

Species : Rat  
LOAEL : 1,600 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Central nervous system  
Symptoms : Tremors

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 8 mg/kg  
Exposure time : 6 Months  
Target Organs : Stomach, Nervous system, Lymph nodes

**Paraffin oil:**

Species : Rat, female  
LOAEL : 161 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Aspiration toxicity**

Not classified based on available information.

**Components:****fenbendazole:**

No aspiration toxicity classification

**Paraffin oil:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Experience with human exposure****Components:****fenbendazole:**

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Calcium carbonate:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 203

**Fenbendazole Premix Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 1503374-00017      Date of last issue: 04.04.2023  
Date of first issue: 31.03.2017

---

- Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOELR (*Pseudokirchneriella subcapitata* (green algae)): 50 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201
- EL50 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201
- Toxicity to microorganisms : NOEC: 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209
- fenbendazole:**
- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.009 mg/l  
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.0088 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.00113 mg/l  
Exposure time: 21 Days  
Method: OECD Test Guideline 211
- Paraffin oil:**
- Toxicity to fish : LL50 (*Scophthalmus maximus* (turbot)): > 100 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EL50 (*Acartia tonsa* (Calanoid copepod)): > 100 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EL50 (*Skeletonema costatum* (marine diatom)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction

**Fenbendazole Premix Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Remarks: Based on data from similar materials

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3.32

**Paraffin oil:**

Partition coefficient: n-octanol/water : log Pow: > 4  
Remarks: Calculation

**Mobility in soil****Components:****fenbendazole:**

Distribution among environmental compartments : log Koc: 3.8 - 4.7  
Method: FDA 3.08

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(fenbendazole)

**Fenbendazole Premix Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 1503374-00017      Date of last issue: 04.04.2023  
Date of first issue: 31.03.2017

---

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(fenbendazole)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(fenbendazole)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****ADG**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,  
N.O.S.  
(fenbendazole)

Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 2Z  
Environmentally hazardous : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Fenbendazole Premix Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

**SECTION 16: ANY OTHER RELEVANT INFORMATION****Further information**

Revision Date : 30.09.2023  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>  
Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.  
ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



**Fenbendazole Premix Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	1503374-00017	Date of first issue: 31.03.2017

---

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN