According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Fenbendazole Premix Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions : Not

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Reproductive toxicity, Category 2 H361fd: Suspected of damaging fertility. Suspected

of damaging the unborn child.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-

longed or repeated exposure.

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

gory 1

exposure, Category 2

Long-term (chronic) aguatic hazard, Cat-H410: Very toxic to aguatic life with long lasting

egory 1 effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

Hazard pictograms

*

Signal word : Warning

Hazard statements : H361fd Suspected of damaging fertility. Suspected of

damaging the unborn child.

H373 May cause damage to organs through prolonged

or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

fenbendazole

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
fenbendazole	43210-67-9 256-145-7	Repr. 2; H361fd STOT RE 2; H373 (Liver, Stomach, Nervous system, Lymph nodes) Aquatic Acute 1; H400	>= 20 - < 25

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.3	28.09.2024	9373235-00010	Date of first issue: 27.08.2021

		Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100	
		M-Factor (Chronic	
Paraffin oil	9012.05.1	aquatic toxicity): 10	>= 10 - < 20
Paramin on	8012-95-1 232-384-2	Asp. Tox. 1; H304 Aquatic Chronic 4; H413	>= 10 - < 20
Substances with a workplace exposure limit :			
Calcium carbonate	471-34-1 207-439-9		>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Suspected of damaging fertility. Suspected of damaging the

unborn child.

May cause damage to organs through prolonged or repeated

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

exposure.

Contact with dust can cause mechanical irritation or drying of

the skin.

Dust contact with the eyes can lead to mechanical irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

Sulphur oxides Metal oxides

Evacuate area.

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

terriove ariaarriagea contairiers from int

SO.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

nated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

dust of any kind 10 mg/m3

Value type (Form of exposure): TWA (Inhalable)

Basis: GB EH40

4 mg/m3

Value type (Form of exposure): TWA (Respirable fraction)

Basis: GB EH40

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Calcium carbonate	471-34-1	TWA (inhalable dust)	10 mg/m3	GB EH40
		TWA (Respirable dust)	4 mg/m3	GB EH40
fenbendazole	43210-67-9	TWA	100 µg/m3 (OEB 2)	Internal

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Paraffin oil	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Inhalation	Short-term exposure	5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	5 mg/m3
	Workers	Inhalation	Acute local effects	5 mg/m3
Calcium carbonate	Workers	Inhalation	Long-term systemic effects	6.36 mg/m3
	Consumers	Ingestion	Acute systemic effects	6.1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.06 mg/m3
	Consumers	Ingestion	Long-term systemic	6.1 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

effects bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
fenbendazole		0.0001 mg/l
Calcium carbonate	Sewage treatment plant	100 mg/l

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to BS EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the

end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical re-

sistance data and an assessment of the local exposure poten-

tial.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder
Colour : light brown
Odour : characteristic
Odour Threshold : No data available

pH : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

Melting point/freezing point : No data available

Initial boiling point and boiling

range

: No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg

LD50 (Mouse): > 10,000 mg/kg

Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Calcium carbonate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

fenbendazole:

Species : Rabbit

Result : No skin irritation

Paraffin oil:

Species : Rabbit

Result : No skin irritation

Calcium carbonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

fenbendazole:

Species : Rabbit

Result : No eye irritation

Paraffin oil:

Species : Rabbit

Result : No eye irritation

Calcium carbonate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Calcium carbonate:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

fenbendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: Chromosomal aberration

Result: negative

Test Type: in vitro assay

Test system: mouse lymphoma cells Metabolic activation: Metabolic activation

Result: equivocal

Calcium carbonate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Carcinogenicity

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

Components:

fenbendazole:

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years

NOAEL : 405 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

Target Organs : Lymph nodes, Liver

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

fenbendazole:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 15 mg/kg body weight

Fertility: LOAEL: 45 mg/kg body weight

Result: Effects on fertility

Effects on foetal develop-

ment

Test Type: Development

Species: Dog, female

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected., No teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 25 mg/kg body weight

Result: Fetotoxicity

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Result: No effects on foetal development

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

Reproductive toxicity - As-

sessment

: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

Calcium carbonate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

fenbendazole:

Exposure routes : Ingestion

Target Organs : Liver, Stomach, Nervous system, Lymph nodes

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

fenbendazole:

Species : Rat

LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 2 Weeks
Target Organs : Kidney, Liver

Species : Rat

NOAEL : > 2,500 mg/kg

Application Route : Oral Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Species : Rat

LOAEL : 1,600 mg/kg

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

Application Route : Oral Exposure time : 90 Days

Target Organs : Central nervous system

Symptoms : Tremors

Species : Dog
NOAEL : 4 mg/kg
LOAEL : 8 mg/kg
Exposure time : 6 Months

Target Organs : Stomach, Nervous system, Lymph nodes

Paraffin oil:

Species : Rat, female LOAEL : 161 mg/kg Application Route : Ingestion Exposure time : 90 Days

Calcium carbonate:

Species : Rat

NOAEL : > 1,000 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Method : OECD Test Guideline 422

Aspiration toxicity

Not classified based on available information.

Components:

fenbendazole:

No aspiration toxicity classification

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

fenbendazole:

Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

SECTION 12: Ecological information

12.1 Toxicity

Components:

fenbendazole:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l

Exposure time: 21 d

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.0088 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.00113 mg/l Exposure time: 21 Days

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

Paraffin oil:

Toxicity to fish LL50 (Scophthalmus maximus (turbot)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials.

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Calcium carbonate:

LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

NOELR (Pseudokirchneriella subcapitata (green algae)): 50

mg/l

Exposure time: 72 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC : 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

EC50 : > 1,000 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

fenbendazole:

Partition coefficient: n-

log Pow: 3.32

octanol/water

Paraffin oil:

Partition coefficient: n- :

: log Pow: > 4

octanol/water Remarks: Calculation

12.4 Mobility in soil

Components:

fenbendazole:

Distribution among environmental compartments log Koc: 3.8 - 4.7 Method: FDA 3.08

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten: This substance/mixture does not contain components consid-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

tial ered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3077
ADR : UN 3077
RID : UN 3077
IMDG : UN 3077
IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(fenbendazole)

IATA : Environmentally hazardous substance, solid, n.o.s.

(fenbendazole)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 956

aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 956

ger aircraft)

Packing instruction (LQ) : Y956
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained : Not applicable

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) on substances that deplete the ozone : Not applicable

laver

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Quantity 1 Quantity 2

ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.3 28.09.2024 9373235-00010 Date of first issue: 27.08.2021

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.

H361fd : Suspected of damaging fertility. Suspected of damaging the

unborn child.

H373 : May cause damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard Repr. : Reproductive toxicity

STOT RE : Specific target organ toxicity - repeated exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Fenbendazole Premix Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.3
 28.09.2024
 9373235-00010
 Date of first issue: 27.08.2021

fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data
Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

H361fd	Calculation method
H373	Calculation method
H400	Calculation method
H410	Calculation method
	H373 H400

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN