



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/09/28	1503386-00020	Date of first issue: 2017/03/31

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name	:	Fenbendazole Premix Formulation
Supplier's company name, ac Company name of supplier		ess and phone number MSD
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory
Telephone	:	048-588-8411
E-mail address	:	EHSDATASTEWARD@msd.com
Emergency telephone number	:	+1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product Reproductive toxicity : Category 2				
Specific target organ toxicity - repeated exposure (Oral)	:	Category 2 (Liver, Stomach, Nervous system, Lymph nodes)		
Short-term (acute) aquatic hazard	:	Category 1		
Long-term (chronic) aquatic hazard	:	Category 1		
GHS label elements				
Hazard pictograms	:			
Signal word	:	Warning		
Hazard statements	:	H361fd Suspected of damaging fertility. Suspected of damag- ing the unborn child. H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated expo-		



Version 9.0	Revision Date: 2024/09/28	SDS Number: 1503386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
		sure if swallov H410 Very to:	wed. xic to aquatic life with long lasting effects.
Preca	autionary statements	P202 Do not l and understo P260 Do not l P273 Avoid re	breathe dust. elease to the environment. rotective gloves/ protective clothing/ eye protec-
		Response: P308 + P313 attention. P391 Collect	IF exposed or concerned: Get medical advice/ spillage.
		Storage: P405 Store lo	ocked up.
		Disposal: P501 Dispose disposal plant	e of contents/ container to an approved waste t.
Othe	r hazards which do not	t result in classific	ation
•	rtant symptoms and out- of the emergency as- ed	Contact with on the skin.	with the eyes can lead to mechanical irritation. dust can cause mechanical irritation or drying of losive dust-air mixture during processing, han- means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :	Mixture
-----------------------	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
fenbendazole	43210-67-9	>= 20 - < 25	
Paraffin oil	8012-95-1	<= 10	-

4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical ad- vice immediately.
	When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty



/ersion 9.0	Revision Date: 2024/09/28	SDS Nur 1503386		Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
	e of eye contact	Get r Wash Thore : If in e Get r	nedical att nedical att n clothing l pughly clea eyes, rinse nedical att	ninated clothing and shoes. ention. before reuse. an shoes before reuse. well with water. ention if irritation develops and persists. O NOT induce vomiting.
	important symptoms ffects, both acute and ed	Rinse : Susp unbo May expos	ected of da rn child. cause dan sure if swa	oroughly with water. amaging fertility. Suspected of damaging the nage to organs through prolonged or repeated
	ction of first-aiders	: First and u when	contact wi Aid respor use the rec	th the eyes can lead to mechanical irritation. Inders should pay attention to self-protection, commended personal protective equipment tial for exposure exists (see section 8).
	to physician	: Treat	symptom	atically and supportively.
	ble extinguishing media	Alcoł Carb	r spray nol-resistar on dioxide hemical	
Unsui media	table extinguishing	: None	known.	
Speci fightin	fic hazards during fire- Ig	conce poter	entrations, ntial dust e	ng dust; fine dust dispersed in air in sufficient and in the presence of an ignition source is a xplosion hazard. mbustion products may be a hazard to health
Hazaı ucts	dous combustion prod-	Nitro Sulpł	on oxides gen oxides nur oxides I oxides	s (NOx)
Speci ods	fic extinguishing meth-	cums Use v Remo so.	tances an water spra	ng measures that are appropriate to local cir- d the surrounding environment. y to cool unopened containers. naged containers from fire area if it is safe to
• ·	al protective equipment	. In the		ire, wear self-contained breathing apparatus



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/09/28	1503386-00020	Date of first issue: 2017/03/31

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfac- es, as these may form an explosive mixture if they are re- leased into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling		
Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling		Do not breathe dust.
		Do not swallow.
		Avoid contact with eyes.
		Avoid prolonged or repeated contact with skin.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure as- sessment
		Minimize dust generation and accumulation.
		Keep container closed when not in use.
		Keep away from heat and sources of ignition.
		Take precautionary measures against static discharges.
		Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	:	Oxidizing agents
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye



Version 9.0	Revision Date: 2024/09/28		DS Number: 03386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
			place. When using do n	and safety showers close to the working ot eat, drink or smoke. ted clothing before re-use.
Stora	age			
Cond	litions for safe storage	:	Store locked up.	labelled containers.
Mate	rials to avoid	:		the following product types:
Pack	aging material	:	Unsuitable mater	ial: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work en-
vironment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis	
fenbendazole	43210-67-9	TWA	100 µg/m3 (OEB 2)	Internal	
Paraffin oil	8012-95-1	OEL-M (Mist)	3 mg/m3	JP OEL JSOH	
	Further information: Group 1: carcinogenic to humans				
		TWA (Inhal-	5 mg/m3	ACGIH	
		able particu-			
		late matter)			

Engineering measures :	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Apply measures to prevent dust explosions. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are de- signed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
Personal protective equipmen	t
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type :	Combined particulates and organic vapour type
Hand protection	
Material :	Chemical-resistant gloves
Remarks :	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub-



Version 9.0	Revision Date: 2024/09/28		9S Number: 03386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31		
Eye protection Skin and body protection		: :	 stance and specific to place of work. Breakthrough time is determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Wear the following personal protective equipment: Safety goggles Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protect clothing (gloves, aprons, boots, etc). 			
9. PHYSIC	CAL AND CHEMICAL P	PROF	PERTIES			
Physi	ical state	:	powder			
Colou	ır	:	light brown			
Odou	r	: characteristic				
Odou	r Threshold	: No data available		e		
Meltir	ng point/freezing point	:	: No data available			
Boiling point, initial boiling : No data available point and boiling range		e				

Flammability (solid, gas)		May form explosive dust-air mixture during processing, han-
		dling or other means.

Flammability (liquids)	:	No data available
------------------------	---	-------------------

Lower explosion limit and uppe	r ex	plosion limit / flammability limit
Upper explosion limit / Up-	:	No data available

Lower explosion limit and upper Upper explosion limit / Up- per flammability limit		•
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Decomposition temperature	:	No data available
рН	:	No data available
Evaporation rate	:	No data available





Vers 9.0	ion	Revision Date: 2024/09/28		S Number: 13386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
	Solubilit Wate	ty(ies) er solubility	:	No data available	9
	Partitior octanol/	n coefficient: n- /water	:	No data available	
	Vapour	pressure	:	No data available	9
	Density Den	and / or relative densit sity	у :	No data available)
	Relative	e vapour density	:	No data available)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecul	ar weight	:	No data available)
		characteristics icle size	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	: :	Not classified as a reactivity hazard. Stable under normal conditions. May form explosive dust-air mixture during processing, han- dling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Components:

fenbendazole:

SAFETY DATA SHEET



			03386-00020	Date of first issue: 2017/03/31
Acute	oral toxicity	:	LD50 (Rat): > 1	0,000 mg/kg
			LD50 (Mouse):	> 10,000 mg/kg
Paraffi	n oil:			
Acute	oral toxicity	:	LD50 (Rat): > 5	,000 mg/kg
Acute	dermal toxicity	:	LD50 (Rabbit): Assessment: Th toxicity	> 2,000 mg/kg ne substance or mixture has no acute derma
	orrosion/irritation			
Not cla	ssified based on ava	ailable	information.	
Comp	onents:			
fenber	ndazole:			
Specie	S	:	Rabbit	
Result			No skin irritatior	1
Paraffi	n oil:			
Specie	S	:	Rabbit	
Result		:	No skin irritatior	1
Seriou	s eye damage/eye	irritati	on	
Not cla	ssified based on ava	ailable	information.	
<u>Comp</u>	onents:			
fenber	ndazole:			
Specie		:	Rabbit	
Result		:	No eye irritation	1
Paraffi	n oil·			
Specie	-	:	Rabbit	
Result	-	:	No eye irritation	1
Respir	atory or skin sensi	itisatio	n	
	ensitisation ssified based on ava	ailable	information.	
-	atory sensitisation		information.	
	cell mutagenicity ssified based on ava	ailable	information.	



ersion .0	Revision Date: 2024/09/28	SDS Number: 1503386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
Com	ponents:		
fenbe	endazole:		
Geno	otoxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
		Test Type: D Result: nega	
		Test Type: C Result: nega	hromosomal aberration tive
			mouse lymphoma cells tivation: Metabolic activation
Carci	inogenicity		
	lassified based on ava	ailable information.	
Com	ponents:		
	endazole:		
Spec		: Mouse	
Appli	cation Route	: oral (feed)	
	sure time	: 2 Years	
NOAI Resu		: 405 mg/kg b : negative	ody weight
Spec	ies	: Rat	
Appli	cation Route sure time	: Oral : 2 Years	
NOA		: 5 mg/kg bod	v weight
Resu	lt	: negative	,
Targe	et Organs	: Lymph node	s, Liver
Repr	oductive toxicity		
•	•	tility. Suspected of c	amaging the unborn child.
-	ponents:	, I	5.5
fenbe	endazole:		
Effec	ts on fertility	Species: Rat	hree-generation reproduction toxicity study
		General Tox	city - Parent: NOAEL: 15 mg/kg body weigh EL: 45 mg/kg body weight

Effects on foetal develop-	:	Test Type: Development
ment		Species: Dog, female
		Application Route: Oral



rsion	Revision Date: 2024/09/28	SDS Number: 1503386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
		1503386-00020 Developmental Result: Embryo spring were det Test Type: Emb Species: Rabbi Application Rou Developmental Result: Fetotox Test Type: Emb Species: Rabbi Application Rou Developmental Test Type: Emb Species: Rat Application Rou Developmental	Date of first issue: 2017/03/31 Toxicity: LOAEL: 100 mg/kg body weight toxic effects and adverse effects on the of ected., No teratogenic effects pryo-foetal development t te: Oral Toxicity: NOAEL: 25 mg/kg body weight icity pryo-foetal development t te: Oral Toxicity: LOAEL: 63 mg/kg body weight pryo-foetal development
Repro sessn	oductive toxicity - As- nent	: Some evidence fertility, based of	of adverse effects on sexual function an on animal experiments., Some evidence of on development, based on animal exper

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Components:

fenbendazole:

Exposure routes	:	Ingestion
Target Organs	:	Liver, Stomach, Nervous system, Lymph nodes
Exposure routes Target Organs Assessment	:	May cause damage to organs through prolonged or repeated
		exposure.

Repeated dose toxicity

Components:

fenbendazole:

Species LOAEL	:	Rat
LÕAEL	:	500 mg/kg
Application Route	:	Oral
Exposure time	:	2 Weeks
Target Organs	:	Kidney, Liver



Version 9.0	Revision Date: 2024/09/28	SDS Number: 1503386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
		: Rat : > 2,500 mg/kg : Oral : 30 Days]
Rema			adverse effects were reported
Expos	L cation Route sure time t Organs	: Rat : 1,600 mg/kg : Oral : 90 Days : Central nervo : Tremors	us system
	EL	: Dog : 4 mg/kg : 8 mg/kg : 6 Months : Stomach, Ner	vous system, Lymph nodes
Paraf	fin oil:		
		: Rat, female : 161 mg/kg : Ingestion : 90 Days	
•	ation toxicity assified based on ava	lable information.	
<u>Com</u>	oonents:		
	endazole: piration toxicity classif	ication	
The s	fin oil: ubstance or mixture is d as if it causes a hum	known to cause hun an aspiration toxicity	nan aspiration toxicity hazards or has to be re- / hazard.
Expe	rience with human ex	posure	
Com	oonents:		
fenbe Inges	endazole: tion	: Symptoms: R	apid respiration, Salivation, anorexia, Diarrhoea



Version	Revision Date: 2024/09/28	SDS Number:	Date of last issue: 2024/04/06
9.0		1503386-00020	Date of first issue: 2017/03/31

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

fenbendazole:		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0088 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
M-Factor (Acute aquatic tox- icity)	:	100
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.00113 mg/l Exposure time: 21 Days Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	10
Paraffin oil:		
Toxicity to fish	:	LL50 (Scophthalmus maximus (turbot)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
		NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
Persistence and degradabilit	ty	
No data available		

Bioaccumulative potential

Components:

fenbendazole:



ersion .0	Revision Date: 2024/09/28		OS Number: 03386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
	on coefficient: n- ol/water	:	log Pow: 3.32	
	fin oil:			
	on coefficient: n- ol/water	:	log Pow: > 4 Remarks: Calcula	ation
Mobil	ity in soil			
<u>Comp</u>	oonents:			
fenbe	ndazole:			
	oution among environ- al compartments	:	log Koc: 3.8 - 4.7 Method: FDA 3.0	
	dous to the ozone lay	er		
Other	adverse effects			
No da	ta available			
3. DISPO	SAL CONSIDERATIO	NS		
Dispo	sal methods			
Waste	e from residues	:		ordance with local regulations.
Conta	minated packaging	:	Empty containers dling site for recy	f waste into sewer. s should be taken to an approved waste han cling or disposal. pecified: Dispose of as unused product.
4. TRANS	SPORT INFORMATION	1		
Intern	ational Regulations			
UNR1 UN nu Prope		:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID,
Labels	ng group	:	(fenbendazole) 9 III 9 yes	
IATA- UN/ID	DGR	:	UN 3077	nazardous substance, solid, n.o.s.





Version 9.0	Revision Date: 2024/09/28		OS Number: 03386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31
Da			050	
	cking instruction (cargo craft)	:	956	
Pa	cking instruction (passen- r aircraft)	:	956	
Ĕn	vironmentally hazardous	:	yes	
IM	DG-Code			
UN	I number	:	UN 3077	
Pro	oper shipping name	:	ENVIRONMENTA N.O.S. (fenbendazole)	ALLY HAZARDOUS SUBSTANCE, SOLID,
Cla	ass	:	9	
Pa	cking group	:	III	
Lal	bels	:	9	
Em	nS Code	:	F-A, S-F	
Ma	irine pollutant	:	yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

: 171

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable





9.0	Revision Date: 2024/09/28	SDS Number: 1503386-00020	Date of last issue: 2024/04/06 Date of first issue: 2017/03/31	
			having Mutagenicity - Annex 2: Informa	tion
	xisting Chemicals h a pplicable	aving mutagenicity		
	Ilar concerning Infor otified Substances h		having Mutagenicity - Annex 1: Informa	ation
	pplicable			
Subs	tances Subject to b	e Notified Names		
Article	e 57-2 (Enforcement			
-	mical name		Concentration (%) Remarks	
	eral oil		<=10 -	
	tances Subject to b			
	e 57 (Enforcement Or mical name	der Article 18)	Remarks	
	eral oil		-	
Carci tions		s (Article 577-2 of the	Occupational Health and Safety Regula-	
Carci tions Not a Ordir Not a Ordir	inogenic Substance) pplicable nance on Prevention pplicable nance on Prevention	of Hazards Due to S	Occupational Health and Safety Regula- becified Chemical Substances	
Carci tions Not a Ordir Not a Ordir Not a	inogenic Substance) pplicable nance on Prevention pplicable nance on Prevention pplicable	of Hazards Due to Sp of Lead Poisoning	becified Chemical Substances	
Carci tions Not a Ordir Not a Ordir Not a Ordir	inogenic Substance) pplicable nance on Prevention pplicable nance on Prevention pplicable	of Hazards Due to S	becified Chemical Substances	
Carci tions Not a Ordir Not a Ordir Not a Not a	inogenic Substance) pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable	of Hazards Due to Sp of Lead Poisoning	becified Chemical Substances	
Carci tions Not a Ordir Not a Ordir Not a Ordir Not a	inogenic Substance) pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable	of Hazards Due to Sp of Lead Poisoning of Tetraalkyl Lead Po	becified Chemical Substances	
Carci tions Not a Ordir Not a Ordir Not a Ordir Not a Enfor	inogenic Substance pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable	of Hazards Due to Sp of Lead Poisoning of Tetraalkyl Lead Po of Organic Solvent F	becified Chemical Substances	
Carci tions Not a Ordir Not a Ordir Not a Ordir Not a Enfor Subs	inogenic Substance pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable recement Order of the	of Hazards Due to Sp of Lead Poisoning of Tetraalkyl Lead Po of Organic Solvent F	becified Chemical Substances	
Carci tions Not a Ordir Not a Ordir Not a Ordir Not a Enfor Subs Not a Poiso	inogenic Substance pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable reement Order of the tances) pplicable	of Hazards Due to Sp of Lead Poisoning of Tetraalkyl Lead Po of Organic Solvent F	becified Chemical Substances Disoning d Health Law - Attached table 1 (Dangero	
Carci tions Not a Ordir Not a Ordir Not a Ordir Not a Enfor Subs Not a Poiso Not a Act o viron	inogenic Substance pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable rcement Order of the tances) pplicable onous and Deleterio pplicable on Confirmation, etc.	of Hazards Due to Sp of Lead Poisoning of Tetraalkyl Lead Po of Organic Solvent F e Industrial Safety and us Substances Contr of Release Amounts	becified Chemical Substances Disoning d Health Law - Attached table 1 (Dangero	us
Carci tions Not a Ordir Not a Ordir Not a Ordir Not a Enfor Subs Not a Poiso Not a Act o viron Not a High	inogenic Substance pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable nance on Prevention pplicable reement Order of the stances) pplicable onous and Deleterio pplicable onous and Deleterio pplicable	of Hazards Due to Sp of Lead Poisoning of Tetraalkyl Lead Po of Organic Solvent F e Industrial Safety and us Substances Contr of Release Amounts of Improvements to	becified Chemical Substances bisoning d Health Law - Attached table 1 (Dangero ol Law of Specific Chemical Substances in the	us



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/09/28	1503386-00020	Date of first issue: 2017/03/31

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation

: Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd			
Full text of other abbreviations					
ACGIH JP OEL JSOH	:	USA. ACGIH Threshold Limit Values (TLV) Japan. The Japan Society for Occupational Health. Recom- mendation of Occupational Exposure Limits			
ACGIH / TWA JP OEL JSOH / OEL-M		8-hour, time-weighted average Occupational Exposure Limit-Mean			



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/09/28	1503386-00020	Date of first issue: 2017/03/31

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN