



/ersion 3.2	Revision Date: 06.04.2024		S Number: 66754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018		
	1: IDENTIFICATION uct name	:	Fenbendazole	Solid Formulation		
Manu	ifacturer or supplier'	's detai	ls			
Comp	bany	:	Intervet Austra	alia Pty Limited (trading as MSD Animal Health		
Addre	Address		91-105 Harpin Street Bendigo 3550, Victoria Austrailia			
Telep	hone	:	1 800 033 461			
Emer	gency telephone num	ber :	Poisons Inform	nation Centre: Phone 13 11 26		
E-ma	il address	:	EHSDATASTEWARD@msd.com			
Reco	mmended use of the	e chem	ical and restric	ctions on use		
	mmended use ictions on use	:	Veterinary pro Not applicable			

: Category 2
: Category 2 (Liver, Stomach, Nervous system, Lymph nodes)
: Warning
 H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.
 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust.



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	06.04.2024	2736754-00014	Date of first issue: 26.04.2018

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
fenbendazole	43210-67-9	>= 60 -<= 100
Starch	9005-25-8	>= 30 -< 60
Magnesium stearate	557-04-0	< 10

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	 Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed.



Versio 3.2	n	Revision Date: 06.04.2024		S Number: 36754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018
		on of first-aiders o physician	:	the skin. Dust contact with First Aid responde and use the recor when the potentia	can cause mechanical irritation or drying of the eyes can lead to mechanical irritation. ers should pay attention to self-protection, nmended personal protective equipment I for exposure exists (see section 8). cally and supportively.
SECT	ION 5.	FIREFIGHTING MEA	SUI	RES	
		e extinguishing media ble extinguishing	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical None known.	
m S	nedia	hazards during fire-	:	Avoid generating concentrations, an potential dust exp	dust; fine dust dispersed in air in sufficient nd in the presence of an ignition source is a losion hazard. oustion products may be a hazard to health.
	lazardo cts	ous combustion prod-	:	Carbon oxides Nitrogen oxides (I Sulphur oxides Silicon oxides Metal oxides	NOx)
	pecific ds	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do
fc	or firefi	protective equipment ghters m Code	:	Evacuate area. In the event of fire Use personal prot 2Z	e, wear self-contained breathing apparatus. ective equipment.
SECT	ION 6.	ACCIDENTAL RELE	ASE	E MEASURES	
tiv	ve equ	al precautions, protec- ipment and emer- rocedures	:		ective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).
E	nviron	mental precautions	:	Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
		s and materials for ment and cleaning up	:	tainer for disposal	uum up spillage and collect in suitable con- l. [:] dust in the air (i.e., clearing dust surfaces

Version



Date of last issue: 30.09.2023

Fenbendazole Solid Formulation

Revision Date:

SDS Number:

3.2	06.04.2024	2736754-00014	Date of first issue: 26.04.2018
		es, as these m leased into the Local or nation posal of this m employed in th mine which reg Sections 13 an	ed air). should not be allowed to accumulate on surfac- ay form an explosive mixture if they are re- atmosphere in sufficient concentration. al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- gulations are applicable. d 15 of this SDS provide information regarding national requirements.
SECTION	7. HANDLING AND ST	ORAGE	
	nical measures	causing an exp Provide adequ and bonding, c	ate precautions, such as electrical grounding r inert atmospheres.
	/Total ventilation e on safe handling	: Do not breathe Do not swallow Avoid contact Avoid prolonge Handle in acco practice, based sessment Minimize dust Keep containe Keep away fro Take precautio	<i>v</i> . with eyes. ed or repeated contact with skin. Indance with good industrial hygiene and safety d on the results of the workplace exposure as- generation and accumulation. In closed when not in use. Im heat and sources of ignition. In heat sures against static discharges.
Hygie	ene measures	 environment. If exposure to of flushing system place. When using do Wash contamin The effective of engineering co appropriate de industrial hygie 	revent spills, waste and minimize release to the chemical is likely during typical use, provide eye ns and safety showers close to the working o not eat, drink or smoke. nated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ene monitoring, medical surveillance and the trative controls.
Cond	itions for safe storage	: Keep in proper Store locked u	ly labelled containers.
Mate	rials to avoid		ith the following product types:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	06.04.2024	2736754-00014	Date of first issue: 26.04.2018

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
fenbendazole	43210-67-9	TWA	100 µg/m3 (OEB 2)	Internal
Starch	9005-25-8	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
Magnesium stearate	557-04-0	TWA	10 mg/m3	AU OEL
		TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	3 mg/m3	ACGIH

Engineering measures :	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Personal protective equipmen	t
,	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Particulates type
Material :	Chemical-resistant gloves
Eye protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection :	Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available





Vers 3.2	ion	Revision Date: 06.04.2024		S Number: 36754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018			
	Initial be range	oiling point and boiling	:	No data available	9			
	Flash p	oint	:	Not applicable	Not applicable			
	Evapora	ation rate	:	Not applicable				
	Flamma	ability (solid, gas)	:	May form explosi dling or other me	ive dust-air mixture during processing, han- ans.			
	Flamma	ability (liquids)	:	No data available	9			
		explosion limit / Upper bility limit	:	No data available	9			
		explosion limit / Lower bility limit	:	No data available	9			
	Vapour	pressure	:	Not applicable				
	Relative	e vapour density	:	Not applicable				
	Relative	e density	:	No data available	9			
	Density	,	:	No data available	9			
	Solubili Wate	ty(ies) er solubility	:	soluble				
	Partition octanol	n coefficient: n-	:	Not applicable				
		nition temperature	:	No data available	9			
	Decom	position temperature	:	No data available	9			
	Viscosit Visc	ty osity, kinematic	:	Not applicable				
	Explosi	ve properties	:	Not explosive				
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.			
	Molecu	lar weight	:	No data available	9			
	Particle Particle	characteristics size	:	No data available	9			

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.





Vers 3.2	ion	Revision Date: 06.04.2024	-	S Number: 36754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018		
		al stability lity of hazardous reac-	:	dling or other me	ve dust-air mixture during processing, han-		
	Incomp	ons to avoid atible materials ous decomposition is	 Heat, flames and sparks. Avoid dust formation. Oxidizing agents 				
SEC	TION 1	1. TOXICOLOGICAL I	NFC	ORMATION			
	Exposu	ire routes	:	Inhalation Skin contact Ingestion Eye contact			
		t oxicity ssified based on availa	ble i	information.			
	Compo	onents:					
		dazole: oral toxicity	:	LD50 (Rat): > 10,0	000 mg/kg		
				LD50 (Mouse): > 7	10,000 mg/kg		
	Starch	:					
	Acute o	oral toxicity	:	LD50 (Rat): > 5,00	00 mg/kg		
	Acute d	lermal toxicity	:	LD50 (Rabbit): > 2	2,000 mg/kg		
	Magne	sium stearate:					
	Acute c	oral toxicity	:	icity			
	Acute d	lermal toxicity	:	LD50 (Rabbit): > 2 Remarks: Based o	2,000 mg/kg on data from similar materials		
		orrosion/irritation ssified based on availa	ble i	information.			
	Compo	onents:					
	fenben	dazole:					
	Species Result	5	:	Rabbit No skin irritation			



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	06.04.2024	2736754-00014	Date of first issue: 26.04.2018

Magnesium stearate:		
Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:

fenbendazole:

Species	: Rabbit	
Result	: No eye irritation	
	2	
Starch:		

Species	:	Rabbit
Result	:	No eye irritation

Magnesium stearate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Starch:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Magnesium stearate:

Test Type :	Maximisation Test
Exposure routes :	Skin contact
Species :	Guinea pig
Method :	OECD Test Guideline 406
Result :	negative
Remarks :	Based on data from similar materials



Version 3.2	Revision Date: 06.04.2024		OS Number: 36754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018
Chro	onic toxicity			
	n cell mutagenicity classified based on avail	able	information.	
<u>Com</u>	ponents:			
	endazole: otoxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
			Test Type: DNA F Result: negative	Repair
			Test Type: Chron Result: negative	nosomal aberration
				use lymphoma cells on: Metabolic activation
Stard	ch:			
Geno	otoxicity in vitro	:	Test Type: Bacter Result: negative	rial reverse mutation assay (AMES)
Magi	nesium stearate:			
Geno	otoxicity in vitro	:	Result: negative	o mammalian cell gene mutation test on data from similar materials
			Method: OECD T Result: negative	nosome aberration test in vitro est Guideline 473 on data from similar materials
			Test Type: Bacter Result: negative	rial reverse mutation assay (AMES) on data from similar materials
	inogenicity classified based on avail	able	information.	
<u>Com</u>	ponents:			
Spec Appli	cation Route sure time EL	:	Mouse oral (feed) 2 Years 405 mg/kg body w negative	weight



ersion 2	Revision Date: 06.04.2024	SDS Number: 2736754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018
Specie Applic	es ation Route	: Rat : Oral	
NÓAE		: 2 Years : 5 mg/kg body	r weight
Result Target	t Organs	: negative : Lymph nodes	, Liver
-	ductive toxicity		
	ected of damaging fer ponents:	tility. Suspected of d	amaging the unborn child.
fenbe	ndazole:		
Effects	s on fertility	Species: Rat Application R General Toxi	nree-generation reproduction toxicity study oute: oral (feed) city - Parent: NOAEL: 15 mg/kg body weigl EL: 45 mg/kg body weight s on fertility
Effects ment	s on foetal develop-	Result: Embr	, female
		Test Type: E Species: Rat Application R	
			al Toxicity: NOAEL: 25 mg/kg body weight
		Test Type: E Species: Rab Application R	
		Development	al Toxicity: LOAEL: 63 mg/kg body weight
		Test Type: E Species: Rat Application R	nbryo-foetal development
		Development	al Toxicity: NOAEL: 120 mg/kg body weigł fects on foetal development
Repro sessm	ductive toxicity - As- ient	fertility, based	ce of adverse effects on sexual function ar d on animal experiments., Some evidence ts on development, based on animal expe



Version 3.2	Revision Date: 06.04.2024	SDS Number: 2736754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018
Effects	on fertility	reproduction/de Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 422
Effects ment	on foetal develop-	Species: Rat Application Rou Result: negative	
	- single exposure Issified based on avail	able information.	
May ca	- repeated exposure ause damage to organ or repeated exposure		ervous system, Lymph nodes) through pro-
Comp	onents:		
fenber	ndazole:		
	ure routes Organs sment		Nervous system, Lymph nodes hage to organs through prolonged or repeated
Repea	ted dose toxicity		
-	onents:		

fenbendazole:

Species:LOAEL:Application Route:Exposure time:Target Organs:	Rat 500 mg/kg Oral 2 Weeks Kidney, Liver
Species:NOAEL:Application Route:Exposure time:Remarks:	Rat > 2,500 mg/kg Oral 30 Days No significant adverse effects were reported
Species:LOAEL:Application Route:Exposure time:Target Organs:Symptoms:	Rat 1,600 mg/kg Oral 90 Days Central nervous system Tremors



Version 3.2	Revision Date: 06.04.2024		DS Number: 36754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018		
NO. LO/ Exp	ecies AEL AEL oosure time get Organs		Dog 4 mg/kg 8 mg/kg 6 Months Stomach, Nervou	s system, Lymph nodes		
Starch:Species: RatNOAEL: >= 2,000 mg/kgApplication Route: Skin contactExposure time: 28 DaysMethod: OECD Test Guideline 410				eline 410		
Spe NO App Exp	Magnesium stearate: Species NOAEL Application Route Exposure time Remarks		Rat > 100 mg/kg Ingestion 90 Days Based on data from similar materials			
Not	Diration toxicity classified based on availa	able	information.			
fen	nponents: bendazole: aspiration toxicity classific	atio	n			
-	perience with human exp	osi	ıre			
	nponents:					
	bendazole: estion		Symptoms: Rapic	respiration, Salivation, anorexia, Diarrhoea		
	N 12. ECOLOGICAL INF		• • •			
	otoxicity					
	nponents:					
_	bendazole: icity to fish	:	LC50 (Lepomis m Exposure time: 2	nacrochirus (Bluegill sunfish)): 0.009 mg/l 1 d		
aquatic invertebrates Exposure time		Exposure time: 48	nagna (Water flea)): 0.0088 mg/l 8 h est Guideline 202			



Version 3.2	Revision Date: 06.04.2024		98 Number: 36754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018
aqu	kicity to daphnia and other uatic invertebrates (Chron- oxicity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD T	
Ма	gnesium stearate:			
То	kicity to fish	:	Exposure time: 48 Method: DIN 384	
	kicity to daphnia and other uatic invertebrates	:	Exposure time: 47 Test substance: V Method: Directive	Vater Accommodated Fraction 67/548/EEC, Annex V, C.2. on data from similar materials
To) pla	kicity to algae/aquatic nts	:	mg/l Exposure time: 72 Test substance: V Method: OECD T	Vater Accommodated Fraction est Guideline 201 on data from similar materials
			mg/l Exposure time: 72 Test substance: V Method: OECD T	Vater Accommodated Fraction
То	kicity to microorganisms	:	Exposure time: 16 Test substance: V	nas putida): > 100 mg/l 5 h Vater Accommodated Fraction on data from similar materials
Per	sistence and degradabil	ity		
<u>Co</u>	mponents:			
	gnesium stearate: degradability	:	Result: Not biode Remarks: Based	gradable on data from similar materials
Bio	accumulative potential			
<u>Co</u>	mponents:			
	bendazole: rtition coefficient: n-	:	log Pow: 3.32	



Version 3.2	Revision Date: 06.04.2024	SDS Number: 2736754-0001	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018		
octa	inol/water				
Part	Inesium stearate: ition coefficient: n- inol/water	: log Pow: >	4		
Mot	oility in soil				
<u>Con</u>	nponents:				
Dist	bendazole: ribution among environ- atal compartments	: log Koc: 3. Method: Fl			
• …	er adverse effects data available				
SECTION 13. DISPOSAL CONSIDERATIONS					
Dis	oosal methods				
	ste from residues		ose of waste into sewer. in accordance with local regulations.		
Con	taminated packaging				

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fenbendazole)
Class	:	9
Packing group	:	
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (fenbendazole)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passen- ger aircraft)	:	956
Environmentally hazardous	:	yes

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



Fenbendazole Solid Formulation

Version 3.2	Revision Date: 06.04.2024	SDS Numbe 2736754-00		Date of last issue: 30.09.2023 Date of first issue: 26.04.2018
UN n Prop Class Pack Labe EmS	ing group	: UN 307 : ENVIRC N.O.S. (fenbend : 9 : III : 9 : F-A, S-F : yes	NMENTA dazole)	LLY HAZARDOUS SUBSTANCE, SOLID,
	•		of MARP	DL 73/78 and the IBC Code
	applicable for product as onal Regulations	supplied.		
ADG UN n	-	: UN 307 : ENVIRC N.O.S. (fenben	NMENTA	LLY HAZARDOUS SUBSTANCE, SOLID,
Labe Hazo	ing group	: 9 : III : 9 : 2Z : yes		
The t base Shee	d upon the properties of) provided her the unpackag cations may v	jed materi	informational purposes only, and solely al as it is described within this Safety Data de of transportation, package sizes, and var-
SECTION	15. REGULATORY IN	ORMATION		
ture Thera	ty, health and environ apeutic Goods (Poisons dard) Instrument	: Schedul	e 5 (Pleas	slation specific for the substance or mix- e use the original publication to check for cific conditions or threshold limits that might
	ibition/Licensing Require	apply fo	r this chen	
	• •	-		he following inventories:
AICS		: not dete		
DSL		: not dete	rmined	



Version 3.2	Revision Date: 06.04.2024		DS Number: 36754-00014	Date of last issue: 30.09.2023 Date of first issue: 26.04.2018	
IECSC :			not determined		
SECTIO	N 16: ANY OTHER RELE	VA	NT INFORMATION	I	
Furt	ther information				
Sou	ision Date rces of key data used to pile the Safety Data et	•		data, data from raw material SDSs, OECD arch results and European Chemicals Agen- ropa.eu/	
Date format : dd.mm.yyyy					
Full text of other abbreviations					
ACC AU	GIH OEL	:		eshold Limit Values (TLV) ace Exposure Standards for Airborne Con-	
	GIH / TWA OEL / TWA	:	8-hour, time-weig Exposure standar	hted average d - time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
3.2	06.04.2024	2736754-00014	Date of first issue: 26.04.2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN