

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

### Section 1: Identification

Product name : Fipronil (0.4%) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Flammable liquids : Category 2

Serious eye damage/eye irritation : Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

#### GHS label elements

## Fipronil (0.4%) Formulation

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H361d Suspected of damaging the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P331 Do NOT induce vomiting.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.
- Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.
- Disposal:**

## Fipronil (0.4%) Formulation

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol#	64-17-5	>= 50 -< 70
2-(2-Butoxyethoxy)ethanol	112-34-5	>= 10 -< 20
Propan-2-ol	67-63-0	>= 10 -< 20
2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine	25655-41-8	>= 2.5 -< 3
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.25 -< 1
Fipronil (ISO)	120068-37-3	>= 0.25 -< 1
tert-Butyl-4-methoxyphenol	25013-16-5	>= 0.25 -< 1

# Voluntarily-disclosed substance

**Section 4: First-aid measures**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : There may be delayed neurological effects, including brain oedema.  
Must not be confused with organophosphorous compounds!  
May be fatal if swallowed and enters airways.  
Causes serious eye irritation.  
Suspected of causing cancer.  
Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Iodine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 3YE

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Ventilate the area.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

## Fipronil (0.4%) Formulation

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
 Date of first issue: 30.05.2024

Materials to avoid : Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.  
 Do not store with the following product types:  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Oxidizing agents  
 Flammable gases  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Poisonous gases  
 Explosives

## Section 8: Exposure controls/personal protection

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	WES-TWA	200 ppm 380 mg/m <sup>3</sup>	NZ OEL
	Further information: Ototoxin			
		WES-STEEL	800 ppm 1,520 mg/m <sup>3</sup>	NZ OEL
	Further information: Ototoxin			
		STEEL	1,000 ppm	ACGIH
2-(2-Butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Propan-2-ol	67-63-0	WES-TWA	400 ppm 983 mg/m <sup>3</sup>	NZ OEL
		WES-STEEL	500 ppm 1,230 mg/m <sup>3</sup>	NZ OEL
		TWA	200 ppm	ACGIH
		STEEL	400 ppm	ACGIH
2,6-Di-tert-butyl-p-cresol	128-37-0	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
	Further information: Skin sensitiser			
		TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH
Fipronil (ISO)	120068-37-3	TWA	2 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	20 µg/100 cm <sup>2</sup>	Internal

## Fipronil (0.4%) Formulation

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
 Date of first issue: 30.05.2024

**Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

**Engineering measures** : Use explosion-proof electrical, ventilating and lighting equipment.

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**Section 9: Physical and chemical properties**

Appearance : liquid

Colour : dark green

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 15.9 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.83 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

**Fipronil (0.4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : 3 mm<sup>2</sup>/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

**Section 10: Stability and reactivity**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Highly flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

---

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

**Components:****Ethanol:**

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

**2-(2-Butoxyethoxy)ethanol:**

Acute oral toxicity : LD50 (Mouse): 2,410 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg

**Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:**

Acute oral toxicity : LD50 (Rat): > 4,640 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,500 mg/kg

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Fipronil (ISO):**

Acute oral toxicity : LD50 (Rat): 92 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.36 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 354 mg/kg

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

**tert-Butyl-4-methoxyphenol:**

Acute oral toxicity : LD50 (Rabbit): 2,100 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

**Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

**2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Fipronil (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**tert-Butyl-4-methoxyphenol:**

Species : Rabbit  
Result : Skin irritation

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Propan-2-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**Fipronil (ISO):**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**tert-Butyl-4-methoxyphenol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

**Components:****Ethanol:**

Test Type : Mouse ear swelling test (MEST)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

**2-(2-Butoxyethoxy)ethanol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Propan-2-ol:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**2,6-Di-tert-butyl-p-cresol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

**Fipronil (ISO):**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**tert-Butyl-4-methoxyphenol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Result : negative

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**2-(2-Butoxyethoxy)ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse

**Fipronil (0.4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Application Route: Intraperitoneal injection  
Result: negative

**2,6-Di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Fipronil (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with  
mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

**tert-Butyl-4-methoxyphenol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
 Result: negative

### Carcinogenicity

Suspected of causing cancer.

### Components:

#### Propan-2-ol:

Species : Rat  
 Application Route : inhalation (vapour)  
 Exposure time : 104 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 22 Months  
 Result : negative

#### Fipronil (ISO):

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 78 weeks  
 Method : Directive 67/548/EEC, Annex V, B.32.  
 Result : negative

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 104 weeks  
 Method : Directive 67/548/EEC, Annex, B.33  
 Result : positive  
 Remarks : The mechanism or mode of action is not relevant in humans.

#### tert-Butyl-4-methoxyphenol:

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 104 weeks  
 Result : positive

Species : Hamster, male

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Application Route : Ingestion  
 Exposure time : 24 weeks  
 Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

#### 2-(2-Butoxyethoxy)ethanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 415  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

#### Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

#### 2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

### Fipronil (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### tert-Butyl-4-methoxyphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### Components:

#### Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

### Components:

#### 2-(2-Butoxyethoxy)ethanol:

Assessment : May cause damage to organs through prolonged or repeated exposure.

Remarks : Based on national or regional regulation.

#### 2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:

Exposure routes : Ingestion

Target Organs : Thyroid

Assessment : Shown to produce significant health effects in animals at con-

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Remarks : concentrations of >10 to 100 mg/kg bw.  
: Based on data from similar materials

### 2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Fipronil (ISO):

Exposure routes : Ingestion  
Target Organs : Central nervous system, Kidney  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

##### **Ethanol:**

Species : Rat  
NOAEL : 1,730 mg/kg  
LOAEL : 3,200 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

##### **2-(2-Butoxyethoxy)ethanol:**

Species : Rat  
NOAEL : 250 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL :  $\geq 0.094$  mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 Days  
Method : OECD Test Guideline 413

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days

##### **Propan-2-ol:**

Species : Rat  
NOAEL : 12.5 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 104 Weeks

**Fipronil (0.4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

**2,6-Di-tert-butyl-p-cresol:**

Species	:	Rat
NOAEL	:	25 mg/kg
Application Route	:	Ingestion
Exposure time	:	22 Months

**Fipronil (ISO):**

Species	:	Rabbit
NOAEL	:	5 mg/kg
LOAEL	:	10 mg/kg
Application Route	:	Skin contact
Exposure time	:	21 Days
Method	:	OECD Test Guideline 410

Species	:	Rat, male
NOAEL	:	0.059 mg/kg
LOAEL	:	0.019 mg/kg
Application Route	:	Ingestion
Exposure time	:	89 Weeks
Method	:	Directive 67/548/EEC, Annex, B.33

**tert-Butyl-4-methoxyphenol:**

Species	:	Rat
NOAEL	:	50 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Ingestion
Exposure time	:	8 Months

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Components:****Propan-2-ol:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

---

**Section 12: Ecological information****Ecotoxicity****Components:****Ethanol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h
------------------	---	---

Toxicity to daphnia and other	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l
-------------------------------	---	--



## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.23 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 4.91 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (activated sludge): 270 mg/l  
Exposure time: 17 h  
Method: DIN 38 412 Part 8

### 2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### Fipronil (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.2 µg/l  
Exposure time: 96 h

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Toxicity to daphnia and other aquatic invertebrates : LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 µg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 68 µg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 µg/l  
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): 0.0077 µg/l  
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 10,000

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h

**tert-Butyl-4-methoxyphenol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.56 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.3 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Persistence and degradability****Components:****Ethanol:**

Biodegradability : Result: Readily biodegradable.

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

Biodegradation: 84 %  
Exposure time: 20 d

**2-(2-Butoxyethoxy)ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 85 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C  
Remarks: The test was conducted according to guideline

**Propan-2-ol:**

Biodegradability : Result: rapidly degradable  
BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

**2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:**

Biodegradability : Result: Not readily biodegradable.

**2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Fipronil (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 47 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Bioaccumulative potential****Components:****Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

**2-(2-Butoxyethoxy)ethanol:**

Partition coefficient: n-octanol/water : log Pow: 1

**Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0.05

**2-Pyrrolidinone, 1-ethenyl-, homopolymer, compd. with iodine:**

## Fipronil (0.4%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Partition coefficient: n-octanol/water : log Pow: < -3.1

### 2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

### Fipronil (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 321

Partition coefficient: n-octanol/water : log Pow: 4

### tert-Butyl-4-methoxyphenol:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)  
Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-octanol/water : log Pow: 2.82  
Method: OECD Test Guideline 117

### Mobility in soil

#### Components:

#### Ethanol:

Distribution among environmental compartments : log Koc: 0.2

#### Other adverse effects

No data available

---

### Section 13: Disposal considerations

#### Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

---

### Section 14: Transport information

#### International Regulations

**Fipronil (0.4%) Formulation**

Version 5.1      Revision Date: 18.06.2025      SDS Number: 11396448-00006      Date of last issue: 14.04.2025  
Date of first issue: 30.05.2024

---

**UNRTDG**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(Ethanol, Propan-2-ol)  
Class : 3  
Packing group : II  
Labels : 3  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 1987  
Proper shipping name : Alcohols, n.o.s.  
(Ethanol, Propan-2-ol)  
Class : 3  
Packing group : II  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(Ethanol, Propan-2-ol, Fipronil (ISO))  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NZS 5433**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(Ethanol, Propan-2-ol)  
Class : 3  
Packing group : II  
Labels : 3  
Hazchem Code : 3YE  
Marine pollutant : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Fipronil (0.4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

## Tolerable Exposure Limits (TEL)

Not applicable

## Environmental Exposure Limits (EEL)

Not applicable

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**Section 16: Other information**

Revision Date : 18.06.2025

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NZ OEL	:	New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEEL	:	Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

**Fipronil (0.4%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
5.1	18.06.2025	11396448-00006	Date of first issue: 30.05.2024

---

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN