

Fipronil Formulation

Vers 5.0	ion	Revision Date: 06.07.2024		S Number: 99404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
	TION 1 Produc	: IDENTIFICATION t name	:	Fipronil Formulat	ion
	Manufa	acturer or supplier's c	letai	ls	
	Compa		:		Pty Limited (trading as MSD Animal Health)
	Addres	S	:	91-105 Harpin St Bendigo 3550, V	
	Teleph	one	:	1 800 033 461	
	Emerge	ency telephone number	r:	Poisons Informat	ion Centre: Phone 13 11 26
	E-mail	address	:	EHSDATASTEW	/ARD@msd.com
	Recom	mended use of the cl	hem	ical and restriction	ons on use
		mended use tions on use	:	Veterinary produ Not applicable	ct

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Acute toxicity (Inhalation)	:	Category 3
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Specific target organ toxicity - repeated exposure	:	Category 2 (Central nervous system, Kidney)
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation.



Fipronil Formulation

Version 5.0	Revision Date: 06.07.2024	SDS Number: 4789404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
		H331 Toxic if iı H373 May cau	serious eye irritation. haled. se damage to organs (Central nervous system, h prolonged or repeated exposure.
Preca	autionary statements	and other igniti P233 Keep cor P241 Use expl ment. P242 Use non- P243 Take act P260 Do not b P264 Wash sk P270 Do not e P271 Use only	ion to prevent static discharges. reathe mist or vapours. in thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. otective gloves/ protective clothing/ eye protec-
		CENTER/ doct P303 + P361 + Iy all contamina P304 + P340 + and keep comf doctor. P305 + P351 + for several min easy to do. Co P314 Get med P332 + P313 If tion.	 P330 IF SWALLOWED: Call a POISON or if you feel unwell. Rinse mouth. P353 IF ON SKIN (or hair): Take off immediate ated clothing. Rinse skin with water. P311 IF INHALED: Remove person to fresh air ortable for breathing. Call a POISON CENTER/ P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and ntinue rinsing. ical advice/ attention if you feel unwell. iskin irritation occurs: Get medical advice/ atten-
		P405 Store loc Disposal:	Store in a well-ventilated place. Keep cool. ked up. of contents/ container to an approved waste
	r hazards which do no urs may form explosive		tion

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture



Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
5.0	06.07.2024	4789404-00013	Date of first issue: 27.08.2019

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	>= 60 -<= 100
Ethanol#	64-17-5	>= 10 -< 30
Fipronil (ISO)	120068-37-3	>= 1 -< 10
بالاستفادة والمحمد المحالي والاستفاد والمعالم والمعالي والمحالي والم		

Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately.
		When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air.
		If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
		Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water
		for at least 15 minutes while removing contaminated clothing
		and shoes.
		Get medical attention.
		Wash clothing before reuse.
In case of eye contact		Thoroughly clean shoes before reuse. In case of contact, immediately flush eyes with plenty of water
in base of eye contact	•	for at least 15 minutes.
		If easy to do, remove contact lens, if worn.
		Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting unless directed to do
		so by medical personnel. Get medical attention.
		Rinse mouth thoroughly with water.
		Never give anything by mouth to an unconscious person.
Most important symptoms	:	Harmful if swallowed.
and effects, both acute and		Causes skin irritation.
delayed		Causes serious eye irritation.
		Toxic if inhaled. May cause damage to organs through prolonged or repeated
		exposure.
		There may be delayed neurological effects, including brain
		oedema.
		Must not be confused with organophosphorous compounds!
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,
		and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.
	•	

SECTION 5. FIREFIGHTING MEASURES

a : Water spray Alcohol-resistant foam Carbon dioxide (CO2)



Fipronil Formulation

ersion D	Revision Date: 06.07.2024		98 Number: 89404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019				
media	able extinguishing ic hazards during fire- g	:	fire. Flash back possib Vapours may forn	l water stream as it may scatter and spread le over considerable distance. n explosive mixtures with air.				
Hazaro ucts	dous combustion prod-	:	Exposure to comb Nitrogen oxides (I Sulphur oxides Carbon oxides Chlorine compour Fluorine compour	nds				
Specific extinguishing meth- ods		:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.					
for fire	al protective equipment fighters em Code	:	In the event of fire, wear self-contained breathing Use personal protective equipment. •3W					
CTION 6	6. ACCIDENTAL RELE	ASI	EMEASURES					
tive eq	nal precautions, protec- uipment and emer- procedures	:						
Enviro	nmental precautions	:	Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or se of contaminated wash water. should be advised if significant spillages				
	ds and materials for nment and cleaning up	:	Suppress (knock spray jet. For large spills, pr ment to keep mat be pumped, store Clean up remainin bent. Local or national r posal of this mate	s should be used. absorbent material. down) gases/vapours/mists with a water ovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate containen ing materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter-				



Version 5.0	Revision Date: 06.07.2024	SDS Number: 4789404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
		Sections 13 an	ulations are applicable. d 15 of this SDS provide information regarding national requirements.
SECTION	7. HANDLING AND ST	ORAGE	
Techr	nical measures		ng measures under EXPOSURE
Local	/Total ventilation	: If sufficient ven ventilation.	ERSONAL PROTECTION section. tilation is unavailable, use with local exhaust proof electrical, ventilating and lighting equip-
Advic	e on safe handling	Do not swallow Do not get in ey Wash skin thor Handle in acco practice, based sessment Non-sparking to Keep container Keep away fror other ignition so Take precautio Do not eat, drir	mist or vapours. yes. oughly after handling. rdance with good industrial hygiene and safety I on the results of the workplace exposure as- pols should be used.
Hygie	ene measures	flushing system place. When using do Wash contamir The effective o engineering co appropriate deg	chemical is likely during typical use, provide eye as and safety showers close to the working not eat, drink or smoke. hated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the rative controls
Cond	itions for safe storage	: Keep in proper Store locked up Keep tightly clc Keep in a cool, Store in accord	ly labelled containers.
Mater	rials to avoid	: Do not store wi Self-reactive su Organic peroxid Oxidizing agen Flammable gas Pyrophoric liqu Pyrophoric soli	th the following product types: ubstances and mixtures des ts ses ids



Fipronil Formulation

Version	Revision Date:	SDS N
5.0	06.07.2024	47894

S Number: 39404-00013 Date of last issue: 14.06.2024 Date of first issue: 27.08.2019

Poisonous gases Explosives

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

	components with workplace control parameters							
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis				
2-Butoxyethanol	111-76-2	TWA 20 ppm 96.9 mg/m3		AU OEL				
	Further inform	ation: Skin abso	rption					
		STEL	50 ppm	AU OEL				
			242 mg/m3					
	Further inform							
		ACGIH						
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL				
		STEL	1,000 ppm	ACGIH				
Fipronil (ISO)	120068-37-3	TWA	2 µg/m3 (OEB 4)	Internal				
	Further inform	ation: Skin						
		Wipe limit	20 µg/100 cm2	Internal				

Components with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
2-Butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g creatinine	ACGIH BEI

Engineering measures

 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Essentially no open handling permitted.
 Use closed processing systems or containment technologies.
 If handled in a laboratory, use a properly designed biosafety

cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-



Fipronil Formulation

Version 5.0	Revision Date: 06.07.2024		98 Number: 89404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019			
	Iter type	:	ommended guide	demonstrates exposures outside the rec- lines, use respiratory protection. lates and organic vapour type			
Material		:	Chemical-resistant gloves				
Remarks		:		gloving. Take note that the product is flam- y impact the selection of hand protection.			
Eye protection		:	Wear safety glass If the work enviro mists or aerosols Wear a faceshield	ses with side shields or goggles. nment or activity involves dusty conditions, , wear the appropriate goggles. d or other full face protection if there is a t contact to the face with dusts, mists, or			
Skin	and body protection	:	task being perform posable suits) to	arments should be used based upon the med (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. degowning techniques to remove potentially			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	78.5 °C
Flash point	:	29 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available



Fipronil Formulation

Versior 5.0	n Revision Date: 06.07.2024		S Number: 39404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
Va	apour pressure		No data available	2
	Relative vapour density		0.91 - 0.95	
Re	Relative density		0.91 - 0.95	
De	Density		No data available	9
So	blubility(ies) Water solubility	:	slightly soluble	
	artition coefficient: n- tanol/water	:	Not applicable	
	uto-ignition temperature	:	No data available	9
De	ecomposition temperature	:	No data available	9
Vi	scosity Viscosity, kinematic	:	No data available	9
E>	plosive properties	:	Not explosive	
O	kidizing properties	:	The substance o	r mixture is not classified as oxidizing.
M	olecular weight	:	No data available	9
	article characteristics article size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	::	Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation
	Skin contact
	Ingestion
	Eye contact



Version 5.0	Revision Date: 06.07.2024	-	DS Number: 89404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
	e toxicity			
	iful if swallowed. if inhaled.			
Prod	uct:			
Acute	e oral toxicity	:	Acute toxicity es Method: Calcula	stimate: 1,290 mg/kg ation method
Acute	e inhalation toxicity	:	Acute toxicity es Exposure time: Test atmospher Method: Calcula	4 h re: vapour
Acute	e dermal toxicity	:	Acute toxicity es Method: Calcula	stimate: > 2,000 mg/kg ation method
<u>Com</u>	ponents:			
2-But	toxyethanol:			
Acute	e oral toxicity	:	LD50 (Guinea p	big): 1,200 mg/kg
Acute	e inhalation toxicity	:	Acute toxicity es Exposure time: Test atmospher Method: Expert	4 h re: vapour
Acute	e dermal toxicity	:	LD50 (Guinea p	big): > 2,000 mg/kg
Etha	nol:			
Acute	e oral toxicity	:	() /	470 mg/kg Test Guideline 401
Acute	e inhalation toxicity	:	LC50 (Rat, male Exposure time: Test atmospher	4 h
Acute	e dermal toxicity	:	LD50 (Rabbit):	> 15,800 mg/kg
Fipro	onil (ISO):			
•	e oral toxicity	:	LD50 (Rat): 92	mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 0.3 Exposure time: Test atmospher	4 h
Acute	e dermal toxicity	:	LD50 (Rabbit):	354 mg/kg
Skin	corrosion/irritation			
Caus	es skin irritation.			



ersion 0	Revision Date: 06.07.2024		DS Number: 89404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
<u>Com</u>	ponents:			
2-But	toxyethanol:			
Speci	ies	:	Rabbit	
Metho Resu		:	Directive 67/548 Skin irritation	3/EEC, Annex V, B.4.
Ethar	nol:			
Speci		:	Rabbit OECD Test Gui	deline 404
Metho Resu		:	No skin irritation	
-	nil (ISO):			
Speci Metho		:	Rabbit OECD Test Gui	deline 404
Resu		:	No skin irritation	
Serio	us eye damage/eye	irritati	ion	
	es serious eye irritatio ponents:	on.		
-				
	toxyethanol:		Rabbit	
Speci Resu		÷		, reversing within 21 days
Metho		:	OECD Test Gui	
Ethar				
Speci		:	Rabbit	, reversing within 21 days
Resul Metho		:	OECD Test Gui	deline 405
-	onil (ISO):			
Speci Resu		:	Rabbit No eye irritation	
Metho		:	OECD Test Gui	
Resp	iratory or skin sensi	itisatio	on	
Skin	sensitisation			
Not c	lassified based on ava	ailable	information.	
-	iratory sensitisation lassified based on ava		information	
	ponents:			
	toxyethanol:			
Test	Гуре	:	Maximisation Te	est



ersion)	Revision Date: 06.07.2024	SDS Number: 4789404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
Expos Specie Metho Result	d	: Skin contac : Guinea pig : OECD Test : negative	t Guideline 406
Ethan Test T Expos Specie Result	ype ure routes es	: Mouse ear : Skin contac : Mouse : negative	swelling test (MEST) t
Test T	ure routes es d	: Buehler Tes : Skin contac : Guinea pig : OECD Test : negative	
Germ	lic toxicity cell mutagenicity assified based on a	vailable information.	
Comp	onents:		
	oxyethanol: oxicity in vitro	: Test Type: Result: neg	Bacterial reverse mutation assay (AMES) ative
	,		
		-	Chromosome aberration test in vitro ative
		Test Type: Result: neg	ative In vitro mammalian cell gene mutation test
		Test Type: Result: neg Test Type: Result: neg	ative In vitro mammalian cell gene mutation test ative In vitro sister chromatid exchange assay in mam
Genot	oxicity in vivo	Test Type: (Result: neg Test Type: 1 Result: neg Test Type: 1 malian cells Result: equ : Test Type: 1 cytogenetic Species: Ra	ative In vitro mammalian cell gene mutation test ative In vitro sister chromatid exchange assay in mam ivocal Mammalian erythrocyte micronucleus test (in viv assay) at Route: Intraperitoneal injection
Genot		Test Type: Result: neg Test Type: Result: neg Test Type: malian cells Result: equ : Test Type: cytogenetic Species: Ra Application Result: neg Test Type: cytogenetic Species: Ma	ative In vitro mammalian cell gene mutation test ative In vitro sister chromatid exchange assay in mam ivocal Mammalian erythrocyte micronucleus test (in viv assay) at Route: Intraperitoneal injection ative Mammalian erythrocyte micronucleus test (in viv assay) buse Route: Intraperitoneal injection



Fipronil Formulation

Version 5.0	Revision Date: 06.07.2024	SDS Number: 4789404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019					
Ethar Geno	n ol: toxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test 						
		Result: negat	nromosome aberration test in vitro					
Geno	toxicity in vivo	cytogenetic a Species: Rat	oute: Ingestion					
Fipro	onil (ISO):							
	toxicity in vitro		acterial reverse mutation assay (AMES) D Test Guideline 471 ive					
			vitro mammalian cell gene mutation test D Test Guideline 476 ive					
			nromosome aberration test in vitro D Test Guideline 473 ive					
Geno	toxicity in vivo	cytogenetic a Species: Mou Application R	ise oute: Ingestion D Test Guideline 474					
		mammalian li Species: Rat Application R	nscheduled DNA synthesis (UDS) test with ver cells in vivo oute: Ingestion D Test Guideline 486 ive					

Carcinogenicity

Not classified based on available information.



	Revision Date: 06.07.2024	SDS Number:Date of last issue: 14.06.20244789404-00013Date of first issue: 27.08.2019	
<u>Com</u> r	oonents:		
2-But	oxyethanol:		
Speci Applic	es cation Route sure time	: Rat : inhalation (vapour) : 2 Years : negative	
Fipro	nil (ISO):		
Speci Applic	es cation Route sure time od	 Mouse Ingestion 78 weeks Directive 67/548/EEC, Annex V, B.32. negative 	
	cation Route sure time od It	 Rat Ingestion 104 weeks Directive 67/548/EEC, Annex, B.33 positive The mechanism or mode of action is not relevant in https://doi.org/10.1001/100000000000000000000000000000	uman
Not cl	oductive toxicity lassified based on ava conents:	lable information.	
	oxyethanol: is on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse	
		Application Route: Ingestion Result: negative	
Effect ment	s on foetal develop-	Application Route: Ingestion	
	s on foetal develop-	 Application Route: Ingestion Result: negative Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion 	
ment Ethar		 Application Route: Ingestion Result: negative Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) 	



Fipronil Formulation

NOAEL

LOAEL

Application Route

Exposure time

Version 5.0	Revision Date: 06.07.2024		S Number: 9404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019				
Effec	Effects on fertility		: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative					
Effects on foetal develop- ment			: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative					
	Γ - single exposure lassified based on ava	ilable ir	nformation.					
			ntral nervous sy	rstem, Kidney) through prolonged or repeated				
Com	ponents:							
Fipronil (ISO): Exposure routes Target Organs Assessment		:	Shown to produ	s system, Kidney uce significant health effects in animals at con- 0 mg/kg bw or less.				
Repe	ated dose toxicity							
Com	ponents:							
Etha	nol:							
	EL	: :	Rat 1,730 mg/kg 3,200 mg/kg Ingestion 90 Days					
Fipro	onil (ISO):							
Spec NOAI LOAE Appli	ies EL EL cation Route sure time		Rabbit 5 mg/kg 10 mg/kg Skin contact 21 Days OECD Test Gu	ideline 410				
Spec		: Rat, male						

: 0.059 mg/kg : 0.019 mg/kg

: Ingestion : 89 Weeks



ersion 0	Revision Date: 06.07.2024		9S Number: 89404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019				
Meth	od	: Directive 67/548/EEC, Annex, B.33						
•	ration toxicity classified based on availa	ble	information.					
ECTION	I 12. ECOLOGICAL INFO	DRN	ΙΑΤΙΟΝ					
Ecot	oxicity							
<u>Com</u>	ponents:							
	toxyethanol: city to fish	:	Exposure time: 9	chus mykiss (rainbow trout)): 1,464 mg/l 6 h ^c est Guideline 203				
	city to daphnia and other tic invertebrates	:	Exposure time: 4	nagna (Water flea)): 1,800 mg/l 8 h ⁻ est Guideline 202				
Toxic plant	city to algae/aquatic s	:	mg/l Exposure time: 7	rchneriella subcapitata (green algae)): 1,84 2 h ⁻ est Guideline 201				
			mg/l Exposure time: 7	rchneriella subcapitata (green algae)): 679 2 h Test Guideline 201				
Toxic icity)	city to fish (Chronic tox-	:	NOEC (Danio rei Exposure time: 2	io (zebra fish)): > 100 mg/l 1 d				
aqua	city to daphnia and other tic invertebrates (Chron- kicity)	:	Exposure time: 2	nagna (Water flea)): 134 mg/l 1 d ēst Guideline 211				
Etha	nol:							
Toxic	city to fish	:	LC50 (Pimephale Exposure time: 9	es promelas (fathead minnow)): 14,200 mg/ 6 h				
	city to daphnia and other tic invertebrates	:	EC50 (Ceriodaph Exposure time: 4	nnia dubia (water flea)): 5,012 mg/l 8 h				
Toxic plant	city to algae/aquatic s	:	ErC50 (Chlorella Exposure time: 7	vulgaris (Fresh water algae)): 275 mg/l 2 h				
			EC10 (Chlorella Exposure time: 7	vulgaris (Fresh water algae)): 11.5 mg/l 2 h				
Toxic	city to fish (Chronic tox-	:	NOEC (Oryzias I	atipes (Japanese medaka)): >= 79 mg/l				



ersion)	Revision Date: 06.07.2024	-	0S Number: 89404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019		
icity)			Exposure time:	100 d		
aquatio	y to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia Exposure time:	a magna (Water flea)): 9.6 mg/l 9 d		
ic toxic Toxicit	y to microorganisms	:	EC50 (Protozoa): 5,800 mg/l Exposure time: 4 h			
Fipron	il (ISO):					
-	y to fish	:	LC50 (Lepomis Exposure time:	macrochirus (Bluegill sunfish)): 85.2 μg/l 96 h		
	y to daphnia and other invertebrates	:	LC50 (Mysidops Exposure time:	sis bahia (opossum shrimp)): 0.14 μg/l 96 h		
Toxicity to algae/aquatic : plants		:	Exposure time:	esmus subspicatus (green algae)): 68 μថ 96 h Test Guideline 201		
			Exposure time:	desmus subspicatus (green algae)): 40 μ 96 h Test Guideline 201		
Toxicity	Toxicity to fish (Chronic tox- : icity)		NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 µg/l Exposure time: 35 d			
	y to daphnia and other c invertebrates (Chron-	:	NOEC (Mysidop Exposure time:	osis bahia (opossum shrimp)): 0.0077 μg 28 d		
		:	EC50: > 1,000 mg/l Exposure time: 3 h			
Persis	tence and degradabili	ty				
Comp	onents:					
2-Buto	exyethanol:					
Biodegradability :		:	Result: Readily biodegradable. Biodegradation: 90.4 % Exposure time: 28 d Method: OECD Test Guideline 301B			
Ethano	ol:					
	radability	:	Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d			
Fipron	il (ISO):					
Biodeg	radability	:	Result: Not read	lily biodegradable.		



Fipronil Formulation

Version 5.0	Revision Date: 06.07.2024		DS Number: 789404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
			Biodegradation: Exposure time: 28 Method: OECD T	
Bi	paccumulative potential			
<u>Cc</u>	mponents:			
Pa	Butoxyethanol: rtition coefficient: n- tanol/water	:	log Pow: 0.81	
	hanol:			
	rtition coefficient: n- tanol/water	:	log Pow: -0.35	
Fip	oronil (ISO):			
Bio	paccumulation	:	Species: Lepomis Bioconcentration	s macrochirus (Bluegill sunfish) factor (BCF): 321
	rtition coefficient: n- tanol/water	:	log Pow: 4	
	b bility in soil data available			
	her adverse effects data available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging		Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		Empty containers retain residue and can be dangerous.
		Do not pressurize, cut, weld, braze, solder, drill, grind, or ex-
		pose such containers to heat, flame, sparks, or other sources
		of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Ethanol, Fipronil (ISO))
Class	:	3
Subsidiary risk	:	6.1



Fipronil Formulation

Version 5.0	Revision Date: 06.07.2024	-	DS Number: 89404-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019	
Pac	king group	:	Ш		
Lab Env	els ironmentally hazardous	:	3 (6.1) no		
	ID No. per shipping name	:	UN 1992 Flammable liquid, (Ethanol, Fipronil		
Clas Sub	ss sidiary risk	:	3 6.1		
	king group	:	III Flammable Liquid	ls, Toxic	
	king instruction (cargo raft)	:	366		
	king instruction (passen- aircraft)	:	355		
)G-Code number		UN 1992		
	per shipping name	:		QUID, TOXIC, N.O.S. (ISO))	
Pac Lab Em	osidiary risk king group		3 6.1 III 3 (6.1) F-E, S-D yes		
Tra	nsport in bulk according	j to	Annex II of MARP	OL 73/78 and the IBC Code	
Not	applicable for product as	sup	plied.		
Nat	ional Regulations				
	G number per shipping name	:		QUID, TOXIC, N.O.S.	
Pac Lab Haz	osidiary risk king group		(Ethanol, Fipronil 3 6.1 III 3 (6.1) •3W no		
	ecial precautions for use	r			

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture



Fipronil Formulation

Version 5.0	Revision Date: 06.07.2024		OS Number: 89404-00013		of last issue: 14.06.2024 of first issue: 27.08.2019		
	rapeutic Goods (Poisons ndard) Instrument	:	specific uses, spe	ecific co	the original publication to check for onditions or threshold limits that might		
			apply for this che	mical)			
Pro	hibition/Licensing Require	mer	nts	:	There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.		
The	The components of this product are reported in the following inventories:						
AIC	S	:	not determined				
DSI	-	:	not determined				

: not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

IECSC

Revision Date Sources of key data used to	:	06.07.2024 Internal technical data, data from raw material SDSs, OECD
compile the Safety Data Sheet		eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
Full text of other abbreviation	ns	
ACGIH ACGIH BEI AU OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Australia. Workplace Exposure Standards for Airborne Con- taminants.
ACGIH / TWA ACGIH / STEL AU OEL / TWA AU OEL / STEL		8-hour, time-weighted average Short-term exposure limit Exposure standard - time weighted average Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
5.0	06.07.2024	4789404-00013	Date of first issue: 27.08.2019

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN