according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Fipronil Formulation					
Manufacturer or supplier's details							
Company	:	MSD					
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331					
Telephone	:	+1-908-740-4000					
Emergency telephone number	:	86-571-87268110					
E-mail address	:	EHSDATASTEWARD@msd.com					
Recommended use of the chemical and restrictions on use							
Recommended use Restrictions on use	:	Veterinary product Not applicable					

#### 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance Colour Odour	:	liquid yellow characteristic		
Flammable liquid and vapour. Harmful if swallowed. Toxic in contact with skin. Causes skin in tion. Causes serious eye irritation. Fatal if inhaled. May cause damage to organs through pro- longed or repeated exposure. Very toxic to aquatic life with long lasting effects.				
GHS Classification				
Flammable liquids	:	Category 3		
Acute toxicity (Oral)	:	Category 4		
Acute toxicity (Inhalation)	:	Category 2		
Acute toxicity (Dermal)	:	Category 3		
Skin corrosion/irritation	:	Category 2		
Serious eye damage/eye irri- tation	:	Category 2A		
Specific target organ toxicity -	:	Category 2		



according to GB/T 16483 and GB/T 17519

Version 5.0	Revision Date: 2024/09/28	SDS Number: 4789370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
repea	ated exposure		
Short haza	t-term (acute) aquatic rd	: Category 1	
Long hazai	-term (chronic) aquatic rd	: Category 1	
	label elements rd pictograms		
Signa	al word	: Danger	
Haza	rd statements	H302 Harmful H311 Toxic in H315 Causes H319 Causes H330 Fatal if ir H373 May cau peated exposu	contact with skin. skin irritation. serious eye irritation. hhaled. se damage to organs through prolonged or re-
Preca	autionary statements	No smoking. P233 Keep col P241 Use expl ment. P242 Use only P243 Take pre P260 Do not b P264 Wash sk P270 Do not e P271 Use only P273 Avoid rel P280 Wear pro tion/ face prote P284 Wear res <b>Response:</b> P301 + P312 + CENTER/ doct P302 + P352 + Call a POISON P303 + P361 + Iy all contamin	<ul> <li>yay from heat/ sparks/ open flames/ hot surfaces.</li> <li>ntainer tightly closed.</li> <li>losion-proof electrical/ ventilating/ lighting equip-</li> <li>non-sparking tools.</li> <li>ecautionary measures against static discharge.</li> <li>reathe mist or vapours.</li> <li>in thoroughly after handling.</li> <li>at, drink or smoke when using this product.</li> <li>outdoors or in a well-ventilated area.</li> <li>lease to the environment.</li> <li>otective gloves/ protective clothing/ eye protection.</li> <li>spiratory protection.</li> <li>+ P330 IF SWALLOWED: Call a POISON tor if you feel unwell. Rinse mouth.</li> <li>+ P312 IF ON SKIN: Wash with plenty of water.</li> <li>N CENTER/ doctor if you feel unwell.</li> <li>+ P353 IF ON SKIN (or hair): Take off immediate-ated clothing. Rinse skin with water/ shower.</li> <li>+ P310 IF INHALED: Remove person to fresh air</li> </ul>

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version 5.0	Revision Date: 2024/09/28	SDS Number: 4789370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
		POISON CEN P305 + P351 + for several min easy to do. Co P314 Get med	• P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and

2313 If skin irritation occurs: Get medical advice/ atten tion.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P361 + P364 Take off immediately all contaminated clothing and wash it before reuse. P391 Collect spillage.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Physical and chemical hazards

Flammable liquid and vapour.

#### **Health hazards**

Harmful if swallowed. Fatal if inhaled. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Other hazards which do not result in classification

:

Vapours may form explosive mixture with air.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture Mixture :

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	>= 70 -< 90
Ethanol#	64-17-5	>= 10 -< 20
Fipronil (ISO)	120068-37-3	>= 1 -< 2.5

# Voluntarily-disclosed substance

#### **4. FIRST AID MEASURES**

General advice

In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical

according to GB/T 16483 and GB/T 17519



Versi 5.0	ion	Revision Date: 2024/09/28		S Number: 89370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27			
	If inhaled		:	advice. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.				
	In case of skin contact		:	<ul> <li>Get medical attention.</li> <li>In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> </ul>				
	In case	of eye contact	:	In case of contact for at least 15 min If easy to do, rem	ove contact lens, if worn.			
	If swallowed		:	<ul> <li>Get medical attention.</li> <li>If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.</li> <li>Get medical attention.</li> <li>Rinse mouth thoroughly with water.</li> </ul>				
i		nportant symptoms ects, both acute and	:	Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. Fatal if inhaled. May cause damage to organs through prolonged or repeate exposure. There may be delayed neurological effects, including brain oedema.				
		ion of first-aiders	:	First Aid responde and use the recor when the potentia	used with organophosphorous compounds! ers should pay attention to self-protection, nmended personal protective equipment Il for exposure exists (see section 8).			
		o physician	:	Treat symptomati	cally and supportively.			
		ITING MEASURES						
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant t Carbon dioxide (C Dry chemical				
	Unsuita media	ble extinguishing	:	High volume wate	er jet			
	Specific fighting	c hazards during fire-	:	fire. Flash back possib Vapours may forn	water stream as it may scatter and spread ble over considerable distance. In explosive mixtures with air. Dustion products may be a hazard to health.			
	Hazard	ous combustion prod-	:	Nitrogen oxides (I	NOx)			
	4 / 22							

according to GB/T 16483 and GB/T 17519



Version 5.0	Revision Date: 2024/09/28	-	9S Number: 89370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
ucts			Sulphur oxides Carbon oxides Chlorine compour Fluorine compour	
Spec ods	Specific extinguishing meth- ods		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to a so. Evacuate area.	
	cial protective equipment refighters	:	In the event of fire Use personal prof	e, wear self-contained breathing apparatus. ective equipment.
6. ACCID	ENTAL RELEASE MEAS	SUF	RES	
tive e	onal precautions, protec- equipment and emer- y procedures	:		
Envi	Environmental precautions		Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment of barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	
	Methods and materials for : containment and cleaning up		Suppress (knock spray jet. For large spills, pr ment to keep mat be pumped, store Clean up remainin bent. Local or national r posal of this mate employed in the c mine which regula Sections 13 and 1	s should be used. absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. In materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. 5 of this SDS provide information regarding tional requirements.

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### 7. HANDLING AND STORAGE

Handling		
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip-
Advice on safe handling	:	ment. Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact	:	Oxidizing agents
Storage		
Conditions for safe storage Materials to avoid	:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. Do not store with the following product types:
		Self-reactive substances and mixtures Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Poisonous gases Explosives
Packaging material	:	Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters



according to GB/T 16483 and GB/T 17519

## Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
2-Butoxyethanol	111-76-2	PC-TWA	97 mg/m3	CN OEL
		TWA	20 ppm	ACGIH
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH
Fipronil (ISO)	120068-37-3	TWA	2 µg/m3 (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	20 µg/100 cm2	Internal

#### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
2-Butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g creatinine	ACGIH BEI

Engineering measures:All engineering controls should be implemented by facility<br/>design and operated in accordance with GMP principles to<br/>protect products, workers, and the environment.<br/>Essentially no open handling permitted.<br/>Use closed processing systems or containment technologies.<br/>If handled in a laboratory, use a properly designed biosafety<br/>cabinet, fume hood, or other containment device if the poten-<br/>tial exists for aerosolization. If this potential does not exist,<br/>handle over lined trays or benchtops.Use explosion-proof electrical, ventilating and lighting equip-<br/>ment.

#### Personal protective equipment

Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type :	Combined particulates and organic vapour type
Eye/face protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection :	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis- posable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version 5.0	Revision Date: 2024/09/28	SDS Number: 4789370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
Hand	protection	contaminate	d clothing.
Ма	aterial	: Chemical-res	sistant gloves
Re	emarks		uble gloving. Take note that the product is flam- n may impact the selection of hand protection.
Hygiene measures		: If exposure t eye flushing ing place. When using Wash contar The effective engineering appropriate o industrial hys	o chemical is likely during typical use, provide systems and safety showers close to the work- do not eat, drink or smoke. ninated clothing before re-use. e operation of a facility should include review of controls, proper personal protective equipment, degowning and decontamination procedures, giene monitoring, medical surveillance and the histrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	78.5 °C
Flash point	:	29 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Vers 5.0	sion	Revision Date: 2024/09/28		S Number: 39370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
	Relative	e vapour density	:	0.91 - 0.95	
	Relative	e density	:	0.91 - 0.95	
	Density		:	No data available	9
	Solubili Wate	ty(ies) er solubility	:	slightly soluble	
	Partition octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosit Visc	ty osity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	characteristics size	:	Not applicable	

#### **10. STABILITY AND REACTIVITY**

Reactivity Chemical stability Possibility of hazardous reac- tions	: :	Not classified as a reactivity hazard. Stable under normal conditions. Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.

#### 11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
	Eye bontabl

#### Acute toxicity

Harmful if swallowed. Toxic in contact with skin.

according to GB/T 16483 and GB/T 17519



ersion 6.0	Revision Date: 2024/09/28	SDS Number: 4789370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
Fatal	if inhaled.		
Produ	uct:		
Acute	oral toxicity		estimate: 1,290 mg/kg Ilation method
Acute	inhalation toxicity	Exposure time Test atmosphe	
Acute	e dermal toxicity		estimate: 371.07 mg/kg Ilation method
<u>Com</u>	oonents:		
2-But	oxyethanol:		
Acute	oral toxicity	: LD50 (Guinea	pig): 1,200 mg/kg
Acute	inhalation toxicity	Exposure time Test atmosph Method: Expe	ere: vapour
Acute	e dermal toxicity	Method: Expe	estimate: 300 mg/kg rt judgement ed on national or regional regulation.
Ethar	nol:		
	oral toxicity	: LD50 (Rat): 10 Method: OEC	0,470 mg/kg D Test Guideline 401
Acute	inhalation toxicity	: LC50 (Rat, ma Exposure time Test atmosph	
Acute	e dermal toxicity	: LD50 (Rabbit)	: > 15,800 mg/kg
Fipro	nil (ISO):		
	oral toxicity	: LD50 (Rat): 92	2 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 0. Exposure time Test atmosphe	e: 4 h
Acute	e dermal toxicity	: LD50 (Rabbit)	: 354 mg/kg

according to GB/T 16483 and GB/T 17519



## **Finronil Formulation**

Fipron	il Formulation			
/ersion 5.0	Revision Date: 2024/09/28		DS Number: 89370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
	corrosion/irritation			
Caus	es skin irritation.			
Com	ponents:			
2-But	toxyethanol:			
Spec		:	Rabbit	
Meth		:		8/EEC, Annex V, B.4.
Resu	It	÷	Skin irritation	
Etha	nol:			
Spec		:	: Rabbit	
Meth Resu		:	: OECD Test Guideline 404	
Resu	ш	•	No skin irritatior	I
-	onil (ISO):			
Spec		:	: Rabbit	
Meth Resu		:	: OECD Test Guideline 404 : No skin irritation	
	ous eye damage/eye es serious eye irritatio		ion	
	ponents:			
2-But	toxyethanol:			
Spec	ies	:	Rabbit	
Resu	lt a d	:		s, reversing within 21 days
Meth	od	÷	OECD Test Gui	Ideline 405
Etha	nol:			
Spec		:	Rabbit	
Resu Meth		:	<ul><li>Irritation to eyes, reversing within 21 days</li><li>OECD Test Guideline 405</li></ul>	
Intern	u	•		
	onil (ISO):			
Spec		:	Rabbit	
	17		NO OVO Irritotion	

#### Respiratory or skin sensitisation

#### Skin sensitisation

Result

Method

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

: No eye irritation

: OECD Test Guideline 405

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### Components:

#### 2-Butoxyethanol:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Test Type Exposure routes Species Method Result	: negative

#### Ethanol:

Test Type Exposure routes Species Result	:	Mouse ear swelling test (MEST)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

#### Fipronil (ISO):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Test Type Exposure routes Species Method Result	: negative

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

2-Butoxyethanol:	
Genotoxicity in vitro :	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: In vitro sister chromatid exchange assay in mam- malian cells Result: equivocal
Genotoxicity in vivo :	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Intraperitoneal injection Result: negative
	Test Type: Mammalian erythrocyte micronucleus test (in vivo

according to GB/T 16483 and GB/T 17519



ersion .0	Revision Date: 2024/09/28	SDS Number:Date of last issue: 2024/07/064789370-00014Date of first issue: 2019/08/27
		cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
Etha	nol:	
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
Geno	otoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Result: negative
Fipro	onil (ISO):	
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Geno	otoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
		Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

#### 2-Butoxyethanol:

Species Application Route Exposure time Result	<ul> <li>Rat</li> <li>inhalation (vapour)</li> <li>2 Years</li> <li>negative</li> </ul>
Fipronil (ISO):	
Species Application Route Exposure time Method Result	<ul> <li>Mouse</li> <li>Ingestion</li> <li>78 weeks</li> <li>Directive 67/548/EEC, Annex V, B.32.</li> <li>negative</li> </ul>
Species Application Route Exposure time Method Result Remarks	<ul> <li>Rat</li> <li>Ingestion</li> <li>104 weeks</li> <li>Directive 67/548/EEC, Annex, B.33</li> <li>positive</li> <li>The mechanism or mode of action is not relevant in humans.</li> </ul>

#### **Reproductive toxicity**

Not classified based on available information.

#### **Components:**

#### 2-Butoxyethanol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative
Ethanol:	
Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version 5.0	Revision Date: 2024/09/28	SDS Number: 4789370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27	
		Result: negativ	/e	
Fipro	onil (ISO):			
Effec	ts on fertility	Species: Rat Application Ro	<ul> <li>Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative</li> </ul>	
Effec ment	ts on foetal develop-	Species: Rabb Application Ro Method: OECE	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative	

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

#### Fipronil (ISO):

Exposure routes Target Organs Assessment	: Ingestion
Target Organs	: Central nervous system, Kidney
Assessment	: Shown to produce significant health effects in animals at con-
	centrations of 10 mg/kg bw or less.

#### Repeated dose toxicity

#### **Components:**

#### Ethanol:

Species NOAEL	:	Rat
NOAEL	:	1,730 mg/kg
LOAEL	:	3,200 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

#### Fipronil (ISO):

Species NOAEL LOAEL	: Rabbit
NOAEL	: 5 mg/kg
LOAEL	: 10 mg/kg
Application Route	: Skin contact
Exposure time Method	: 21 Days
Method	: OECD Test Guideline 410
Species	: Rat, male

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

	e of last issue: 2024/07/06 e of first issue: 2019/08/27
--	---

NOAEL	: 0.059 mg/kg
NOAEL LOAEL	: 0.019 mg/kg
Application Route	: Ingestion
Exposure time Method	: 89 Weeks
Method	: Directive 67/548/EEC, Annex, B.33

#### Aspiration toxicity

Not classified based on available information.

#### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### **Components:**

	2-Butoxyethanol:		
	Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,464 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,800 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,840 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
			EC10 (Pseudokirchneriella subcapitata (green algae)): 679 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	Toxicity to fish (Chronic tox- icity)	:	NOEC (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 21 d
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	EC10 (Daphnia magna (Water flea)): 134 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
-	Ethanol:		
	Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h
	Toxicity to algae/aquatic plants	:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

ersion D	Revision Date: 2024/09/28		OS Number: 89370-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/08/27
			EC10 (Chlorella Exposure time:	a vulgaris (Fresh water algae)): 11.5 mg/l 72 h
Toxicit icity)	ty to fish (Chronic tox-	:	NOEC (Oryzias Exposure time:	latipes (Japanese medaka)): >= 79 mg/l 100 d
aquati	ty to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia Exposure time:	a magna (Water flea)): 9.6 mg/l 9 d
ic toxic Toxicit	ty to microorganisms	:	EC50 (Protozoa Exposure time:	
Fipror	nil (ISO):			
	ty to fish	:	LC50 (Lepomis Exposure time:	macrochirus (Bluegill sunfish)): 85.2 µg/l 96 h
	ty to daphnia and other c invertebrates	:	LC50 (Mysidop Exposure time:	sis bahia (opossum shrimp)): 0.14 µg/l 96 h
Toxicit plants	y to algae/aquatic	:	Exposure time:	esmus subspicatus (green algae)): 68 µg 96 h Test Guideline 201
			Exposure time:	desmus subspicatus (green algae)): 40 µg 96 h Test Guideline 201
	tor (Acute aquatic tox-	:	1,000	
icity) Toxicit icity)	ty to fish (Chronic tox-	:	NOEC (Cyprinc µg/l Exposure time:	don variegatus (sheepshead minnow)): 2 35 d
	ty to daphnia and other c invertebrates (Chron-	:	NOEC (Mysido Exposure time:	osis bahia (opossum shrimp)): 0.0077 μg/ 28 d
	tor (Chronic aquatic	:	10,000	
	y to microorganisms	:	EC50: > 1,000 Exposure time:	
Persis	stence and degradabili	ty		
<u>Comp</u>	onents:			

2-Butoxyethanol:

Biodegradability	: Result: Readily biodegradable.
	Biodegradation: 90.4 %
Biodegradability	Exposure time: 28 d

according to GB/T 16483 and GB/T 17519



rsion )	Revision Date: 2024/09/28		issue: 2024/07/06 issue: 2019/08/27
		Method: OECD Test Guideline	301B
Ethar	nol:		
Biode	gradability	: Result: Readily biodegradable Biodegradation: 84 % Exposure time: 20 d	
Fipro	nil (ISO):		
Biode	gradability	: Result: Not readily biodegrada Biodegradation: 47 % Exposure time: 28 d Method: OECD Test Guideline	
Bioad	ccumulative potentia		
<u>Comp</u>	oonents:		
2-But	oxyethanol:		
	ion coefficient: n- ol/water	: log Pow: 0.81	
Ethar	nol:		
	ion coefficient: n- ol/water	: log Pow: -0.35	
Fipro	nil (ISO):		
Bioac	cumulation	: Species: Lepomis macrochirus Bioconcentration factor (BCF):	
	ion coefficient: n- ol/water	: log Pow: 4	
Mobi	lity in soil		
No da	ata available		
Other	r adverse effects		
No da	ata available		

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		Empty containers retain residue and can be dangerous.
		Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
		If not otherwise specified: Dispose of as unused product.

according to GB/T 16483 and GB/T 17519



## **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### 14. TRANSPORT INFORMATION

#### International Regulations

UNRTDG		
UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Ethanol, Fipronil (ISO))
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
Environmentally hazardous	:	no
IATA-DGR		
UN/ID No.	:	UN 1992
Proper shipping name	:	Flammable liquid, toxic, n.o.s. (Ethanol, Fipronil (ISO))
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	Flammable Liquids, Toxic
Packing instruction (cargo aircraft)	:	366
Packing instruction (passen- ger aircraft)	:	355
IMDG-Code		
UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S.
		(Ethanol, Fipronil (ISO))
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
EmS Code	:	F-E, S-D
Marine pollutant	:	yes
Transport in bulk according	<b>t</b> 0	Appart II of MARROL 72/79 and the IRC

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

<b>GB 6944/12268</b> UN number Proper shipping name	:	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (Ethanol, Fipronil (ISO))
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	111
Labels	:	3 (6.1)
Marine pollutant	:	no

according to GB/T 16483 and GB/T 17519



## Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **15. REGULATORY INFORMATION**

#### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

## Regulations on Safety Management of Hazardous Chemicals

Catalogue of	f Hazardous	Chemica	S	:	Listed

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)				
No. / Code	Chemical name / Category	Threshold quant	ity	
J5	Acute toxic	500 t		
Identification of M	lajor Hazard Installations for Hazardo	us Chemicals (GB 182	218)	
No. / Code	Chemical name / Category	Threshold quant	ity	
W5.4	Flammable liquids	5,000 t		
	nicals for Priority Management under	: Listed		
SAWS				

#### Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

# Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed and Export

#### Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

#### **16. OTHER INFORMATION**

Revision Date

: 2024/09/28

according to GB/T 16483 and GB/T 17519



## Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format :		yyyy/mm/dd	
Full text of other abbreviation	ns		
ACGIH ACGIH BEI CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.	
ACGIH / TWA ACGIH / STEL CN OEL / PC-TWA	:	8-hour, time-weighted average Short-term exposure limit Permissible concentration - time weighted average	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

according to GB/T 16483 and GB/T 17519



## Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4789370-00014	Date of first issue: 2019/08/27

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN/EN