

Fipronil Formulation

Vers 5.0	sion	Revision Date: 2024/07/06		S Number: 9406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27		
1. PI	RODUC	T AND COMPANY IDE	ENTI	FICATION			
	Product	tname	:	Fipronil Formulation			
	Manufa	cturer or supplier's d	etai	ls			
	Compa	ny	:	MSD			
	Address	5	:	126 E. Lincoln Av Rahway, New Je	venue rsey U.S.A. 07065		
	Telepho	one	:	908-740-4000			
	Emerge	ency telephone number	-	1-908-423-6000			
	E-mail a	address	:	EHSDATASTEW	ARD@msd.com		
	Recom	mended use of the ch	nemi	ical and restriction	ons on use		
		mended use ions on use	:	Veterinary produce Not applicable	ct		

2. HAZARDS IDENTIFICATION

GHS Classification		
Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Acute toxicity (Inhalation)	:	Category 3
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Specific target organ toxicity - repeated exposure	:	Category 2 (Central nervous system, Kidney)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements



/ersion 5.0	Revision Date: 2024/07/06	SDS Number: 4789406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
Hazar	d pictograms		
Signa	l word	: Danger	v v v
Hazar	d statements	H302 Harmful H315 Causes H319 Causes H331 Toxic if i H373 May cau Kidney) throug	skin irritation. serious eye irritation.
Preca	utionary statements	· Prevention:	
		No smoking. P233 Keep co P241 Use exp ment. P242 Use only P243 Take pre P260 Do not b P264 Wash sk P270 Do not e P271 Use only P273 Avoid re	vay from heat/ sparks/ open flames/ hot surfac ntainer tightly closed. losion-proof electrical/ ventilating/ lighting equ v non-sparking tools. ecautionary measures against static discharge breathe mist or vapours. sin thoroughly after handling. eat, drink or smoke when using this product. v outdoors or in a well-ventilated area. lease to the environment. otective gloves/ protective clothing/ eye protected ection.
		CENTER/ doc P303 + P361 - Iy all contamin P304 + P340 - and keep com doctor. P305 + P351 - for several mir easy to do. Co P314 Get meo P332 + P313 I tion. P337 + P313 I tention.	 + P330 IF SWALLOWED: Call a POISON tor if you feel unwell. Rinse mouth. + P353 IF ON SKIN (or hair): Take off immedia ated clothing. Rinse skin with water/ shower. + P311 IF INHALED: Remove person to fresh fortable for breathing. Call a POISON CENTE + P338 IF IN EYES: Rinse cautiously with water butes. Remove contact lenses, if present and ontinue rinsing. lical advice/ attention if you feel unwell. f skin irritation occurs: Get medical advice/ att f eye irritation persists: Get medical advice/ att Take off contaminated clothing and wash it beit spillage.



Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/14
5.0	2024/07/06	4789406-00012	Date of first issue: 2019/08/27

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	>= 60 -<= 100
Ethanol#	64-17-5	>= 10 -< 30
Fipronil (ISO)	120068-37-3	>= 1 -< 2.5

Voluntarily-disclosed substance

4. FIRST AID MEASURES

General advice :	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled :	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact :	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact :	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed :	If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms : and effects, both acute and delayed	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. May cause damage to organs through prolonged or repeated



Fipronil Formulation

Versior 5.0	n Revision Date: 2024/07/06		0S Number: 89406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
	otection of first-aiders otes to physician	:	oedema. Must not be confu First Aid responde and use the recor when the potentia	ayed neurological effects, including brain used with organophosphorous compounds! ers should pay attention to self-protection, nmended personal protective equipment I for exposure exists (see section 8). cally and supportively.
5. FIRE	FIGHTING MEASURES			
Ur	uitable extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical High volume wate	:02)
Sp	edia becific hazards during fire- hting	:	fire. Flash back possib Vapours may forn	I water stream as it may scatter and spread ole over considerable distance. In explosive mixtures with air. Soustion products may be a hazard to health.
Ha uc	azardous combustion prod- ts	:	Nitrogen oxides (I Sulphur oxides Carbon oxides Chlorine compour Fluorine compour	nds
oc Sr	becific extinguishing meth- ls becial protective equipment r firefighters	:	cumstances and t Use water spray t Remove undamag so. Evacuate area.	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do e, wear self-contained breathing apparatus.
		SUF	· · ·	
Pe tiv	ersonal precautions, protec- e equipment and emer- ency procedures		Remove all sourc Use personal prot Follow safe handl	
Er	vironmental precautions	:	Prevent spreading barriers).	he environment. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.



/ersion 5.0	Revision Date: 2024/07/06	SDS Number: 4789406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
	nods and materials for ainment and cleaning up	Soak up with ine Suppress (knock spray jet. For large spills, j ment to keep ma be pumped, stor Clean up remain bent. Local or national posal of this mat employed in the mine which regu	ols should be used. ert absorbent material. (x down) gases/vapours/mists with a water provide dyking or other appropriate contain- aterial from spreading. If dyked material can e recovered material in appropriate container. ing materials from spill with suitable absor- l regulations may apply to releases and dis- cerial, as well as those materials and items cleanup of releases. You will need to deter- lations are applicable. 15 of this SDS provide information regarding pational requirements.
HAND	LING AND STORAGE		
Tech	nnical measures		measures under EXPOSURE RSONAL PROTECTION section.
Loca	al/Total ventilation	: If sufficient venti ventilation.	roof electrical, ventilating and lighting equip-
Advi	ice on safe handling	Handle in accord practice, based of sessment Non-sparking too Keep container to Keep away from other ignition sol Take precaution Do not eat, drink Take care to pre	nist or vapours. es. ughly after handling. dance with good industrial hygiene and safety on the results of the workplace exposure as- ols should be used.
Con	ditions for safe storage	Store locked up. Keep tightly clos Keep in a cool, v Store in accorda	ed. vell-ventilated place. nce with the particular national regulations.
Mate	erials to avoid	: Do not store with	3



Fipronil Formulation

Version	Revision Date:
5.0	2024/07/06

SDS Number: 4789406-00012 Date of last issue: 2024/06/14 Date of first issue: 2019/08/27

Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Poisonous gases Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
2-Butoxyethanol	111-76-2	NAB	20 ppm	ID OEL	
	Further information	ation: Confirmed	tion: Confirmed animal carcinogen.		
		TWA	20 ppm	ACGIH	
Ethanol	64-17-5	PSD	1,000 ppm	ID OEL	
	Further information				
		STEL	1,000 ppm	ACGIH	
Fipronil (ISO)	120068-37-3	TWA	2 µg/m3 (OEB 4)	Internal	
	Further information	ation: Skin			
		Wipe limit	20 µg/100 cm2	Internal	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
2-Butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g creatinine	ACGIH BEI

Engineering measures

: All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-



Fipronil Formulation

Version 5.0	Revision Date: 2024/07/06	SDS Number: 4789406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27			
	ter type protection		uidelines, use respiratory protection. rticulates and organic vapour type			
Ma	aterial	: Chemical-res	istant gloves			
Re	emarks		ble gloving. Take note that the product is flam-			
Eye p	protection	: Wear safety g If the work en mists or aeros Wear a faces	 mable, which may impact the selection of hand protection. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 			
Skin a	and body protection	: Work uniform Additional boo task being pe posable suits	or laboratory coat. dy garments should be used based upon the rformed (e.g., sleevelets, apron, gauntlets, dis-) to avoid exposed skin surfaces. ate degowning techniques to remove potentially clothing.			
Hygie	ne measures	: If exposure to eye flushing s ing place. When using c Wash contam The effective engineering c appropriate d industrial hyg	to chemical is likely during typical use, provide systems and safety showers close to the work- do not eat, drink or smoke. hinated clothing before re-use. operation of a facility should include review of controls, proper personal protective equipment, egowning and decontamination procedures, iene monitoring, medical surveillance and the strative controls.			

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	78.5 °C
Flash point	:	29 °C
Evaporation rate	:	No data available



Fipronil Formulation

Vers 5.0	sion	Revision Date: 2024/07/06		S Number: 9406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available)
		explosion limit / Lower bility limit	:	No data available)
	Vapour	pressure	:	No data available	2
	Relative	e vapour density	:	0.91 - 0.95	
	Relative	e density	:	0.91 - 0.95	
	Density	,	:	No data available	2
	Solubili Wate	ty(ies) er solubility	:	slightly soluble	
	Partition octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosit Visc	ty osity, kinematic	:	No data available)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	characteristics size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition	:	Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.



Fipronil Formulation

Vers 5.0	ion Revision Date: 2024/07/06	-	0S Number: 89406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
	products			
11. 1	OXICOLOGICAL INFORMA		N	
	Information on likely routes of exposure	of :	Inhalation Skin contact Ingestion Eye contact	
	Acute toxicity Harmful if swallowed. Toxic if inhaled.			
	Product:			
	Acute oral toxicity	:	Acute toxicity estine Method: Calculation	
	Acute inhalation toxicity	:	Acute toxicity estin Exposure time: 4	

Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity		Acute toxicity estimate: > 2,000 mg/kg
Notice definial textory	·	Method: Calculation method

Components:

2-Butoxyethanol:		
Acute oral toxicity	:	LD50 (Guinea pig): 1,200 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Expert judgement
Acute dermal toxicity	:	LD50 (Guinea pig): > 2,000 mg/kg
Ethanol:		
Acute oral toxicity	:	LD50 (Rat): 10,470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male): 116.9 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 15,800 mg/kg
Fipronil (ISO):		
Acute oral toxicity	:	LD50 (Rat): 92 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.36 mg/l



Version 5.0	Revision Date: 2024/07/06		DS Number: /89406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
			Exposure time: 4 Test atmosphere:	
Acute	dermal toxicity	:	LD50 (Rabbit): 35	54 mg/kg
	corrosion/irritation es skin irritation.			
<u>Comp</u>	onents:			
2-Bute	oxyethanol:			
Specie Metho Result	d	:	Rabbit Directive 67/548/I Skin irritation	EEC, Annex V, B.4.
Ethan	ol:			
Specie Metho Result	d	:	Rabbit OECD Test Guide No skin irritation	eline 404
Fipror	nil (ISO):			
Specie Metho Result	es d	:	Rabbit OECD Test Guide No skin irritation	eline 404
Serio	us eye damage/eye i	rritati	ion	
	es serious eye irritation			
<u>Comp</u>	onents:			
2-Bute	oxyethanol:			
Specie Result Metho	t	:	Rabbit Irritation to eyes, OECD Test Guide	reversing within 21 days eline 405
Ethan	ol:			
Specie Result Metho	t	:	Rabbit Irritation to eyes, OECD Test Guide	reversing within 21 days eline 405
Fipror	nil (ISO):			
Specie Result Metho	es	:	Rabbit No eye irritation OECD Test Guide	eline 405



Fipronil Formulation

Version 5.0	Revision Date: 2024/07/06		DS Number: 789406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
Resp	iratory or skin sensit	isati	on	
•	sensitisation lassified based on ava	ilable	information.	
-	iratory sensitisation lassified based on ava	ilable	information.	
Com	ponents:			
2-Bu Test	toxyethanol: Type	:	Maximisation Tes	st
Expo Spec Metho Resu	od	:	Skin contact Guinea pig OECD Test Guid negative	eline 406

Ethanol:

Test Type	:	Mouse ear swelling test (MEST)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

Fipronil (ISO):

r · · · · · · · · · · · · · · · · · · ·	
Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Butoxyethanol:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: In vitro sister chromatid exchange assay in mam- malian cells Result: equivocal
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo



Version 5.0	Revision Date: 2024/07/06	SDS Number: 4789406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
		Result: negative Test Type: Man cytogenetic ass Species: Mouse	te: Intraperitoneal injection malian erythrocyte micronucleus test (in vivo ay) te: Intraperitoneal injection
Ethar Geno	nol: toxicity in vitro		erial reverse mutation assay (AMES) Test Guideline 471
		Method: OECD Result: negative	
		Result: negative	pmosome aberration test in vitro
Geno	toxicity in vivo	: Test Type: Man cytogenetic ass Species: Rat Application Rou Result: negative	te: Ingestion
Fipro	nil (ISO):		
Geno	toxicity in vitro		erial reverse mutation assay (AMES) Test Guideline 471 e
			tro mammalian cell gene mutation test Test Guideline 476 e
			omosome aberration test in vitro Test Guideline 473 e
Geno	toxicity in vivo	cytogenetic ass Species: Mouse Application Rou	te: Ingestion Test Guideline 474
		Test Type: Unso mammalian live	cheduled DNA synthesis (UDS) test with r cells in vivo



ersion .0	Revision Date: 2024/07/06		S Number: 9406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
			Species: Rat	
			Application Ro Method: OECE Result: negativ	D Test Guideline 486
	nogenicity lassified based on ava	ailable i	nformation.	
Com	oonents:			
2-But	oxyethanol:			
Speci	es cation Route	-	Rat inhalation (vap	our)
	sure time		2 Years	
Resul		:	negative	
Fipro	nil (ISO):			
Speci			Mouse	
	cation Route sure time		Ingestion 78 weeks	
Metho				18/EEC, Annex V, B.32.
Resul			negative	
Speci			Rat	
	cation Route		Ingestion	
Metho	sure time od		104 weeks Directive 67/54	18/EEC, Annex, B.33
Resul		:	positive	
Rema	arks	:	The mechanis	m or mode of action is not relevant in humans.
Repro	oductive toxicity			
Not cl	lassified based on ava	ailable i	nformation.	
<u>Com</u>	ponents:			
	oxyethanol:			
Effect	ts on fertility		Test Type: Two Species: Mous Application Ro Result: negativ	ute: Ingestion
Effect ment	ts on foetal develop-		Test Type: Em Species: Rat Application Ro Result: negativ	
			Species: Rat	bryo-foetal development ute: inhalation (vapour) /e



	2024/07/06		DS Number: 89406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27				
Ethai Effect	n ol: ts on fertility	:	Test Type: Two Species: Mouse Application Rou Result: negative	ite: Ingestion				
Fipro	onil (ISO):							
Effect	ts on fertility	:	Test Type: Two Species: Rat Application Rou Result: negative					
Effect ment	ts on foetal develop-	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative					
Not c	Γ - single exposure lassified based on avai		information.					
			entral nervous sy	stem, Kidney) through prolonged or repeated				
Com	ponents:							
Expo Targe	Fipronil (ISO): Exposure routes Target Organs Assessment		 Ingestion Central nervous system, Kidney Shown to produce significant health effects in animals at centrations of 10 mg/kg bw or less. 					
Repe	ated dose toxicity							
<u>Com</u>	ponents:							
	ies EL		Rat 1,730 mg/kg 3,200 mg/kg Ingestion 90 Days					
Speci NOAE LOAE	EL	: : :	Rabbit 5 mg/kg 10 mg/kg Skin contact					



Date of last issue: 2024/06/14

Fipronil Formulation

Revision Date:

Version

e time on Route e time on toxicity sified based on availa SICAL INFORMATION			ideline 410 8/EEC, Annex, B.33		
on Route e time on toxicity sified based on availa		OECD Test Gu Rat, male 0.059 mg/kg 0.019 mg/kg Ingestion 89 Weeks Directive 67/54			
e time on toxicity sified based on availa GICAL INFORMATION		Rat, male 0.059 mg/kg 0.019 mg/kg Ingestion 89 Weeks Directive 67/54			
e time on toxicity sified based on availa GICAL INFORMATION		0.059 mg/kg 0.019 mg/kg Ingestion 89 Weeks Directive 67/54	3/EEC, Annex, B.33		
e time on toxicity sified based on availa GICAL INFORMATION		0.019 mg/kg Ingestion 89 Weeks Directive 67/54	3/EEC, Annex, B.33		
e time on toxicity sified based on availa GICAL INFORMATION		Ingestion 89 Weeks Directive 67/54	3/EEC, Annex, B.33		
e time on toxicity sified based on availa GICAL INFORMATION		89 Weeks Directive 67/54	3/EEC, Annex, B.33		
sified based on availa			8/EEC, Annex, B.33		
sified based on availa		information.			
ICAL INFORMATION		information.			
	1				
city					
nents:					
yethanol:					
to fish	:	Exposure time:	nchus mykiss (rainbow trout)): 1,464 mg/l 96 h Test Guideline 203		
	:		magna (Water flea)): 1,800 mg/l 48 h		
			Test Guideline 202		
to algae/aquatic	:	ErC50 (Pseudo	kirchneriella subcapitata (green algae)): 1,8		
0		mg/l			
		Method: OECD	l est Guideline 201		
		EC10 (Pseudoł	kirchneriella subcapitata (green algae)): 679		
		mg/l			
		Exposure time:	72 h Test Cuideline 201		
		Method: OECD	Test Guideline 201		
to fish (Chronic tox-	:	NOEC (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 21 d			
to daphnia and other	:	EC10 (Daphnia	magna (Water flea)): 134 mg/l		
aquatic invertebrates (Chron- ic toxicity)		Exposure time:			
<u>.</u>					
to fish	:		lles promelas (fathead minnow)): 14,200 mg 96 h		
to daphnia and other		EC50 (Cerioda	ohnia dubia (water flea)): 5,012 mg/l		
nvertebrates	·				
	yethanol: to fish to daphnia and other nvertebrates to algae/aquatic to fish (Chronic tox- to daphnia and other nvertebrates (Chron- y) : to fish to fish	yethanol: to fish:to daphnia and other nvertebrates:to daphnia and other o algae/aquatic:to fish (Chronic tox- rovertebrates (Chron- y):to fish:to fish:to fish:to fish:to daphnia and other y):to fish:to fish:	yethanol: to fish:LC50 (Oncorhyn Exposure time: Method: OECDto daphnia and other nvertebrates:EC50 (Daphnia Exposure time: Method: OECDto algae/aquatic:ErC50 (Pseudo mg/l Exposure time: Method: OECDto algae/aquatic:ErC50 (Pseudo mg/l Exposure time: Method: OECDto fish (Chronic tox- to fish (Chronic tox- nvertebrates (Chron- y):NOEC (Danio re Exposure time: Method: OECDto daphnia and other nvertebrates (Chron- y):EC10 (Daphnia Exposure time: Method: OECDto fish:LC50 (Pimepha Exposure time: Method: OECDto fish:LC50 (Pimepha Exposure time: Method: OECD		

SDS Number:



Vers 5.0	sion	Revision Date: 2024/07/06		0S Number: 89406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27			
	Toxicity to algae/aquatic plants		:	ErC50 (Chlorella Exposure time: 7	vulgaris (Fresh water algae)): 275 mg/l 2 h			
				EC10 (Chlorella Exposure time: 7	/ulgaris (Fresh water algae)): 11.5 mg/l 2 h			
	Toxicity to fish (Chronic tox- icity)		:	NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg Exposure time: 100 d				
	Toxicity to daphnia and other aquatic invertebrates (Chron-		:	NOEC (Daphnia Exposure time: 9	magna (Water flea)): 9.6 mg/l d			
	ic toxic Toxicity	y to microorganisms	:	EC50 (Protozoa): 5,800 mg/l Exposure time: 4 h				
	Fipron	il (ISO):						
	Toxicity	y to fish	:	LC50 (Lepomis n Exposure time: 9	nacrochirus (Bluegill sunfish)): 85.2 μg/l 6 h			
	Toxicity to daphnia and other aquatic invertebrates		:	LC50 (Mysidopsi Exposure time: 9	s bahia (opossum shrimp)): 0.14 μg/l 6 h			
	Toxicity to algae/aquatic plants		:	Exposure time: 9	smus subspicatus (green algae)): 68 μg/l 6 h ēst Guideline 201			
				Exposure time: 9	esmus subspicatus (green algae)): 40 μg/l 6 h est Guideline 201			
		or (Acute aquatic tox-	:	1,000				
	icity) Toxicity icity)	y to fish (Chronic tox-	:	NOEC (Cyprinod µg/l Exposure time: 3	on variegatus (sheepshead minnow)): 2.9			
	Toxicit	y to daphnia and other			sis bahia (opossum shrimp)): 0.0077 µg/l			
		invertebrates (Chron-	•	Exposure time: 2				
	M-Fact	or (Chronic aquatic	:	10,000				
	toxicity) Toxicity to microorganisms		:	EC50: > 1,000 m Exposure time: 3				
	Persis	tence and degradabili	ty					
	<u>Compo</u>	onents:						
		exyethanol:			to to one ded to			
	Biodegradability		:	Result: Readily b	iodegradable.			



Fipronil Formulation

ersion 6.0	Revision Date: 2024/07/06		S Number: 89406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27		
			Biodegradation: Exposure time: Method: OECD			
Ethai	nol:					
	Biodegradability		 Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d 			
Fipro	onil (ISO):					
-	egradability	:	Biodegradation: Exposure time:			
Bioa	ccumulative potentia	I				
Com	ponents:					
2-But	toxyethanol:					
Partit	ion coefficient: n- ol/water	:	log Pow: 0.81			
Ethai	nol:					
	ion coefficient: n- ol/water	:	log Pow: -0.35			
Fipro	onil (ISO):					
Bioac	ccumulation	:		nis macrochirus (Bluegill sunfish) n factor (BCF): 321		
	ion coefficient: n- ol/water	:	log Pow: 4			
Mobi	lity in soil					
No da	ata available					
	r adverse effects ata available					

13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.



Fipronil Formulation

Version 5.0	Revision Date: 2024/07/06		DS Number: 789406-00012	Date of last issue: 2024/06/14 Date of first issue: 2019/08/27
			If not otherwise	specified: Dispose of as unused product.
14. TRAN	ISPORT INFORMATIO	N		
Inter	national Regulations			
UNR	TDG			
UN n	lumber	:	UN 1992	
Prop	er shipping name	:	FLAMMABLE L (Ethanol, Fipro	IQUID, TOXIC, N.O.S. nil (ISO))
Class	5	:	3	
Subs	idiary risk	:	6.1	
Pack	ing group	:	III	
l ahe	le		3 (6 1)	

UNRTDG		
UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Ethanol, Fipronil (ISO))
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
Environmentally hazardous	:	no
IATA-DGR		
UN/ID No.	:	UN 1992
Proper shipping name	:	Flammable liquid, toxic, n.o.s.
		(Ethanol, Fipronil (ISO))
Class	÷	3
Subsidiary risk	÷	6.1
Packing group	÷	III Elemental Linuida, Tauia
Labels	÷	Flammable Liquids, Toxic
Packing instruction (cargo aircraft)	:	366
Packing instruction (passen-	:	355
ger aircraft)		
IMDG-Code		
UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S.
Class		(Ethanol, Fipronil (ISO))
Class	÷	3
Subsidiary risk	÷	6.1 III
Packing group Labels	:	
EmS Code	:	3 (6.1) F-E, S-D
Marine pollutant	:	•
	·	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture



Fipronil Formulation

Version 5.0			0S Number: 89406-00012			of last issue: 2024/06/14 of first issue: 2019/08/27
ter of		lo. 8	37/M-IND/PER/9/2	2009 d		3 concerning the Revision of Minis ncerning Globally Harmonized Sys-
-	lation of the Minister or rdous to Health	of H	ealth No. 472 of 1	1996 (on	the Safeguarding of Substances
Haza	rdous substances that n	nust	be registered		:	Not applicable
Gove stand	-	. 74	of 2001 on the N	Manag	gen	nent of Hazardous and Toxic Sub-
Haza	rdous substances appro	oved	for use		:	Ethanol
Prohi	Prohibited substances					Not applicable
Restr	icted substances				:	Not applicable
Mate Type contro	-	subj	ect to distribution	and	:	
The o AICS DSL	components of this pro	oduo : :	ct are reported in not determined not determined	n the f	foll	owing inventories:
IECS	с	:	not determined			
16. OTHE	R INFORMATION					
Revis	ion Date	:	2024/07/06			
Sourc	Further information Sources of key data used to : Internal technica					lata from raw material SDSs, OECD sults and European Chemicals Agen- ı/
	where changes have b ment by two vertical line		made to the previ	ious v	ers	sion are highlighted in the body of this
Date	format	:	yyyy/mm/dd			
ACG	H BEI	ons	ACGIH - Biologi	ical Ex	кро	Limit Values (TLV) sure Indices (BEI) Exposure Limits



Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/06/14
5.0	2024/07/06	4789406-00012	Date of first issue: 2019/08/27

ACGIH / TWA ACGIH / STEL	8-hour, time-weighted average Short-term exposure limit
ID OEL / NAB ID OEL / PSD	Long term exposure limit Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN