

# **Fipronil Formulation**

Versi 8.0	ion	Revision Date: 06.07.2024		S Number: 39411-00013	2 410 01 1401 100	sue: 14.06.2024 sue: 27.08.2019
Secti	ion 1: le	dentification				
	Product	name	:	Fipronil Formulat	ion	
l	Manufa	cturer or supplier's o	detai	ils		
	Compai	ny	:	MSD		
	Address	5	:	33 Whakatiki Stro Upper Hutt - New		g 908
-	Telepho	one	:	0800 800 543		
ļ	Emerge	ncy telephone numbe	r:	0800 764 766 (08 CHEMCALL)	800 POISON)	0800 243 622 (0800
l	E-mail a	address	:	EHSDATASTEW	/ARD@msd.cor	n
I	Recom	mended use of the c	hem	ical and restriction	ons on use	
		nended use ions on use	:	Veterinary produ Not applicable	ct	

## Section 2: Hazard identification

GHS Classification		
Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Acute toxicity (Inhalation)	:	Category 3
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 2 (Central nervous system, Kidney)
Hazardous to the aquatic environment - acute hazard	:	Category 1
Hazardous to the aquatic environment - chronic hazard	:	Category 1

## **GHS** label elements





Version 8.0	Revision Date: 06.07.2024	SDS Number: 4789411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
Haza	rd pictograms		
Signa	al word	: Danger	
Haza	rd statements	H302 Harmful H315 Causes H319 Causes H331 Toxic if i H373 May cau Kidney) throug	skin irritation. serious eye irritation.
Preca	autionary statements	· Prevention:	
		P210 Keep aw and other igniti P233 Keep cor P241 Use expl ment. P242 Use non- P243 Take act P260 Do not b P264 Wash sk P270 Do not e P271 Use only P273 Avoid rel	ay from heat, hot surfaces, sparks, open flames on sources. No smoking. htainer tightly closed. osion-proof electrical/ ventilating/ lighting equip- esparking tools. ion to prevent static discharges. reathe mist or vapours. in thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. ease to the environment. btective gloves/ protective clothing/ eye protec- iction.
		CENTER/ doct P303 + P361 + ly all contamina P304 + P340 + and keep comf doctor. P305 + P351 + for several min easy to do. Co P314 Get med P332 + P313 It tion.	ical advice/ attention if you feel unwell. skin irritation occurs: Get medical advice/ atten- eye irritation persists: Get medical advice/ at-
		-	Store in a well-ventilated place. Keep cool. ked up.



# **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
8.0	06.07.2024	4789411-00013	Date of first issue: 27.08.2019

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

Vapours may form explosive mixture with air.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Butoxyethanol	111-76-2	>= 70 -< 90
Ethanol#	64-17-5	>= 10 -< 20
Fipronil (ISO)	120068-37-3	>= 1 -< 2.5
# Valuntarily disclosed autotana		

# Voluntarily-disclosed substance

#### Section 4: First-aid measures

General advice	In the case of accident or if you feel unwell, seek medica vice immediately. When symptoms persist or in all cases of doubt seek me advice.	
If inhaled	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
In case of skin contact	In case of contact, immediately flush skin with plenty of w for at least 15 minutes while removing contaminated cloth and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.	
In case of eye contact	In case of contact, immediately flush eyes with plenty of v for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.	water
If swallowed	If swallowed, DO NOT induce vomiting unless directed to so by medical personnel. Get medical attention. Rinse mouth thoroughly with water.	
Most important symptoms and effects, both acute and delayed	Never give anything by mouth to an unconscious person. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Toxic if inhaled. May cause damage to organs through prolonged or repe exposure. There may be delayed neurological effects, including bra	ated



Version 8.0	Revision Date: 06.07.2024		DS Number: 89411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
	ection of first-aiders s to physician	:	First Aid respor and use the rec when the poter	nfused with organophosphorous compounds! nders should pay attention to self-protection, commended personal protective equipment tial for exposure exists (see section 8). atically and supportively.
Section 5	: Fire-fighting measure	s		
Unsu	ble extinguishing media itable extinguishing	:	Water spray Alcohol-resistar Carbon dioxide Dry chemical High volume wa	(CO2)
media Spec fightii	ific hazards during fire-	:	fire. Flash back pos Vapours may fo	blid water stream as it may scatter and spread sible over considerable distance. form explosive mixtures with air. mbustion products may be a hazard to health.
Haza ucts	rdous combustion prod-	:	Nitrogen oxides Sulphur oxides Carbon oxides Chlorine compo Fluorine compo	bunds
ods	ific extinguishing meth- ial protective equipment	:	cumstances an Use water spra Remove undan so. Evacuate area.	ng measures that are appropriate to local cir- d the surrounding environment. y to cool unopened containers. naged containers from fire area if it is safe to d fire, wear self-contained breathing apparatus.
for fir	efighters hem Code	:		rotective equipment.
Section 6	: Accidental release mo	eas	ures	
tive e	onal precautions, protec- quipment and emer- y procedures	:	Use personal p Follow safe har	rrces of ignition. rotective equipment. ndling advice (see section 7) and personal pro- ent recommendations (see section 8).
<b>-</b>				de la construcción de la

Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---	--



Version 8.0	Revision Date: 06.07.2024	SDS Number: 4789411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
	ods and materials for inment and cleaning up	Soak up with in Suppress (know spray jet. For large spills, ment to keep m be pumped, sto Clean up rema bent. Local or nationa posal of this ma employed in the mine which reg Sections 13 an	pols should be used. pert absorbent material. ck down) gases/vapours/mists with a water provide dyking or other appropriate contain- material from spreading. If dyked material can pre recovered material in appropriate container. Ining materials from spill with suitable absor- al regulations may apply to releases and dis- aterial, as well as those materials and items the cleanup of releases. You will need to deter- ulations are applicable. d 15 of this SDS provide information regarding national requirements.
	: Handling and storage		
Tech	nical measures		ig measures under EXPOSURE ERSONAL PROTECTION section.
Local	/Total ventilation	ventilation.	tilation is unavailable, use with local exhaust proof electrical, ventilating and lighting equip-
Advic	e on safe handling	<ul> <li>Do not get on s Do not breathe Do not swallow Do not get in ey Wash skin thor Handle in acco practice, based sessment Non-sparking to Keep container Keep away fror other ignition so Take precautio Do not eat, drir</li> </ul>	mist or vapours. yes. oughly after handling. rdance with good industrial hygiene and safety I on the results of the workplace exposure as- pols should be used.
Hygie	ene measures	: If exposure to o flushing system place. When using do Wash contamin The effective o engineering co appropriate deg	chemical is likely during typical use, provide eye as and safety showers close to the working not eat, drink or smoke. nated clothing before re-use. peration of a facility should include review of ntrols, proper personal protective equipment, gowning and decontamination procedures, ne monitoring, medical surveillance and the rative controls



# **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
8.0	06.07.2024	4789411-00013	Date of first issue: 27.08.2019
Mate	rials to avoid	Store in accord Keep away from Do not store with Self-reactive su Organic peroxic Oxidizing agent Flammable gas Pyrophoric liqui Pyrophoric solic	well-ventilated place. ance with the particular national regulations. In heat and sources of ignition. The following product types: Ibstances and mixtures des tes des ds ds ds bstances and mixtures

## Section 8: Exposure controls/personal protection

-		1		
Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
2-Butoxyethanol	111-76-2	WES-TWA	25 ppm	NZ OEL
			121 mg/m3	
	Further inform	ation: Skin abso	rption	
		TWA	20 ppm	ACGIH
Ethanol	64-17-5	WES-TWA	200 ppm	NZ OEL
			380 mg/m3	
	Further inform	ation: Ototoxin		
		WES-STEL	800 ppm	NZ OEL
			1,520 mg/m3	
	Further inform	ation: Ototoxin		
		STEL	1,000 ppm	ACGIH
Fipronil (ISO)	120068-37-3	TWA	2 µg/m3 (OEB 4)	Internal
	Further inform	ation: Skin		
		Wipe limit	20 µg/100 cm2	Internal

## Components with workplace control parameters

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
2-Butoxyethanol	111-76-2	Butoxyace- tic acid (BAA)	Urine	End of shift (As soon as possible after exposure ceases)	200 mg/g creatinine	ACGIH BEI

Engineering measures : All engineering controls should be implemented by facility



# Fipronil Formulation

/ersion 3.0	Revision Date: 06.07.2024		S Number: 39411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
			design and opera	ated in accordance with GMP principles to
			protect products, Essentially no op Use closed proce If handled in a lat cabinet, fume how tial exists for aero	workers, and the environment. en handling permitted. essing systems or containment technologies poratory, use a properly designed biosafety od, or other containment device if the poten psolization. If this potential does not exist, trays or benchtops.
			Use explosion-pr ment.	oof electrical, ventilating and lighting equip-
Perso	onal protective equip	ment		
Respiratory protection		:	sure assessment ommended guide	exhaust ventilation is not available or expo- demonstrates exposures outside the rec- lines, use respiratory protection.
	ter type protection	•	Combined particu	ulates and organic vapour type
Ma	aterial	:	Chemical-resista	nt gloves
Re	emarks	:		gloving. Take note that the product is flam- y impact the selection of hand protection.
Eye protection		:	Wear safety glass If the work enviro mists or aerosols Wear a faceshield	ses with side shields or goggles. nment or activity involves dusty conditions, , wear the appropriate goggles. d or other full face protection if there is a et contact to the face with dusts, mists, or
Skin a	and body protection	:	task being perfor posable suits) to	arments should be used based upon the med (e.g., sleevelets, apron, gauntlets, dis- avoid exposed skin surfaces. degowning techniques to remove potentially

# Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	78.5 °C



# **Fipronil Formulation**

Vers 8.0	sion	Revision Date: 06.07.2024		S Number: 39411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
	Flash p	point	:	29 °C	
	Evapor	ration rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
	Flamm	ability (liquids)	:	Not applicable	
		explosion limit / Upper ability limit	:	No data available	
		explosion limit / Lower ability limit	:	No data available	
	Vapou	r pressure	:	No data available	)
	Relativ	e vapour density	:	0.91 - 0.95	
	Relativ	e density	:	0.91 - 0.95	
	Density	4	:	No data available	
	Solubil Wat	ity(ies) ter solubility	:	slightly soluble	
	Partitio octano	n coefficient: n-	:	Not applicable	
		inition temperature	:	No data available	)
	Decom	position temperature	:	No data available	)
	Viscosi Visc	ity cosity, kinematic	:	No data available	)
	Explos	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	ılar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	Not applicable	

# Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Flammable liquid and vapour.
tions		Vapours may form explosive mixture with air.



ersion .0	Revision Date: 06.07.2024	SDS Number: 4789411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019				
		Contractivi					
			th strong oxidizing agents.				
Conditions to avoid Incompatible materials Hazardous decomposition products		<ul> <li>Heat, flames and sparks.</li> <li>Oxidizing agents</li> <li>No hazardous decomposition products are known.</li> </ul>					
ection 1	1: Toxicological infor	mation					
Expo	sure routes	: Inhalation Skin contact Ingestion Eye contact					
Harm	e toxicity ful if swallowed. if inhaled.						
Prod	uct:						
Acute	e oral toxicity		estimate: 1,290 mg/kg sulation method				
Acute	inhalation toxicity	Exposure tim Test atmosph	Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method				
Acute	e dermal toxicity		estimate: > 2,000 mg/kg sulation method				
Com	ponents:						
2-But	toxyethanol:						
Acute	e oral toxicity	: LD50 (Guinea	a pig): 1,200 mg/kg				
Acute	inhalation toxicity	Exposure tim Test atmosph					
Acute	e dermal toxicity	: LD50 (Guinea	a pig): > 2,000 mg/kg				
Ethar	nol:						
Acute	e oral toxicity	: LD50 (Rat): 1 Method: OEC	0,470 mg/kg D Test Guideline 401				
Acute	e inhalation toxicity	: LC50 (Rat, m Exposure tim Test atmosph	e: 4 h				
Acute	e dermal toxicity	: LD50 (Rabbit	:): > 15,800 mg/kg				



ersion .0	Revision Date: 06.07.2024	SDS Number: 4789411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019	
Fipro	nil (ISO):			
-	oral toxicity	: LD50 (Rat): 92	mg/kg	
Acute	inhalation toxicity	: LC50 (Rat): 0.3 Exposure time: Test atmosphe	4 h	
Acute	e dermal toxicity	: LD50 (Rabbit):	354 mg/kg	
-	corrosion/irritation es skin irritation.			
Com	oonents:			
2-But	oxyethanol:			
Speci Metho Resu	bd	: Rabbit : Directive 67/54 : Skin irritation	8/EEC, Annex V, B.4.	
Ethar	nol:			
Speci Metho Resu	bd		<ul> <li>Rabbit</li> <li>OECD Test Guideline 404</li> <li>No skin irritation</li> </ul>	
Fipro	nil (ISO):			
Speci		: Rabbit		
Metho Resu		: OECD Test Gu : No skin irritatio		
Serio	us eye damage/eye i	rritation		
Caus	es serious eye irritatio	n.		
<u>Com</u>	oonents:			
2-But	oxyethanol:			
Speci		: Rabbit		
Resul Metho		: Irritation to eye : OECD Test Gu	s, reversing within 21 days ideline 405	
Ethar	nol:			
Speci		: Rabbit		
Resu Metho			<ul><li>Irritation to eyes, reversing within 21 days</li><li>OECD Test Guideline 405</li></ul>	
Fipro	nil (ISO):			
Speci		: Rabbit		
Resu	lt	: No eye irritation		
Metho	bd	: OECD Test Gu	iideline 405	



# **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
8.0	06.07.2024	4789411-00013	Date of first issue: 27.08.2019

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### 2-Butoxyethanol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

## Ethanol:

Test Type	:	Mouse ear swelling test (MEST)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

## Fipronil (ISO):

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

### **Chronic toxicity**

#### Germ cell mutagenicity

Not classified based on available information.

### **Components:**

## 2-Butoxyethanol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: In vitro sister chromatid exchange assay in mam-

malian cells



Version 8.0	Revision Date: 06.07.2024	SDS Number: 4789411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
		Result: equivo	ocal
Geno	toxicity in vivo	cytogenetic as Species: Rat	oute: Intraperitoneal injection
		cytogenetic as Species: Mou	se oute: Intraperitoneal injection
Ethar	nol:		
Geno	toxicity in vitro		ncterial reverse mutation assay (AMES) D Test Guideline 471 ve
			vitro mammalian cell gene mutation test D Test Guideline 476 ve
		Test Type: Ch Result: negati	nromosome aberration test in vitro ve
Geno	toxicity in vivo	cytogenetic as Species: Rat	oute: Ingestion
Finro	onil (ISO):		
-	toxicity in vitro		icterial reverse mutation assay (AMES) D Test Guideline 471 ve
			vitro mammalian cell gene mutation test D Test Guideline 476 ve
			nromosome aberration test in vitro D Test Guideline 473 ve
Geno	toxicity in vivo	cytogenetic as Species: Mou Application Ro	se bute: Ingestion D Test Guideline 474



# **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
8.0	06.07.2024	4789411-00013	Date of first issue: 27.08.2019

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo Species: Rat Application Route: Ingestion Method: OECD Test Guideline 486 Result: negative

#### Carcinogenicity

Not classified based on available information.

## **Components:**

#### 2-Butoxyethanol:

Species	:	Rat
Application Route	:	inhalation (vapour)
Exposure time	:	2 Years
Result	:	negative

## Fipronil (ISO):

Species Application Route Exposure time Method Result	 Mouse Ingestion 78 weeks Directive 67/548/EEC, Annex V, B.32. negative
Species Application Route Exposure time Method Result Remarks	 Rat Ingestion 104 weeks Directive 67/548/EEC, Annex, B.33 positive The mechanism or mode of action is not relevant in humans.

#### Reproductive toxicity

Not classified based on available information.

### **Components:**

#### 2-Butoxyethanol:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
		Test Type: Embryo-foetal development Species: Rat



# **Fipronil Formulation**

ersion .0	Revision Date: 06.07.2024		9S Number: 89411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
			Application Rout	e: inhalation (vapour)
			Result: negative	
Ethar	nol:			
Effect	ts on fertility	:	Test Type: Two- Species: Mouse Application Rout Result: negative	
Fipro	nil (ISO):			
-	ts on fertility	:	Test Type: Two- Species: Rat Application Rout Result: negative	
Effect ment	ts on foetal develop-	:	Species: Rabbit Application Rout	Test Guideline 414
0707				
	- single exposure lassified based on avai	ilable	information.	
STOT	- repeated exposure	÷		
May o expos		ns (Ce	entral nervous sys	tem, Kidney) through prolonged or repeat
Com	ponents:			
Expos Targe	<b>nil (ISO):</b> sure routes et Organs ssment	:		system, Kidney ce significant health effects in animals at c ) mg/kg bw or less.
Repe	ated dose toxicity			

## **Components:**

#### Ethanol:

Species	:	Rat
NOAEL	:	1,730 mg/kg
LOAEL	:	3,200 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

# Fipronil (ISO):

Species



ersion D	Revision Date: 06.07.2024		OS Number: 89411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019	
Expos Metho Speci NOAI LOAE Applic	EL cation Route sure time od ies EL EL cation Route sure time	· · · · · · · · · · · · · · · · · · ·	5 mg/kg 10 mg/kg Skin contact 21 Days OECD Test Gui Rat, male 0.059 mg/kg 0.019 mg/kg Ingestion 89 Weeks Directive 67/548	deline 410 3/EEC, Annex, B.33	
		:	Directive 67/548	S/EEC, Annex, B.33	
•	r <b>ation toxicity</b> lassified based on availa	able	information.		
ction 1	2: Ecological informati	on			
	oxicity				
	ponents:				
	t <b>oxyethanol:</b> ity to fish	:	Exposure time:	nchus mykiss (rainbow trout)): 1,464 mg/l 96 h Test Guideline 203	
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,800 mg/l Exposure time: 48 h Method: OECD Test Guideline 202		
Toxic plants	ity to algae/aquatic	:	mg/l Exposure time:	kirchneriella subcapitata (green algae)): 1,84 72 h Test Guideline 201	
			mg/l Exposure time:	irchneriella subcapitata (green algae)): 679 72 h Test Guideline 201	
Toxic icity)	ity to fish (Chronic tox-	:	NOEC (Danio re Exposure time:	erio (zebra fish)): > 100 mg/l 21 d	
	ity to daphnia and other tic invertebrates (Chron- icity)		Exposure time:	magna (Water flea)): 134 mg/l 21 d Test Guideline 211	
Ethar	nol:				



Versi 8.0	ion	Revision Date: 06.07.2024		9S Number: 89411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
	Toxicity to daphnia and other aquatic invertebrates		:	EC50 (Ceriodaph Exposure time: 48	nia dubia (water flea)): 5,012 mg/l 3 h
	Toxicity to algae/aquatic plants		:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h	
				EC10 (Chlorella v Exposure time: 72	ulgaris (Fresh water algae)): 11.5 mg/l 2 h
	Toxicity to fish (Chronic tox- icity)		:	NOEC (Oryzias la Exposure time: 10	utipes (Japanese medaka)): >= 79 mg/l 00 d
ä	aquatic	invertebrates (Chron-	:	NOEC (Daphnia r Exposure time: 9	nagna (Water flea)): 9.6 mg/l d
	ic toxici Toxicity	to microorganisms	:	EC50 (Protozoa): Exposure time: 4	
I	Fiproni	I (ISO):			
	Toxicity		:	LC50 (Lepomis m Exposure time: 96	acrochirus (Bluegill sunfish)): 85.2 µg/l 5 h
		to daphnia and other invertebrates	:	: LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 μg/l Exposure time: 96 h	
	Toxicity plants	to algae/aquatic	:	EC50 (Desmodes Exposure time: 96 Method: OECD Te	
				NOEC (Desmode Exposure time: 96 Method: OECD To	
		or (Acute aquatic tox-	:	1,000	
-	icity) Toxicity icity)	to fish (Chronic tox-	:	NOEC (Cyprinodo µg/l Exposure time: 35	on variegatus (sheepshead minnow)): 2.9 5 d
ä	aquatic	to daphnia and other invertebrates (Chron-	:	NOEC (Mysidops Exposure time: 28	is bahia (opossum shrimp)): 0.0077 μg/l 3 d
I		or (Chronic aquatic	:	10,000	
	toxicity) Toxicity	to microorganisms	:	EC50: > 1,000 mg Exposure time: 3	



	06.07.2024	4789411-00013 Date of first issue: 27.08.2019
	stence and degrada	ıbility
<u>Com</u>	oonents:	
	o <b>xyethanol:</b> gradability	<ul> <li>Result: Readily biodegradable.</li> <li>Biodegradation: 90.4 %</li> <li>Exposure time: 28 d</li> <li>Method: OECD Test Guideline 301B</li> </ul>
Ethar	nol:	
Biode	gradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Fipro	nil (ISO):	
-	gradability	<ul> <li>Result: Not readily biodegradable.</li> <li>Biodegradation: 47 %</li> <li>Exposure time: 28 d</li> <li>Method: OECD Test Guideline 301B</li> </ul>
Bioad	cumulative potentia	al
Com	oonents:	
Partiti	oxyethanol: ion coefficient: n- ol/water	: log Pow: 0.81
Ethar	nol:	
	ion coefficient: n- ol/water	: log Pow: -0.35
-	nil (ISO): cumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 321
	ion coefficient: n- ol/water	: log Pow: 4
	lity in soil	
IODI	ata available	
No da <b>Othe</b> i	r <b>adverse effects</b> ata available	

Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.



Version 8.0	Revision Date: 06.07.2024		DS Number: /89411-00013	Date of last issue: 14.06.2024 Date of first issue: 27.08.2019
Cont	aminated packaging	:	dling site for recy Empty containers Do not pressurize pose such contain of ignition. They r	should be taken to an approved waste han- cling or disposal. retain residue and can be dangerous. e, cut, weld, braze, solder, drill, grind, or ex- ners to heat, flame, sparks, or other sources nay explode and cause injury and/or death. pecified: Dispose of as unused product.
Section 1	4: Transport informatio	on		
Inter	national Regulations			
UN r	T <b>DG</b> humber er shipping name	:	UN 1992 FLAMMABLE LIC (Ethanol, Fiproni	QUID, TOXIC, N.O.S.
Pack Labe	sidiary risk sing group	:	(Ethanol, Pipioni 3 6.1 III 3 (6.1) no	(130))
UN/I	<b>A-DGR</b> D No. er shipping name	:	UN 1992 Flammable liquid (Ethanol, Fiproni	
Pack Labe Pack aircr Pack	sidiary risk king group els king instruction (cargo		3 6.1 III Flammable Liquid 366	
UN r	<b>G-Code</b> humber er shipping name	:	UN 1992 FLAMMABLE LIC (Ethanol, Fipronil	QUID, TOXIC, N.O.S.
Pack Labe EmS	sidiary risk sing group	: : : : : : : : : : : : : : : : : : : :	3 6.1 III 3 (6.1) F-E, S-D yes	
	• •	-		OL 73/78 and the IBC Code
	applicable for product as onal Regulations	sup	pilea.	
<b>NZS</b> UN r	<b>5433</b> number er shipping name	:	un 1992 Flammable Lic	QUID, TOXIC, N.O.S.



# **Fipronil Formulation**

Version Rev	vision Date:	SDS Number:	Date of last issue: 14.06.2024
8.0 06.0	07.2024	4789411-00013	Date of first issue: 27.08.2019

	(Ethanol, Fipronil (ISO))
Class	: 3
Subsidiary risk	: 6.1
Packing group	: 111
Labels	: 3 (6.1)
Hazchem Code	: 3W
Marine pollutant	: no

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### **HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

#### Environmental Exposure Limits (EEL)

Chemical name	Environmental compartment	Reference concentration
fipronil	Fresh water	78 ng/l
fipronil	Marine water	0.22 ng/l

### HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### Section 16: Other information

Revision Date	:	06.07.2024
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/



# **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
8.0	06.07.2024	4789411-00013	Date of first issue: 27.08.2019

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy	
Full text of other abbreviations			
ACGIH ACGIH BEI NZ OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants	
ACGIH / TWA ACGIH / STEL NZ OEL / WES-TWA NZ OEL / WES-STEL	:	8-hour, time-weighted average Short-term exposure limit Workplace Exposure Standard - Time Weighted average Workplace Exposure Standard - Short-Term Exposure Limit	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.





# **Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 14.06.2024
8.0	06.07.2024	4789411-00013	Date of first issue: 27.08.2019

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN