

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Florfenicol (2%) Liquid Formulation

#### Manufacturer or supplier's details

Company : MSD  
Address : No. 485 Jing Tai Road  
Pu Tuo District - Shanghai - China 200331  
Telephone : +1-908-740-4000  
Emergency telephone number : 86-571-87268110  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

<b>Appearance</b>	: liquid
<b>Colour</b>	: Colorless to pale yellow
<b>Odour</b>	: odourless, characteristic, very faint

May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

#### GHS Classification

Specific target organ toxicity - repeated exposure : Category 2  
Short-term (acute) aquatic hazard : Category 2  
Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :  

Signal word : Warning

---

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe mist or vapours.  
P273 Avoid release to the environment.

**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
P391 Collect spillage.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Physical and chemical hazards

Not classified based on available information.

### Health hazards

May cause damage to organs through prolonged or repeated exposure.

### Environmental hazards

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air during processing, handling or other means.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	2

---

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

## Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
1.5	2023/04/04	5207905-00006	Date of first issue: 2019/10/24

---

- |   |   |   |
|---|---|---|
| In case of eye contact                                      | : | If in eyes, rinse well with water.<br>Get medical attention if irritation develops and persists.  |
| If swallowed  | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : | Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation.<br>May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                     |
| Notes to physician  | : | Treat symptomatically and supportively.   |
- 

### 5. FIREFIGHTING MEASURES

- |   |   |   |
|---|---|---|
| Suitable extinguishing media                  | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                | : | None known.   |
| Specific hazards during fire-fighting         | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                 | : | Carbon oxides   |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |
- 

### 6. ACCIDENTAL RELEASE MEASURES

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).   |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g. by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up               | : | Soak up with inert absorbent material.<br>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).   |
-

## Florfenicol (2%) Liquid Formulation

Version 1.5	Revision Date: 2023/04/04	SDS Number: 5207905-00006	Date of last issue: 2022/10/01 Date of first issue: 2019/10/24
----------------	------------------------------	------------------------------	---

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents

#### Storage

- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

		(Form of exposure)	ters / Permissible concentration	
Florfenicol	73231-34-2	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Eye/face protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hand protection** : Chemical-resistant gloves

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

**Colour** : Colorless to pale yellow

**Odour** : odourless, characteristic, very faint

**Odour Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Initial boiling point and boiling** : No data available

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

range	
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form combustible dust concentrations in air during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle size	: Not applicable

---

### 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### **Acute toxicity**

Not classified based on available information.

#### **Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **Florfenicol:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg  
LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l  
Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,913 - 2,253 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 100 mg/kg  
Application Route: Intravenous

#### **Skin corrosion/irritation**

Not classified based on available information.

#### **Components:**

##### **Florfenicol:**

Species : Rabbit  
Result : No skin irritation

#### **Serious eye damage/eye irritation**

Not classified based on available information.

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

### **Components:**

#### **Florfenicol:**

Species : Rabbit  
Result : Mild eye irritation

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

Not classified based on available information.

##### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Florfenicol:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : negative

#### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Florfenicol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

#### **Carcinogenicity**

Not classified based on available information.



## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

### Components:

#### **Florfenicol:**

Species : Rat  
Application Route : oral (gavage)  
Exposure time : 2 Years  
Result : negative  
Target Organs : Liver, Testes

Species : Mouse  
Application Route : oral (gavage)  
Exposure time : 2 Years  
Result : negative  
Target Organs : Testes, Blood

#### **Reproductive toxicity**

Not classified based on available information.

### Components:

#### **Florfenicol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 12 mg/kg body weight  
Result: decreased pup survival, reduced lactation

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
General Toxicity Maternal: NOAEL: 4 mg/kg body weight  
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight  
Result: No teratogenic effects, Fetotoxicity  
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: 120 mg/kg body weight  
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

### Components:

#### **Florfenicol:**

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### Components:

#### **Florfenicol:**

Species : Dog  
NOAEL : 3 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis, Brain, Spinal cord

Species : Mouse  
NOAEL : 200 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis

Species : Rat  
NOAEL : 30 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis

Species : Dog  
NOAEL : 3 mg/kg  
LOAEL : 12 mg/kg  
Exposure time : 52 Weeks  
Target Organs : Liver, gallbladder

Species : Rat  
NOAEL : 1 mg/kg  
LOAEL : 3 mg/kg  
Exposure time : 52 Weeks  
Target Organs : Testis

### **Aspiration toxicity**

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Florfenicol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

---

## Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
1.5	2023/04/04	5207905-00006	Date of first issue: 2019/10/24

---

LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 330 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l  
Exposure time: 14 d  
Method: FDA 4.01

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l  
Exposure time: 14 d  
Method: FDA 4.01

IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l  
Exposure time: 72 h  
Method: ISO 10253

NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l  
Exposure time: 72 h  
Method: ISO 10253

EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221

NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221

EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.066 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l  
Exposure time: 32 d

## Florfenicol (2%) Liquid Formulation

Version 1.5      Revision Date: 2023/04/04      SDS Number: 5207905-00006      Date of last issue: 2022/10/01  
Date of first issue: 2019/10/24

---

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

### **Persistence and degradability**

No data available

### **Bioaccumulative potential**

### **Components:**

#### **Florfenicol:**

Partition coefficient: n-octanol/water : log Pow: 0.373  
pH: 7

### **Mobility in soil**

### **Components:**

#### **Florfenicol:**

Distribution among environmental compartments : Koc: 52  
Method: FDA 3.08

### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)  
Class : 9  
Packing group : III  
Labels : 9

#### **IATA-DGR**

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
1.5	2023/04/04	5207905-00006	Date of first issue: 2019/10/24

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Florfenicol)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Florfenicol)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### GB 6944/12268

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Florfenicol)  
Class : 9  
Packing group : III  
Labels : 9

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

#### Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

### The components of this product are reported in the following inventories:

AICS : not determined

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
1.5	2023/04/04	5207905-00006	Date of first issue: 2019/10/24

DSL : not determined  
IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 2023/04/04

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

#### Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

# SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



## Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
1.5	2023/04/04	5207905-00006	Date of first issue: 2019/10/24

---

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN