

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
Date of first issue: 2019/10/24

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Florfenicol (2%) Liquid Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use :
Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P273 Avoid release to the environment.

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

Response:

P314 Get medical advice/ attention if you feel unwell.
 P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- : Dust contact with the eyes can lead to mechanical irritation.
 lines of the emergency as- : Contact with dust can cause mechanical irritation or drying of
 sumed : the skin.
 May form combustible dust concentrations in air during pro-
 cessing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propylene glycol	57-55-6	98	2-234
Florfenicol	73231-34-2	2	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-
 vice immediately.
 When symptoms persist or in all cases of doubt seek medical
 advice.

If inhaled : If inhaled, remove to fresh air.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty
 of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.

Most important symptoms : Contact with dust can cause mechanical irritation or drying of
 and effects, both acute and : the skin.
 delayed : Dust contact with the eyes can lead to mechanical irritation.
 May cause damage to organs through prolonged or repeated
 exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,
 and use the recommended personal protective equipment

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

Notes to physician : when the potential for exposure exists (see section 8).
: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible con-	Basis

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

			centration	
Florfenicol	73231-34-2	TWA	100 µg/m ³ (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection
 Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : Colorless to pale yellow

Odour : odourless, characteristic, very faint

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form combustible dust concentrations in air during processing, handling or other means.

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit
 Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density and / or relative density	:	
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Propylene glycol:

Acute oral toxicity	: LD50 (Rat): 22,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 44.9 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Florfenicol:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg LD50 (Mouse): > 2,000 mg/kg LD50 (Dog): > 1,280 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.28 mg/l Exposure time: 4 h
Acute dermal toxicity	: Remarks: No data available
Acute toxicity (other routes of administration)	: LD50 (Rat): 1,913 - 2,253 mg/kg Application Route: Intraperitoneal LD50 (Mouse): 100 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Propylene glycol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Florfenicol:

Species	: Rabbit
Result	: No skin irritation

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Florfenicol:

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propylene glycol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Florfenicol:

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Propylene glycol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

Florfenicol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propylene glycol:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Florfenicol:

Species	:	Rat
Application Route	:	oral (gavage)
Exposure time	:	2 Years
Result	:	negative
Target Organs	:	Liver, Testes

Species	:	Mouse
Application Route	:	oral (gavage)
Exposure time	:	2 Years
Result	:	negative
Target Organs	:	Testes, Blood

Reproductive toxicity

Not classified based on available information.

Components:

Propylene glycol:

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Florfenicol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 Fertility: LOAEL: 12 mg/kg body weight
 Result: decreased pup survival, reduced lactation

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 General Toxicity Maternal: NOAEL: 4 mg/kg body weight
 Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight
 Result: No teratogenic effects, Fetotoxicity
 Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development
 Species: Mouse
 Application Route: oral (gavage)
 General Toxicity Maternal: NOAEL: 120 mg/kg body weight
 Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight
 Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder
 Assessment : Causes damage to organs through prolonged or repeated exposure.

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

Repeated dose toxicity

Components:

Propylene glycol:

Species	: Rat, male
NOAEL	: >= 1,700 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

Florfenicol:

Species	: Dog
NOAEL	: 3 mg/kg
Exposure time	: 13 Weeks
Target Organs	: Liver, Testis, Brain, Spinal cord

Species	: Mouse
NOAEL	: 200 mg/kg
Exposure time	: 13 Weeks
Target Organs	: Liver, Testis

Species	: Rat
NOAEL	: 30 mg/kg
Exposure time	: 13 Weeks
Target Organs	: Liver, Testis

Species	: Dog
NOAEL	: 3 mg/kg
LOAEL	: 12 mg/kg
Exposure time	: 52 Weeks
Target Organs	: Liver, gallbladder

Species	: Rat
NOAEL	: 1 mg/kg
LOAEL	: 3 mg/kg
Exposure time	: 52 Weeks
Target Organs	: Testis

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propylene glycol:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

Florfenicol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11 LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l Exposure time: 14 d Method: FDA 4.01 NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l Exposure time: 14 d Method: FDA 4.01 IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l Exposure time: 72 h Method: ISO 10253 NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l Exposure time: 72 h Method: ISO 10253 EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l Exposure time: 7 d Method: OECD Test Guideline 221 NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l Exposure time: 7 d Method: OECD Test Guideline 221 EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

	Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Anabaena flos-aquae): 0.066 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Anabaena flos-aquae): 0.051 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 10

Persistence and degradability

Components:

Propylene glycol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 98.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---

Bioaccumulative potential

Components:

Propylene glycol:

Partition coefficient: n-octanol/water	: log Pow: -1.07 Method: Regulation (EC) No. 440/2008, Annex, A.8
--	--

Florfenicol:

Partition coefficient: n-octanol/water	: log Pow: 0.373 pH: 7
--	---------------------------

Mobility in soil

Components:

Florfenicol:

Distribution among environmental compartments	: Koc: 52 Method: FDA 3.08
---	-------------------------------

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|---|
| Waste from residues | : | Dispose of in accordance with local regulations.
Do not dispose of waste into sewer. |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product. |
-

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | | |
|----------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |

IATA-DGR

- | | | |
|--|---|--|
| UN/ID No. | : | UN 3082 |
| Proper shipping name | : | Environmentally hazardous substance, liquid, n.o.s.
(Florfenicol) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | Miscellaneous |
| Packing instruction (cargo aircraft) | : | 964 |
| Packing instruction (passenger aircraft) | : | 964 |
| Environmentally hazardous | : | yes |

IMDG-Code

- | | | |
|----------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| EmS Code | : | F-A, S-F |
| Marine pollutant | : | yes |

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
 Date of first issue: 2019/10/24

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
propane-1,2-diol	>=90 - <=100	From April 1st, 2025

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
propane-1,2-diol	From April 1st, 2025

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Florfenicol (2%) Liquid Formulation

Version 5.0 Revision Date: 2023/04/04 SDS Number: 5207909-00007 Date of last issue: 2022/10/01
Date of first issue: 2019/10/24

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**Until March 31st, 2023**

Not applicable

From April 1st, 2023

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

IECSC : not determined

16. OTHER INFORMATION**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

Florfenicol (2%) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
5.0	2023/04/04	5207909-00007	Date of first issue: 2019/10/24

Material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN