According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 10843930-00005 Date of first issue: 31.08.2022 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Florfenicol (45%) Injection Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Veterinary product

stance/Mixture

Recommended restrictions Not applicable

on use

1.3 Details of the supplier of the safety data sheet

Company **MSD**

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Reproductive toxicity, Category 1B H360Df: May damage the unborn child. Suspected

of damaging fertility.

Specific target organ toxicity - single ex-

posure, Category 3

Specific target organ toxicity - repeated

exposure, Category 1

Short-term (acute) aquatic hazard, Cate-

gory 1

Long-term (chronic) aquatic hazard, Cat-

egory 1

H335: May cause respiratory irritation.

H372: Causes damage to organs through pro-

longed or repeated exposure. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting

effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :







Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H360Df May damage the unborn child. Suspected of dam-

aging fertility.

H372 Causes damage to organs through prolonged or

repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Florfenicol

N-Methyl-2-pyrrolidone

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

	Registration number		
Florfenicol	73231-34-2	Repr. 2; H361fd STOT RE 1; H372 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50
N-Methyl-2-pyrrolidone	872-50-4 212-828-1 606-021-00-7	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 1B; H360D STOT SE 3; H335 ——— specific concentration limit STOT SE 3; H335 >= 10 %	>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation.

May damage the unborn child. Suspected of damaging fertili-

ty.

Causes damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Florfenicol	73231-34-2	TWA	100 μg/m3 (OEB 2)	Internal
N-Methyl-2-	872-50-4	TWA	10 ppm	GB EH40
pyrrolidone			40 mg/m3	
	Further inform	Further information: Can be absorbed through the skin. The assigned sub-		
	stances are th	stances are those for which there are concerns that dermal absorption will		
	lead to systen	lead to systemic toxicity.		
		STEL	20 ppm	GB EH40
			80 mg/m3	
	Further inform	Further information: Can be absorbed through the skin. The assigned sub-		
	stances are th	stances are those for which there are concerns that dermal absorption will		
	lead to systen	lead to systemic toxicity.		
		TWA	10 ppm	2009/161/EU

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

ı			40 mg/m3	
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
	,	STEL	20 ppm 80 mg/m3	2009/161/EU
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	10 ppm 40 mg/m3	2004/37/EC
I	Further information: Skin, Carcinogens or mutagens			
		STEL	20 ppm 80 mg/m3	2004/37/EC
I	Further information: Skin, Carcinogens or mutagens			

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
N-Methyl-2- pyrrolidone	Workers	Inhalation	Long-term systemic effects	14.4 mg/m3
	Workers	Inhalation	Long-term local ef- fects	40 mg/m3
	Workers	Skin contact	Long-term systemic effects	4.8 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	3.6 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	4.5 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2.4 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.85 mg/kg bw/day
Diethylene glycol monoethyl ether	Workers	Inhalation	Long-term systemic effects	61 mg/m3
	Workers	Inhalation	Long-term local ef- fects	30 mg/m3
	Workers	Skin contact	Long-term systemic effects	83 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	37 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	18 mg/m3
	Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	50 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
N-Methyl-2-pyrrolidone	Fresh water	0.25 mg/l
	Freshwater - intermittent	5 mg/l
	Marine water	0.025 mg/l

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

I I	Sewage treatment plant	10 mg/l
	Fresh water sediment	1.09 mg/kg dry weight (d.w.)
	Marine sediment	1.09 mg/kg dry weight (d.w.)
	Soil	0.07 mg/kg dry weight (d.w.)
Diethylene glycol monoethyl ether	Fresh water	1.98 mg/l
	Marine water	0.198 mg/l
	Freshwater - intermittent	19.8 mg/l
	Sewage treatment plant	500 mg/l
	Fresh water sediment	7.32 mg/kg dry weight (d.w.)
	Marine sediment	0.732 mg/kg dry weight (d.w.)
	Soil	0.34 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	444 mg/kg food

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Aqueous solution

Colour : clear

Odour : No data available
Odour Threshold : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility
Partition coefficient: n-

octanol/water

No data available

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Molecular weight : No data available

Particle size : Not applicable

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

Florfenicol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l

Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration)

LD50 (Rat): 1,913 - 2,253 mg/kg Application Route: Intraperitoneal

LD50 (Marris) 400 mm/l

LD50 (Mouse): 100 mg/kg Application Route: Intravenous

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

П

N-Methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Florfenicol:

Species Rabbit

No skin irritation Result

N-Methyl-2-pyrrolidone:

Result Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Florfenicol:

Species Rabbit

Result Mild eye irritation

N-Methyl-2-pyrrolidone:

Species Result Rabbit

Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Florfenicol:

Test Type **Maximisation Test** Species Guinea pig Result negative

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

N-Methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

> cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Hamster

Application Route: Ingestion

Method: OECD Test Guideline 475

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Florfenicol:

Species : Rat

Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Liver, Testes

Species: MouseApplication Route: oral (gavage)Exposure time: 2 YearsResult: negativeTarget Organs: Testes, Blood

N-Methyl-2-pyrrolidone:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years
Result : negative

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Florfenicol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 12 mg/kg body weight

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

Result: decreased pup survival, reduced lactation

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight

Result: No teratogenic effects, Fetotoxicity

Remarks: The effects were seen only at maternally toxic dos-

es.

Test Type: Embryo-foetal development

Species: Mouse

Application Route: oral (gavage)

General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (vapour)

Result: positive

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

STOT - single exposure

May cause respiratory irritation.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

Components:

N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Florfenicol:

Species : Dog NOAEL : 3 mg/kg Exposure time : 13 Weeks

Target Organs : Liver, Testis, Brain, Spinal cord

Species : Mouse

NOAEL : 200 mg/kg

Exposure time : 13 Weeks

Target Organs : Liver, Testis

Species : Rat

NOAEL : 30 mg/kg

Exposure time : 13 Weeks

Target Organs : Liver, Testis

Species : Dog
NOAEL : 3 mg/kg
LOAEL : 12 mg/kg
Exposure time : 52 Weeks
Target Organs : Liver, gallbladder

Species : Rat

NOAEL : 1 mg/kg

LOAEL : 3 mg/kg

Exposure time : 52 Weeks

Target Organs : Testis

N-Methyl-2-pyrrolidone:

Species : Rat, male
NOAEL : 169 mg/kg
LOAEL : 433 mg/kg
Application Route : Ingestion

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

Exposure time : 90 Days

Method : OECD Test Guideline 408

 Species
 : Rat

 NOAEL
 : 0.5 mg/l

 LOAEL
 : 1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 96 Days

Method : OECD Test Guideline 413

Species : Rabbit

NOAEL : 826 mg/kg

LOAEL : 1,653 mg/kg

Application Route : Skin contact

Exposure time : 20 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

N-Methyl-2-pyrrolidone:

Skin contact : Symptoms: Skin irritation

SECTION 12: Ecological information

12.1 Toxicity

Components:

Florfenicol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l

Exposure time: 96 h Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 330 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9

mg/l

Exposure time: 14 d Method: FDA 4.01

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9

ng/l

Exposure time: 14 d

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

Method: FDA 4.01

IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l

Exposure time: 72 h Method: ISO 10253

NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l

Exposure time: 72 h Method: ISO 10253

EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.066 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- :

icity)

10

Toxicity to fish (Chronic tox-:

icity)

NOEC: 5.5 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 1.5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 10

toxicity)

N-Methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 600 mg/l

Exposure time: 30 min Method: ISO 8192

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 12.5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

12.2 Persistence and degradability

Components:

N-Methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 73 % Exposure time: 28 d

Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:

Florfenicol:

octanol/water

Partition coefficient: n-

: log Pow: 0.373

pH: 7

N-Methyl-2-pyrrolidone:

Partition coefficient: n-

: log Pow: -0.46

octanol/water Method: OECD Test Guideline 107

12.4 Mobility in soil

Components:

Florfenicol:

Distribution among environ-

mental compartments

: Koc: 52

Method: FDA 3.08

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Florfenicol)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Florfenicol)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

(Florfenicol)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (Florfenicol)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Florfenicol)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen- : 964

ger aircraft)

Packing instruction (LQ) : Y964

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

•

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

UK REACH List of restrictions (Annex 17)

Number on list 30: N-Methyl-2-

pyrrolidone

Number on list 71: N-Methyl-2-

pyrrolidone

Number on list 72: N-Methyl-2-

pyrrolidone

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi-

UK REACH List of restrictions (Annex 17)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

> tions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

N-Methyl-2-pyrrolidone

Not applicable

Not applicable

Not applicable

Not applicable

not.

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

E1

Regulation (EC) on substances that deplete the ozone

layer

UK REACH List of substances subject to authorisation

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

HAZARDS

Quantity 1

Quantity 2

ENVIRONMENTAL 100 t 200 t

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H315 : Causes skin irritation.

H319 : Causes serious eye irritation.
H335 : May cause respiratory irritation.
H360D : May damage the unborn child.

H361fd : Suspected of damaging fertility. Suspected of damaging the

unborn child.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 4.0 28.09.2024 10843930-00005 Date of first issue: 31.08.2022

H372 : Causes damage to organs through prolonged or repeated

exposure.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

2009/161/EU : Europe. COMMISSION DIRECTIVE 2009/161/EU establishing

a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending

Commission Directive 2000/39/EC

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2004/37/EC / STEL : Short term exposure limit 2004/37/EC / TWA : Long term exposure limit 2009/161/EU / TWA : Limit Value - eight hours 2009/161/EU / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Florfenicol (45%) Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 4.0
 28.09.2024
 10843930-00005
 Date of first issue: 31.08.2022

striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Repr. 1B	H360Df	Calculation method
STOT SE 3	H335	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN