

# Florfenicol (45%) Injection Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 10843838-00004 3.0 06.04.2024 Date of first issue: 31.08.2022

**Section 1: Identification** 

Product name Florfenicol (45%) Injection Formulation

Manufacturer or supplier's details

Company : MSD

Address 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone 0800 800 543

0800 764 766 (0800 POISON) Emergency telephone number: 0800 243 622 (0800

CHEMCALL)

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

Section 2: Hazard identification

**GHS Classification** 

Skin corrosion/irritation Category 2

Serious eye damage/eye irri-

tation

Category 2

Reproductive toxicity Category 1

Specific target organ toxicity -

single exposure

Category 3

Specific target organ toxicity - :

repeated exposure

Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallblad-

der)

Hazardous to the aquatic

environment - acute hazard

Category 1

Hazardous to the aquatic

environment - chronic hazard

Category 1

**GHS** label elements



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

Hazard pictograms :







Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H360Df May damage the unborn child. Suspected of damaging

fertility.

H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated expo-

ire.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

#### Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

# Other hazards which do not result in classification

None known.



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	>= 30 -< 50
N-Methyl-2-pyrrolidone	872-50-4	>= 30 -< 50

#### Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.

Causes serious eye irritation. May cause respiratory irritation.

May damage the unborn child. Suspected of damaging fertili-

ty.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

#### Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

Specific hazards during fire- : Exposure to combustion products may be a hazard to health.



# Florfenicol (45%) Injection Formulation

Date of last issue: 30.09.2023 Version Revision Date: SDS Number: 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

fighting

Hazardous combustion prod: :

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for firefighters

Hazchem Code

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

3Z

#### Section 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## Section 7: Handling and storage

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Do not get on skin or clothing. Advice on safe handling

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 10843838-00004 3.0 06.04.2024 Date of first issue: 31.08.2022

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

Keep container tightly closed.

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

If exposure to chemical is likely during typical use, provide eye Hygiene measures

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage Keep in properly labelled containers.

> Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Do not store with the following product types: Materials to avoid

Strong oxidizing agents

#### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Florfenicol	73231-34-2	TWA	100 μg/m3 (OEB	Internal
			2)	
N-Methyl-2-pyrrolidone	872-50-4	WES-TWA	10 ppm	NZ OEL
			40 mg/m3	
	Further information: Skin absorption			
		WES-STEL	20 ppm	NZ OEL
			80 mg/m3	
	Further information: Skin absorption			

#### **Biological occupational exposure limits**

•	-					
Components	CAS-No.	Control	Biological	Sam-	Permissible	Basis
		parameters	specimen	pling	concentra-	
				time	tion	



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy-	Urine	End of	100 mg/l	ACGIH	l
		N-methyl-2-		shift (As		BEI	Ì
		pyrrolidone		soon as			l
				possible			l
				after			l
				exposure			
				ceases)			l

**Engineering measures**: Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type
Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

### Section 9: Physical and chemical properties

Appearance : Aqueous solution

Colour : clear

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

# Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

#### **Section 11: Toxicological information**

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Components:** 

Florfenicol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

LD50 (Mouse): > 2,000 mg/kg

LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l

Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of:

administration)

LD50 (Rat): 1,913 - 2,253 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 100 mg/kg Application Route: Intravenous

N-Methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Florfenicol:

Species : Rabbit

Result : No skin irritation

N-Methyl-2-pyrrolidone:

Result : Skin irritation



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

#### Serious eye damage/eye irritation

Causes serious eye irritation.

### **Components:**

#### Florfenicol:

Species : Rabbit

Result : Mild eye irritation

### N-Methyl-2-pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### **Components:**

#### Florfenicol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

#### N-Methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

#### **Chronic toxicity**

#### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

#### Florfenicol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)
Test system: rat hepatocytes



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Hamster

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Florfenicol:

Species : Rat

Application Route : oral (gavage)



# Florfenicol (45%) Injection Formulation

Version Date of last issue: 30.09.2023 Revision Date: SDS Number: 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

Exposure time : 2 Years Result : negative Target Organs : Liver. Testes

Species
Application Route
Exposure time Species : Mouse : oral (gavage) : 2 Years Result : negative Target Organs Testes, Blood

#### N-Methyl-2-pyrrolidone:

Species Application Route Rat Ingestion 2 Years Result : negative

Species Rat

Species
Application Route inhalation (vapour)

Exposure time 2 Years Result negative

#### Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

#### **Components:**

#### Florfenicol:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 12 mg/kg body weight

Result: decreased pup survival, reduced lactation

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight

Result: No teratogenic effects, Fetotoxicity

Remarks: The effects were seen only at maternally toxic dos-

es.

Test Type: Embryo-foetal development

Species: Mouse

Application Route: oral (gavage)

General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal experi-



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

ments.

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (vapour)

Result: positive

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

: Clear evidence of adverse effects on development, based on

animal experiments.

### STOT - single exposure

May cause respiratory irritation.

### **Components:**

#### N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

#### STOT - repeated exposure

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

#### **Components:**

#### Florfenicol:

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder

Assessment : Causes damage to organs through prolonged or repeated

exposure.



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

#### Repeated dose toxicity

# **Components:**

#### Florfenicol:

Species : Dog NOAEL : 3 mg/kg Exposure time : 13 Weeks

Target Organs : Liver, Testis, Brain, Spinal cord

Species : Mouse
NOAEL : 200 mg/kg
Exposure time : 13 Weeks
Target Organs : Liver, Testis

Species : Rat

NOAEL : 30 mg/kg

Exposure time : 13 Weeks

Target Organs : Liver, Testis

Species: DogNOAEL: 3 mg/kgLOAEL: 12 mg/kgExposure time: 52 WeeksTarget Organs: Liver, gallbladder

Species : Rat
NOAEL : 1 mg/kg
LOAEL : 3 mg/kg
Exposure time : 52 Weeks
Target Organs : Testis

### N-Methyl-2-pyrrolidone:

Species : Rat, male
NOAEL : 169 mg/kg
LOAEL : 433 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

 Species
 : Rat

 NOAEL
 : 0.5 mg/l

 LOAEL
 : 1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 96 Days

Method : OECD Test Guideline 413

Species : Rabbit

NOAEL : 826 mg/kg

LOAEL : 1,653 mg/kg

Application Route : Skin contact

Exposure time : 20 Days



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

## **Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure** 

Components:

N-Methyl-2-pyrrolidone:

Skin contact : Symptoms: Skin irritation

## **Section 12: Ecological information**

#### **Ecotoxicity**

#### **Components:**

#### Florfenicol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l

Exposure time: 96 h Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 330 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9

mg/l

Exposure time: 14 d Method: FDA 4.01

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9

mg/l

Exposure time: 14 d Method: FDA 4.01

IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l

Exposure time: 72 h Method: ISO 10253

NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l

Exposure time: 72 h Method: ISO 10253

EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.066 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity

Toxicity to fish (Chronic tox-

icity)

10

NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

N-Methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 12.5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 600 mg/l

Exposure time: 30 min



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

Method: ISO 8192

Persistence and degradability

**Components:** 

N-Methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 73 % Exposure time: 28 d

Method: OECD Test Guideline 301C

**Bioaccumulative potential** 

**Components:** 

Florfenicol:

Partition coefficient: n- : log Pow: 0.373

octanol/water pH: 7

N-Methyl-2-pyrrolidone:

Partition coefficient: n- : log Pow: -0.46

octanol/water Method: OECD Test Guideline 107

Mobility in soil

**Components:** 

Florfenicol:

Distribution among environ: Koc: 52

mental compartments Method: FDA 3.08

Other adverse effects

No data available

**Section 13: Disposal considerations** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

**Section 14: Transport information** 

International Regulations

**UNRTDG** 



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Florfenicol)

9 Class Ш Packing group Labels 9 Environmentally hazardous yes

**IATA-DGR** 

UN 3082 UN/ID No.

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Florfenicol)

Class 9 Packing group Ш

Labels Miscellaneous

Packing instruction (cargo 964

aircraft)

Packing instruction (passen-

964

ger aircraft)

Environmentally hazardous yes

**IMDG-Code** 

**UN** number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

(Florfenicol)

Class 9 Ш Packing group 9 Labels **EmS Code** F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

**NZS 5433** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID.

N.O.S.

(Florfenicol)

Class 9 Packing group Ш 9 Labels 3Z Hazchem Code Marine pollutant no

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

#### **Section 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

	Chemical name	Environmental compartment	Reference concentration
	2-Pyrrolidinone, 1-methyl-	Air	0.4 mg/m3
П	2-Pyrrolidinone, 1-methyl-	Drinking Water	0.375 mg/l
	2-Pyrrolidinone, 1-methyl-	Skin/Surface Deposition	0.83 mg/m2

Environmental Exposure Limits (EEL)

Not applicable

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **Section 16: Other information**

Revision Date : 06.04.2024

**Further information** 

Sources of key data used to compile the Safety Data

Sheet Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit



# Florfenicol (45%) Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.0 06.04.2024 10843838-00004 Date of first issue: 31.08.2022

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN