

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Florfenicol (with Triacetin) Liquid Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Veterinary product

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

- Hazard pictograms :
- Signal word : Danger
- Hazard statements : H319 Causes serious eye irritation.
H360FD May damage fertility. May damage the unborn child.
H372 Causes damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.

Hazardous components which must be listed on the label:

2-Pyrrolidone
Florfenicol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

	Registration number		
2-Pyrrolidone	616-45-5 210-483-1	Eye Irrit. 2; H319 Repr. 1B; H360FD <hr/> specific concentration limit Repr. 1B; H360FD > 3 %	>= 30 - < 50
Florfenicol	73231-34-2	Repr. 2; H361fd STOT RE 1; H372 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.
May damage fertility. May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe the mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Florfenicol	73231-34-2	TWA	100 µg/m ³ (OEB 2)	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
2-Pyrrolidone	Workers	Inhalation	Long-term systemic effects	57.8 mg/m ³
	Workers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	277 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	17.1 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	6 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	167 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5.2 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	33.3 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

			fects	bw/day
triacetin	Workers	Inhalation	Long-term systemic effects	35.275 mg/m3
	Workers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8.7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2.5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2.5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-Pyrrolidone	Fresh water	0.5 mg/l
	Freshwater - intermittent	0.5 mg/l
	Marine water	0.05 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.4205 mg/kg dry weight (d.w.)
	Soil	0.0612 mg/kg dry weight (d.w.)
triacetin	Fresh water	1.88 mg/l
	Marine water	0.188 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	1088 mg/l
	Fresh water sediment	4.73 mg/kg
	Marine sediment	0.47 mg/kg
	Soil	0.57 mg/kg
	Oral (Secondary Poisoning)	69.9 mg/kg food

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection
Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

Filter type : Recommended guidelines, use respiratory protection.
Equipment should conform to I.S. EN 14387
: Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: yellow
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Vapour pressure	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

Components:

2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Florfenicol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
LD50 (Mouse): > 2,000 mg/kg
LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l
Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,913 - 2,253 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 100 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Florfenicol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-Pyrrolidone:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Florfenicol:

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

Florfenicol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Florfenicol:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: rat hepatocytes
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: positive

Genotoxicity in vivo

: Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Mouse
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative
Remarks : Based on data from similar materials

Florfenicol:

Species : Rat
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Liver, Testes

Species : Mouse
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Testes, Blood

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Florfenicol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: LOAEL: 12 mg/kg body weight
Result: decreased pup survival, reduced lactation

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
General Toxicity Maternal: NOAEL: 4 mg/kg body weight
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight
Result: No teratogenic effects, Fetotoxicity
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development
Species: Mouse
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: 120 mg/kg body weight
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

2-Pyrrolidone:

Species : Rat
NOAEL : 207 mg/kg
Application Route : Ingestion
Exposure time : 3 Months
Method : OECD Test Guideline 408

Florfenicol:

Species : Dog
NOAEL : 3 mg/kg
Exposure time : 13 Weeks
Target Organs : Liver, Testis, Brain, Spinal cord

Species : Mouse
NOAEL : 200 mg/kg
Exposure time : 13 Weeks
Target Organs : Liver, Testis

Species : Rat
NOAEL : 30 mg/kg
Exposure time : 13 Weeks
Target Organs : Liver, Testis

Species : Dog
NOAEL : 3 mg/kg
LOAEL : 12 mg/kg
Exposure time : 52 Weeks
Target Organs : Liver, gallbladder

Species : Rat
NOAEL : 1 mg/kg
LOAEL : 3 mg/kg
Exposure time : 52 Weeks
Target Organs : Testis

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-Pyrrolidone:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Florfenicol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l
Exposure time: 96 h
Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 330 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l
Exposure time: 14 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

Method: FDA 4.01

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 2.9 mg/l

Exposure time: 14 d

Method: FDA 4.01

IC50 (*Skeletonema costatum* (marine diatom)): 0.0336 mg/l

Exposure time: 72 h

Method: ISO 10253

NOEC (*Skeletonema costatum* (marine diatom)): 0.00423 mg/l

Exposure time: 72 h

Method: ISO 10253

EC50 (*Lemna gibba* (gibbous duckweed)): 0.76 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

NOEC (*Lemna gibba* (gibbous duckweed)): 0.39 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

EC50 (*Navicula pelliculosa* (Freshwater diatom)): 61 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (*Navicula pelliculosa* (Freshwater diatom)): 19 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (*Anabaena flos-aquae*): 0.066 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (*Anabaena flos-aquae*): 0.051 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 5.5 mg/l
Exposure time: 32 d
Species: *Pimephales promelas* (fathead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.5 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

toxicity)

12.2 Persistence and degradability

Components:

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.71
Method: OECD Test Guideline 107

Florfenicol:

Partition coefficient: n-octanol/water : log Pow: 0.373
pH: 7

12.4 Mobility in soil

Components:

Florfenicol:

Distribution among environmental compartments : Koc: 52
Method: FDA 3.08

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

- ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol)
- ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol)
- RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol)
- IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Florfenicol)
- IATA : Environmentally hazardous substance, liquid, n.o.s.
(Florfenicol)

14.3 Transport hazard class(es)

- | | Class | Subsidiary risks |
|------|-------|------------------|
| ADN | : 9 | |
| ADR | : 9 | |
| RID | : 9 | |
| IMDG | : 9 | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	898803-00020	Date of first issue: 16.09.2016

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H319	:	Causes serious eye irritation.
H360FD	:	May damage fertility. May damage the unborn child.
H361fd	:	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
STOT RE	:	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - Interna-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Florfenicol (with Triacetin) Liquid Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 898803-00020 Date of last issue: 04.04.2023
Date of first issue: 16.09.2016

tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Eye Irrit. 2	H319
Repr. 1B	H360FD
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN