

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	898803-00022	Date of first issue: 16.09.2016

#### **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Florfenicol (with Triacetin) Liquid Formulation
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Veterinary product
Recommended restrictions on use	:	Not applicable
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	MSD Kilsheelan Clonmel Tipperary, IE
Telephone	:	353-51-601000

#### 1.4 Emergency telephone number

E-mail address of person

responsible for the SDS

1-908-423-6000

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated	H372: Causes damage to organs through pro-
exposure, Category 1	longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

: EHSDATASTEWARD@msd.com

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Version 3.12	Revision Date: 28.09.2024	-	SDS Number: 98803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016
Hazar	d pictograms	:		! ***
Signal	word	:	Danger	• •
Hazar	d statements	:	H319 H360FD	Causes serious eye irritation. May damage fertility. May damage the unborn child.
			H372	Causes damage to organs through prolonged or repeated exposure.
			H410	Very toxic to aquatic life with long lasting effects.
Preca	utionary statements	:	Prevention	:
			P201	Obtain special instructions before use.
			P273 P280	Avoid release to the environment. Wear protective gloves/ protective clothing/ eye
				protection/ face protection.
			Response:	
			P308 + P31	3 IF exposed or concerned: Get medical advice/ attention.
			P337 + P31	
			P391	Collect spillage.

#### Hazardous components which must be listed on the label:

2-Pyrrolidone Florfenicol

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
---------------	--------------------------------	----------------	--------------------------



ersion 12	Revision Date: 28.09.2024		te of last issue: 06.04.2024 te of first issue: 16.09.2016	
		Registration number	r	
2-Pyri	rolidone	616-45-5 210-483-1	Eye Irrit. 2; H319 Repr. 1B; H360FD specific concentration limit Repr. 1B; H360FD > 3 %	>= 30 - < 5
Florfe	nicol	73231-34-2	Repr. 2; H361fd STOT RE 1; H372 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 30 - < 5

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn.



Revision Date: 28.09.2024			Date of last issue: 06.04.2024 Date of first issue: 16.09.2016		
		Get medical atter	ntion.		
llowed	:	Get medical atter	NOT induce vomiting. ntion. oughly with water.		
mportant symptoms ar	nd e	effects, both acute	e and delayed		
	:	Causes serious eye irritation. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.			
tion of any immediate	mec	dical attention and	d special treatment needed		
ment	:	Treat symptomat	ically and supportively.		
15: Firefighting meas	sur	es			
juishing media					
ble extinguishing media	:				
itable extinguishing a	:	None known.			
al hazards arising from	the	substance or mi	xture		
fic hazards during fire- ng	:	Exposure to com	bustion products may be a hazard to health.		
rdous combustion prod-	:		NOx)		
e for firefighters					
al protective equipment efighters	:		e, wear self-contained breathing apparatus. tective equipment.		
fic extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do		
	28.09.2024 allowed mportant symptoms and tion of any immediate ment <b>1 5: Firefighting meas</b> buishing media ble extinguishing media ble extinguishing media itable extinguishing media al hazards arising from ific hazards during fire- ing rdous combustion prod- e for firefighters ial protective equipment efighters	28.09.2024       89         allowed       :         mportant symptoms and e       :         tion of any immediate med       :         ment       :         X 5: Firefighting measure       :         Juishing media       :         ble extinguishing media       :         itable extinguishing media       :         al hazards arising from the       :         if chazards during fire-       :         ig       :         rdous combustion prod-       :         e for firefighters       :         ial protective equipment       :	28.09.2024       898803-00022         Get medical atter         allowed       :         If swallowed, DO         Get medical atter         mportant symptoms and effects, both acute         :       Causes serious e         May damage fert         Causes damage         exposure.         tion of any immediate medical attention and         ment       :         Treat symptoms         A 5: Firefighting measures         puishing media         ble extinguishing media         ble extinguishing media         :       Water spray         Alcohol-resistant         Carbon dioxide (i         Dry chemical         itable extinguishing       :         Al hazards arising from the substance or mi         fic hazards during fire-       :         rdous combustion prod-       :         carbon oxides         Nitrogen oxides (i         e for firefighters         ial protective equipment       :         ial protective equipment       :         ific extinguishing meth-       :         use water spray         Mathematical protective equipment         ific extinguishing		

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions
- : Use personal protective equipment.



Version 3.12	Revision Date: 28.09.2024		8 Number: 803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016	
				ing advice (see section 7) and personal pro- recommendations (see section 8).	
6.2 Enviro	nmental precautions				
Enviro	nmental precautions	       	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
6.3 Method	Is and material for co	ntainı	ment and cleanii	ng up	
Metho	ds for cleaning up	F C C C C C C C C C C C C C C C C C C C	For large spills, pument to keep mat be pumped, store Clean up remaining bent. Local or national u bosal of this mate employed in the c mine which regula Sections 13 and 1	t absorbent material. rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding tional requirements.	

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the
Hygiene measures	:	environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working



Version 3.12	Revision Date: 28.09.2024		DS Number: 8803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016	
			nated clothing be The effective ope engineering contr appropriate dego	ration of a facility should include review of ols, proper personal protective equipment, wning and decontamination procedures, monitoring, medical surveillance and the	
7.2 Condi	tions for safe storage,	inc	luding any incom	patibilities	
Requirements for storage areas and containers		:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.		
Advice on common storage			Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases		
-	f <b>ic end use(s)</b> fic use(s)	:	No data available		

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Florfenicol	73231-34-2	TWA	100 μg/m3 (OEB 2)	Internal

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

	1 1		· · /	
Substance name	End Use	Exposure routes	Potential health ef- fects	Value
2-Pyrrolidone	Workers	Inhalation	Long-term systemic effects	57.8 mg/m3
	Workers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	277 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	17.1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	6 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	167 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5.2 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef-	33.3 mg/kg



 Version Revision Date: 3.12 28.09.2024				Date of last issue: 06.04.2024 Date of first issue: 16.09.2016		
					fects	bw/day
triaceti	n	Workers	Inhalatior	l	Long-term systemic effects	35.275 mg/m3
		Workers	Skin cont	act	Long-term systemic effects	5 mg/kg bw/day
		Consumers	Inhalation	l	Long-term systemic effects	8.7 mg/m3
		Consumers	Skin cont	act	Long-term systemic effects	2.5 mg/kg bw/day
		Consumers	Ingestion		Long-term systemic effects	2.5 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
2-Pyrrolidone	Fresh water	0.5 mg/l
	Freshwater - intermittent	0.5 mg/l
	Marine water	0.05 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.4205 mg/kg dry weight (d.w.)
	Soil	0.0612 mg/kg dry weight (d.w.)
triacetin	Fresh water	1.88 mg/l
	Marine water	0.188 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	1088 mg/l
	Fresh water sediment	4.73 mg/kg
	Marine sediment	0.47 mg/kg
	Soil	0.57 mg/kg
	Oral (Secondary Poisoning)	69.9 mg/kg food

#### 8.2 Exposure controls

#### **Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

#### Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection Material	:	Chemical-resistant gloves
Skin and body protection Respiratory protection	:	Work uniform or laboratory coat. If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec-



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
3.12		898803-00022	Date of first issue: 16.09.2016
<b>-</b> ;	lter type	Equipment sho	idelines, use respiratory protection. ould conform to I.S. EN 14387 ticulates and organic vapour type (A-P)

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	No data available



Vers 3.12		Revision Date: 28.09.2024		98 Number: 8803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016
	Relativ	e density	:	No data available	e
	Density	y	:	No data available	e
	Relativ	e vapour density	:	No data available	e
		e characteristics ticle size	:	Not applicable	
9.2 (	Other iı	nformation			
	Explos	ives	:	Not explosive	
	Oxidizi	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Evapo	ration rate	:	No data availabl	e

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.



rsion 2	Revision Date: 28.09.2024	-	9S Number: 8803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016
Comp	oonents:			
2-Pyr	rolidone:			
	oral toxicity	:	LD50 (Rat): > 2,0 Method: OECD T Assessment: The icity	
Acute	dermal toxicity	:		2,000 mg/kg est Guideline 402 substance or mixture has no acute dermal
Florfe	enicol:			
Acute	oral toxicity	:	LD50 (Rat): > 2,0	00 mg/kg
			LD50 (Mouse): >	2,000 mg/kg
			LD50 (Dog): > 1,2	280 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 0.2 Exposure time: 4	
Acute	dermal toxicity	:	Remarks: No data	a available
	toxicity (other routes of istration)	:	LD50 (Rat): 1,913 Application Route	
			LD50 (Mouse): 10 Application Route	
-	corrosion/irritation assified based on availa	hla	information	
	oonents:		mormation.	
2-Pvr	rolidone:			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Guide No skin irritation	eline 404
Florfe	enicol:			
Speci Resul		:	Rabbit No skin irritation	
	us eye damage/eye irri es serious eye irritation.	itati	on	
	oonents:			
	rolidone:			
∠-r yi				

\_



Vers 3.12	-	Revision Date: 28.09.2024		98 Number: 8803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016
	Species Result	3	:	Rabbit Irritation to eyes, r	eversing within 7 days
	Florfen Species Result		:	Rabbit Mild eye irritation	
	Respira	atory or skin sensitis	atio	n	
		ensitisation ssified based on availa	ble	information.	
	-	atory sensitisation ssified based on availa	ble	information.	
	<u>Compo</u>	nents:			
	-	lidone:			
	Test Ty Exposu Species Method Result Remark	re routes	· · ·	Local lymph node Skin contact Mouse OECD Test Guide negative Based on data fro	
	Florfen	icol:			
	Test Ty Species Result		::	Maximisation Tes Guinea pig negative	t
		ell mutagenicity			
	Not clas	ssified based on availa	ble	information.	
		lidone:			
	-	xicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
				Method: OECD Te Result: negative	o mammalian cell gene mutation test est Guideline 476 on data from similar materials
				Test Type: Chrom Method: OECD Te Result: negative	osome aberration test in vitro est Guideline 473
	Genoto	xicity in vivo	:	Test Type: Mamm cytogenetic assay Species: Mouse	alian erythrocyte micronucleus test (in vivo )



ersion .12	Revision Date: 28.09.2024	SDS Number: 898803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016
			oute: Intraperitoneal injection D Test Guideline 474 ive
Florf	enicol:		
-	toxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES)
		thesis in man	NA damage and repair, unscheduled DNA syr nmalian cells (in vitro) rat hepatocytes ive
			vitro mammalian cell gene mutation test mouse lymphoma cells ive
			nromosome aberration test in vitro Chinese hamster ovary cells /e
Genotoxicity in vivo		: Test Type: M Species: Mou Cell type: Bor Application R Result: negat	ne marrow oute: Oral
	i <b>nogenicity</b> lassified based on av	ailable information	
_	ponents:		
	rolidone:		
Spec		: Mouse : Ingestion	
		: 18 month(s) : negative : Based on dat	a from similar materials
Expo Resu Rema	lt arks	: negative	a from similar materials
Expo Resu Rema Spec Appli Expo Resu	lt arks <b>enicol:</b> ies cation Route sure time	: negative	



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	898803-00022	Date of first issue: 16.09.2016

### Reproductive toxicity

May damage fertility. May damage the unborn child.

#### **Components:**

2-Pyrrolidone:	
Effects on fertility :	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive
Reproductive toxicity - As- : sessment	Clear evidence of adverse effects on sexual function and fertil- ity, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.
Florfenicol:	
Effects on fertility :	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: LOAEL: 12 mg/kg body weight Result: decreased pup survival, reduced lactation
Effects on foetal develop- : ment	Test Type: Embryo-foetal development Species: Rat General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: No teratogenic effects, Fetotoxicity Remarks: The effects were seen only at maternally toxic dos- es.
	Test Type: Embryo-foetal development Species: Mouse Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - As- : sessment	Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

#### STOT - single exposure

Not classified based on available information.



Version 3.12	Revision Date: 28.09.2024	SDS Number: 898803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016					
	<b>STOT - repeated exposure</b> Causes damage to organs through prolonged or repeated exposure.							
<u>Com</u>	ponents:							
Targ	f <b>enicol:</b> et Organs essment		: Causes damage to organs through prolonged or repeated					
Repe	eated dose toxicity							
<u>Com</u>	ponents:							
2-Py	rrolidone:							
	EL ication Route osure time	: Rat : 207 mg/kg : Ingestion : 3 Months : OECD Test (	Guideline 408					
Flor	fenicol:							
		: Dog : 3 mg/kg : 13 Weeks : Liver, Testis,	Brain, Spinal cord					
		: Mouse : 200 mg/kg : 13 Weeks : Liver, Testis						
		: Rat : 30 mg/kg : 13 Weeks : Liver, Testis						
	EL	: Dog : 3 mg/kg : 12 mg/kg : 52 Weeks : Liver, gallbla	dder					
	EL	: Rat : 1 mg/kg : 3 mg/kg : 52 Weeks : Testis						

#### Aspiration toxicity

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	898803-00022	Date of first issue: 16.09.2016

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Components:**

2-Pyrrolidone:		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
		EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 : > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209
Florfenicol:		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l Exposure time: 14 d



Ver: 3.12		Revision Date: 28.09.2024		0S Number: 8803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016			
			Method: FDA 4.01					
				NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l Exposure time: 14 d Method: FDA 4.01 IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l Exposure time: 72 h Method: ISO 10253				
				NOEC (Skeletone Exposure time: 72 Method: ISO 1025	ema costatum (marine diatom)): 0.00423 mg/l 2 h 53			
				EC50 (Lemna gib Exposure time: 7 Method: OECD Te				
				NOEC (Lemna git Exposure time: 7 Method: OECD Te				
				EC50 (Navicula p Exposure time: 72 Method: OECD Te				
				pelliculosa (Freshwater diatom)): 19 mg/l 2 h est Guideline 201				
				EC50 (Anabaena Exposure time: 72 Method: OECD Te				
				NOEC (Anabaena Exposure time: 72 Method: OECD Te				
	M-Fact icity)	or (Acute aquatic tox-	:	10				
	Toxicity icity)	y to fish (Chronic tox-	:	NOEC: 5.5 mg/l Exposure time: 32 Species: Pimepha Method: OECD Te	ales promelas (fathead minnow)			
		y to daphnia and other c invertebrates (Chron- ity)		NOEC: 1.5 mg/l Exposure time: 21 Species: Daphnia Method: OECD To	magna (Water flea)			
	M-Fact	or (Chronic aquatic	:	10				



Version 3.12	Revision Date: 28.09.2024		DS Number: 98803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016				
toxi	toxicity)							
12.2 Per	sistence and degradabi	lity						
<u>Cor</u>	mponents:							
2-P	yrrolidone:							
Bio	degradability	:	Result: Readily b Remarks: Based	iodegradable. on data from similar materials				
12.3 Bio	accumulative potential							
<u>Cor</u>	nponents:							
2-P	yrrolidone:							
	tition coefficient: n- anol/water	:	log Pow: -0.71 Method: OECD T	est Guideline 107				
Flo	rfenicol:							
	tition coefficient: n- anol/water	:	log Pow: 0.373 pH: 7					
12.4 Mo	bility in soil							
<u>Cor</u>	mponents:							
Flo	rfenicol:							
	tribution among environ- ntal compartments	:	Koc: 52 Method: FDA 3.0	8				
12.5 Res	sults of PBT and vPvB a	isse	essment					
Pro	duct:							
Ass	essment	:	to be either persi	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of				
12.6 Endocrine disrupting properties								
<u>Pro</u>	duct:							
Ass	essment	:	ered to have end REACH Article 5	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.				
12 7 Oth	er adverse effects							

### 12.7 Other adverse effects

No data available



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	898803-00022	Date of first issue: 16.09.2016

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	
Product	<ul> <li>Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.</li> </ul>
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

### **SECTION 14: Transport information**

14.1 UN number or ID number			
ADN	:	UN 3082	
ADR	:	UN 3082	
RID	:	UN 3082	
IMDG	:	UN 3082	
ΙΑΤΑ	:	UN 3082	
14.2 UN proper shipping name			
ADN	:	ENVIRONMENTALLY N.O.S. (Florfenicol)	Y HAZARDOUS SUBSTANCE, LIQUID,
ADR	:	ENVIRONMENTALLY N.O.S. (Florfenicol)	Y HAZARDOUS SUBSTANCE, LIQUID,
RID	:	ENVIRONMENTALLY N.O.S. (Florfenicol)	Y HAZARDOUS SUBSTANCE, LIQUID,
IMDG	:	ENVIRONMENTALLY N.O.S. (Florfenicol)	Y HAZARDOUS SUBSTANCE, LIQUID,
ΙΑΤΑ	:	Environmentally haza (Florfenicol)	rdous substance, liquid, n.o.s.
14.3 Transport hazard class(es)			
		Class	Subsidiary risks
ADN	:	9	
ADR	:	9	
RID	:	9	
IMDG	:	9	



Vers 3.12		Revision Date: 28.09.2024		0S Number: 8803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016
	IATA Packin	ig group	:	9	
	Classifi	g group cation Code Identification Number	:	III M6 90 9	
	Classifi Hazard Labels	g group cation Code Identification Number restriction code	:	III M6 90 9 (-)	
	Classifi	g group cation Code Identification Number	:	III M6 90 9	
	IMDG Packing Labels EmS C	g group ode	:	III 9 F-A, S-F	
	aircraft Packing	g instruction (cargo	:	964 Y964 III Miscellaneous	
	Packing ger airc Packing	Passenger) g instruction (passen- craft) g instruction (LQ) g group	:	964 Y964 III Miscellaneous	
14.5	Enviro	nmental hazards			
	<b>ADN</b> Enviror	mentally hazardous	:	yes	
	<b>ADR</b> Enviror	mentally hazardous	:	yes	
	<b>RID</b> Enviror	mentally hazardous	:	yes	
	<b>IMDG</b> Marine	pollutant	:	yes	
		Passenger) Imentally hazardous	:	yes	



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	898803-00022	Date of first issue: 16.09.2016

#### IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

2				
REACH - Restrictions on the the market and use of certa mixtures and articles (Anne	ain dangerous substances,	:	Conditions of rest lowing entries sho Number on list 3	riction for the fol- ould be considered:
			here according to in the regulation, i use/purpose or th restriction. Please tions in correspon determine whether	hixture(s) are listed their appearance rrespective of their e conditions of the refer to the condi- ding Regulation to er an entry is appli- ng on the market or
REACH - Candidate List of Concern for Authorisation (		:	Not applicable	
	nces that deplete the ozone	:	Not applicable	
	on persistent organic pollu-	:	Not applicable	
Regulation (EU) No 649/20	12 of the European Parlia- erning the export and import	:	Not applicable	
REACH - List of substance (Annex XIV)	s subject to authorisation	:	Not applicable	
Seveso III: Directive 2012/1	8/EU of the European Parliar olving dangerous substances		and of the Counci	on the control of
F1	ENVIRONMENTAI		Quantity 1	Quantity 2 200 t

E1 ENVIRONMENTAL 100 t 200 t HAZARDS

#### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national



Version 3.12	Revision Date: 28.09.2024	SDS Number: 898803-00022	Date of last issue: 06.04.2024 Date of first issue: 16.09.2016							
regula	regulations, where applicable.									
The c	omponents of this pro	oduct are reported in	the following inventories:							
AICS		: not determined	-							
DSL		: not determined								
IECS	C	: not determined								
	nical safety assessme al Safety Assessment h		t.							
SECTION	16: Other informat	ion								
Other	information		nges have been made to the previous version In the body of this document by two vertical							
Full to	ext of H-Statements									
H319		: Causes serious	eye irritation.							
H360I			tility. May damage the unborn child.							
H361f	d	: Suspected of da unborn child.	maging fertility. Suspected of damaging the							
H372		: Causes damage exposure.	to organs through prolonged or repeated							
H400		: Very toxic to aqu	atic life.							
H410			atic life with long lasting effects.							
Full to	ext of other abbreviati	ons								
	ic Acute		e) aquatic hazard							
	ic Chronic		nic) aquatic hazard							
Eye Ir	rit.	: Eye irritation								
Repr. STOT	RE	: Reproductive tox : Specific target of	rgan toxicity - repeated exposure							

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	898803-00022	Date of first issue: 16.09.2016

tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Classification of the mixt	Classification procedure:	
Eye Irrit. 2	H319	Calculation method
Repr. 1B	H360FD	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

#### IE / EN