

Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

Section 1: Identification

Product name : Florfenicol (with Triacetin) Liquid Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800

CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Serious eye damage/eye irri-

tation

Category 2

Reproductive toxicity : Category 1

Specific target organ toxicity -

repeated exposure

Hazard pictograms

Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallblad-

der)

Hazardous to the aquatic

: Category 1

environment - acute hazard

Hazardous to the aquatic

Category 1

environment - chronic hazard

GHS label elements

:

(!)



Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.



Florfenicol (with Triacetin) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

H360FD May damage fertility. May damage the unborn child. H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protective clothing/

tion/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
2-Pyrrolidone	616-45-5	>= 30 -< 50	
Florfenicol	73231-34-2	>= 30 -< 50	

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.



Florfenicol (with Triacetin) Liquid Formulation

Revision Date: SDS Number: Date of last issue: 04.04.2023 Version 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and delayed

Causes serious eye irritation.

May damage fertility. May damage the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code 3Z

Section 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).



Florfenicol (with Triacetin) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Keep tightly closed.



Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Hand protection
Material

: Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Section 9: Physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available



Florfenicol (with Triacetin) Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

Initial boiling point and boiling :

range

No data available

Flash point No data available

Evaporation rate No data available

Not applicable Flammability (solid, gas)

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

No data available Vapour pressure

Relative vapour density No data available

Relative density No data available

No data available Density

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle size Not applicable

Section 10: Stability and reactivity

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-

tions

Can react with strong oxidizing agents.



Florfenicol (with Triacetin) Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Acute oral toxicity LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

LD50 (Rabbit): > 2,000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Florfenicol:

LD50 (Rat): > 2,000 mg/kg Acute oral toxicity

LD50 (Mouse): > 2,000 mg/kg

LD50 (Dog): > 1,280 mg/kg

LC50 (Rat): > 0.28 mg/l Acute inhalation toxicity

Exposure time: 4 h

Acute dermal toxicity Remarks: No data available

Acute toxicity (other routes of:

administration)

LD50 (Rat): 1,913 - 2,253 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 100 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

2-Pyrrolidone:



Florfenicol (with Triacetin) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Florfenicol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-Pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

Florfenicol:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Florfenicol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.



Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

Components:

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Florfenicol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro) Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral Result: negative

Carcinogenicity

Not classified based on available information.



Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

Components:

2-Pyrrolidone:

Species : Mouse
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative

Remarks : Based on data from similar materials

Florfenicol:

Species : Rat

Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Liver, Testes

Species : Mouse
Application Route : oral (gavage)
Exposure time : 2 Years
Result : negative
Target Organs : Testes, Blood

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

Florfenicol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 12 mg/kg body weight

Result: decreased pup survival, reduced lactation

Effects on foetal develop- : Test Type: Embryo-foetal development



Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

ment Species: Rat

General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight

Result: No teratogenic effects, Fetotoxicity

Remarks: The effects were seen only at maternally toxic dos-

es.

Test Type: Embryo-foetal development

Species: Mouse

Application Route: oral (gavage)

General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight

Result: Fetotoxicity

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal experi-

ments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

2-Pyrrolidone:

Species : Rat
NOAEL : 207 mg/kg
Application Route : Ingestion
Exposure time : 3 Months

Method : OECD Test Guideline 408

Florfenicol:

Species : Dog NOAEL : 3 mg/kg Exposure time : 13 Weeks

Target Organs : Liver, Testis, Brain, Spinal cord

Species : Mouse



Florfenicol (with Triacetin) Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

NOAEL 200 mg/kg Exposure time 13 Weeks **Target Organs** Liver. Testis

Species Rat NOAEL 30 mg/kg Exposure time 13 Weeks Target Organs Liver, Testis

Species Dog NOAEL 3 mg/kg LOAEL 12 mg/kg Exposure time 52 Weeks

Target Organs Liver, gallbladder

Species Rat NOAEL 1 mg/kg LOAEL 3 mg/kg 52 Weeks Exposure time **Target Organs** Testis

Aspiration toxicity

Not classified based on available information.

Section 12: Ecological information

Ecotoxicity

Components:

2-Pyrrolidone:

LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l

Exposure time: 72 h

EC50: > 1,000 mg/lToxicity to microorganisms

Exposure time: 30 min

Method: OECD Test Guideline 209

Florfenicol:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l

Exposure time: 96 h



Florfenicol (with Triacetin) Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l

Exposure time: 96 h Method: FDA 4.11

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 330 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9

mg/

Exposure time: 14 d Method: FDA 4.01

NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9

mg/l

Exposure time: 14 d Method: FDA 4.01

IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l

Exposure time: 72 h Method: ISO 10253

NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l

Exposure time: 72 h Method: ISO 10253

EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 221

EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.066 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201



Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

M-Factor (Acute aquatic tox- :

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l

Exposure time: 32 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

10

Persistence and degradability

Components:

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

2-Pyrrolidone:

Partition coefficient: n-

octanol/water

log Pow: -0.71

Method: OECD Test Guideline 107

Florfenicol:

Partition coefficient: n-

log Pow: 0.373

octanol/water

pH: 7

Mobility in soil

Components:

Florfenicol:

Distribution among environ-

Koc: 52

mental compartments

Method: FDA 3.08

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-



Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Florfenicol)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Florfenicol)

964

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Florfenicol)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Florfenicol)

Class : 9
Packing group : III
Labels : 9



Florfenicol (with Triacetin) Liquid Formulation

SDS Number: Date of last issue: 04.04.2023 Version Revision Date: 8.1 30.09.2023 898722-00018 Date of first issue: 16.09.2016

Hazchem Code 3Z Marine pollutant no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS not determined

DSL not determined

IECSC not determined

Section 16: Other information

Revision Date 30.09.2023

Further information

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-



Florfenicol (with Triacetin) Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 8.1
 30.09.2023
 898722-00018
 Date of first issue: 16.09.2016

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN