

Florfenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	7681969-00009	Date of first issue: 15.12.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Florfenicol Formulation						
Manufacturer or supplier's of	Manufacturer or supplier's details							
Company name of supplier	:	MSD						
Address	:	126 E. Lincoln Avenue						
		Rahway, New Jersey U.S.A. 07065						
Telephone	:	908-740-4000						
Emergency telephone	:	1-908-423-6000						
E-mail address	:	EHSDATASTEWARD@msd.com						
Recommended use of the chemical and restrictions on use								
Recommended use	:	Veterinary product						
Restrictions on use	:	Not applicable						

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Acute toxicity (Oral)	:	Category 5
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irritation	:	Category 2A
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)
CHS label elemente		

GHS label elements

Hazard pictograms

Signal Word

Danger :

:

Hazard Statements H303 May be harmful if swallowed. : H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H360Df May damage the unborn child. Suspected of damaging fertility. H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.



Florfenicol Formulation

Version 3.1	Revision Date: 30.09.2023	SDS Number: 7681969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
Preca	autionary Statements	P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea P271 Use only	eathe mist or vapors. n thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. tective gloves/ protective clothing/ eye protection
		P304 + P340 + and keep at res POISON CENT P305 + P351 + for several minu to do. Continue P312 Call a PC unwell. P332 + P313 If tion. P337 + P313 If tion.	F ON SKIN: Wash with plenty of water. P312 IF INHALED: Remove victim to fresh air at in a position comfortable for breathing. Call a ER or doctor/ physician if you feel unwell. P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. DISON CENTER or doctor/ physician if you feel skin irritation occurs: Get medical advice/ atten- eye irritation persists: Get medical advice/ atten- ake off contaminated clothing and wash it before
		Storage: P405 Store lock	ked up.
		Disposal: P501 Dispose o posal plant.	of contents/ container to an approved waste dis-
	r hazards known.		

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
N-Methyl-2-pyrrolidone	872-50-4	>= 30 -< 50
Florfenicol	73231-34-2	>= 20 -< 30

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.



Florfenicol Formulation

Version 3.1	Revision Date: 30.09.2023	SDS Number: 7681969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020			
lf inh	naled	: If inhaled, re Get medical	move to fresh air. attention.			
In ca	ase of skin contact	for at least 1 and shoes. Get medical Wash clothir	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.			
In ca	ase of eye contact	: In case of co for at least 1 If easy to do	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. 			
lf sw	allowed	Get medical	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.			
	t important symptoms effects, both acute and yed	: May be harn Causes skin Causes serie May cause r May damage ty. Causes dam	nful if swallowed.			
Prote	ection of first-aiders	and use the	bonders should pay attention to self-protection, recommended personal protective equipment tential for exposure exists (see section 8).			
Note	es to physician		omatically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Follow safe handling advice (see section 7) and personal



Florfenicol Formulation

Ver 3.1	sion	Revision Date: 30.09.2023		S Number: 81969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
	gency procedures			protective equipm	ent recommendations (see section 8).
Environmental precautions		:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
	Methods and materials for containment and cleaning up		:	For large spills, pro- containment to kee can be pumped, so container. Clean up remaining absorbent. Local or national no disposal of this mail employed in the co determine which no Sections 13 and 1	t absorbent material. rovide diking or other appropriate sep material from spreading. If diked material store recovered material in appropriate ang materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,



Florfenicol Formulation

Version 3.1	Revision Date: 30.09.2023	SDS Number: 7681969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020	
Conditions for safe storage		 industrial hygiene monitoring, medical surveillance and the use of administrative controls. Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. 		
Materials to avoid		 Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases 		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift	100 mg/l	MX BEI
		5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures :

 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type Hand protection	:	Combined particulates and organic vapor type
Material	:	Chemical-resistant gloves



Eye pro	otection	:		
			If the work enviro mists or aerosols Wear a faceshie potential for direc aerosols.	eses with side shields or goggles. In proment or activity involves dusty conditions s, wear the appropriate goggles. Id or other full face protection if there is a ct contact to the face with dusts, mists, or
	nd body protection	:	Work uniform or	•
). PHYSICAL AND CHE			:5
Appear	rance	:	liquid	
Color		:	yellow	
Odor		:	No data availab	le
Odor T	hreshold	:	No data availab	le
рН		:	No data availab	le
Melting	g point/freezing point	:	No data availab	le
Initial b range	poiling point and boiling	:	No data availab	le
Flash p	point	:	No data availab	le
Evapor	ration rate	:	No data availab	le
Flamm	ability (solid, gas)	:	Not applicable	
Flamm	ability (liquids)	:	No data availab	le
	explosion limit / Upper ability limit	:	No data availab	le
	explosion limit / Lower ability limit	:	No data availab	le
Vapor	pressure	:	No data availab	le
Relativ	e vapor density	:	No data availab	le
Relativ	e density	:	No data availab	le
Density	y	:	1.050 - 1.250 g/	/cm³
Solubil Wat	ity(ies) ter solubility	:	No data availab	le
	n coefficient: n-	:	Not applicable	
octano Autoigr	l/water nition temperature	:	No data availab	le



Florfenicol Formulation

Version 3.1	Revision Date: 30.09.2023		S Number: 31969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
Decor	mposition temperature	:	No data available	e
	sity scosity, kinematic sive properties	:	No data available Not explosive	9
Oxidiz	zing properties	:	The substance o	r mixture is not classified as oxidizing.
Molec	cular weight	:	No data available	9
Partic	le size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products		None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 4,747 mg/kg Method: Calculation method

Components:

N-Methyl-2-pyrrolidone: Acute oral toxicity	:	LD50 (Rat): 4,150 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg



rsion I	Revision Date: 30.09.2023		0S Number: 81969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
Florfe	enicol:			
Acute	e oral toxicity	:	LD50 (Rat): > 2,00	00 mg/kg
			LD50 (Mouse): > 2	2,000 mg/kg
			LD50 (Dog): > 1,2	80 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 0.28 Exposure time: 4	
Acute	e dermal toxicity	:	Remarks: No data	available
	toxicity (other routes of nistration)	:	LD50 (Rat): 1,913 Application Route	
			LD50 (Mouse): 10 Application Route	
-	corrosion/irritation es skin irritation.			
Com	oonents:			
N-Me	thyl-2-pyrrolidone:			
Resu	lt	:	Skin irritation	
Florfe	enicol:			
Speci		:	Rabbit	
Resul	lt	:	No skin irritation	
Serio	us eye damage/eye irri	tati	on	
Cause	es serious eye irritation.			
Com	oonents:			
N-Me	thyl-2-pyrrolidone:			
Speci		:	Rabbit	
Resul	lt	:	Irritation to eyes, i	eversing within 21 days
Florfe	enicol:			
Speci		:	Rabbit	
Resul	lt	:	Mild eye irritation	
Resp	iratory or skin sensitiza	atio	n	
Skin	sensitization			
-	lassified based on availal	ble	information.	
Resp	iratory sensitization			
-	lassified based on availal	ble	information.	



Version 3.1	Revision Date: 30.09.2023		OS Number: 81969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
<u>Con</u>	nponents:			
Tes Rou Spe Met	hod		Local lymph node Skin contact Mouse OECD Test Guide negative Based on data fro	
-		:	Maximization Tes Guinea pig negative	t
Not	m cell mutagenicity classified based on ava	ailable	information.	
	nponents:			
	ethyl-2-pyrrolidone: otoxicity in vitro	:	Test Type: Bacter Method: OECD T Result: negative	rial reverse mutation assay (AMES) est Guideline 471
				o mammalian cell gene mutation test est Guideline 476
			Test Type: DNA o thesis in mamma Result: negative	lamage and repair, unscheduled DNA syn- ian cells (in vitro)
Gen	otoxicity in vivo	:	cytogenetic assay Species: Mouse Application Route	
			cytogenetic test, o Species: Hamste Application Route	
Flor	fenicol:			
-	otoxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: DNA of thesis in mamma	lamage and repair, unscheduled DNA syn- ian cells (in vitro)
			9 / 18	



Florfenicol Formulation

ersion 1	Revision Date: 30.09.2023	SDS Number: 7681969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
		Test system: rat Result: negative	
			ro mammalian cell gene mutation test buse lymphoma cells
			mosome aberration test in vitro inese hamster ovary cells
Geno	toxicity in vivo	: Test Type: Micro Species: Mouse Cell type: Bone Application Rout Result: negative	marrow te: Oral
	nogenicity	ailable information	
	lassified based on av	anable information.	
	<u>oonents:</u>		
	thyl-2-pyrrolidone:		
Speci	es cation Route	: Rat : Ingestion	
	sure time	: 2 Years	
Resul		: negative	
Speci	es	: Rat	
Applic	cation Route	: inhalation (vapo	r)
•	sure time	: 2 Years	
Resul	I	: negative	
Florfe	enicol:		
Speci		: Rat	
	cation Route	: oral (gavage)	
Expos Resul	sure time	: 2 Years : negative	
	et Organs	: Liver, Testes	
Speci	es	: Mouse	
Applic	cation Route	: oral (gavage)	
	sure time	: 2 Years	
Resul Targe	lt et Organs	: negative : Testes, Blood	
Repro	oductive toxicity		
May c	damage the unborn cl	nild. Suspected of dama	ging fertility.
<u>Comp</u>	<u>oonents:</u>		
	thyl-2-nyrrolidone:		

N-Methyl-2-pyrrolidone:

Effects on fertility

Test Type: Two-generation reproduction toxicity study Species: Rat

:



Florfenicol Formulation

Vers 3.1	sion	Revision Date: 30.09.2023		S Number: 81969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
				Application Route Method: OECD To Result: negative	
	Effects on fetal development		:	Test Type: Embry Species: Rat Application Route Method: OECD To Result: positive	
				Species: Rat	y/early embryonic development : inhalation (vapor)
				Test Type: Embry Species: Rabbit Application Route Result: positive	ro-fetal development : Ingestion
	Reproductive toxicity - As- sessment		:	Clear evidence of animal experimen	adverse effects on development, based on tts.
	Florfen	icol:			
		on fertility	:	Species: Rat Application Route Fertility: LOAEL:	eneration reproduction toxicity study : Oral 12 mg/kg body weight d pup survival, reduced lactation
	Effects	on fetal development	:	Species: Rat General Toxicity M Embryo-fetal toxic Result: No teratog	vo-fetal development Maternal: NOAEL: 4 mg/kg body weight city.: LOAEL: 40 mg/kg body weight genic effects., Fetotoxicity. ects were seen only at maternally toxic dos-
				Species: Mouse Application Route General Toxicity N	Maternal: NOAEL: 120 mg/kg body weight city.: LOAEL: 40 mg/kg body weight
	Reprod sessme	uctive toxicity - As- ent	:	fertility, based on	f adverse effects on sexual function and animal experiments., Some evidence of n development, based on animal

STOT-single exposure

May cause respiratory irritation.



ersion 1	Revision Date: 30.09.2023	SDS Number: 7681969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
<u>Comp</u>	onents:		
	: hyl-2-pyrrolidone: sment	: May cause	respiratory irritation.
Cause	-repeated exposure es damage to organs d or repeated exposu	(Liver, Brain, Testis	s, Spinal cord, Blood, gallbladder) through pro
<u>Comp</u>	onents:		
Florfe	nicol:		
	t Organs sment		, Testis, Spinal cord, Blood, gallbladder nage to organs through prolonged or repeated
Repea	ated dose toxicity		
Comp	onents:		
N-Met	hyl-2-pyrrolidone:		
	L L ation Route ure time	: Rat, male : 169 mg/kg : 433 mg/kg : Ingestion : 90 Days : OECD Test	Guideline 408
	L L ation Route ure time	: 96 Days	dust/mist/fume) Guideline 413
	E	: Rabbit : 826 mg/kg : 1,653 mg/kg : Skin contac : 20 Days	
Florfe	nicol:		
		: Dog : 3 mg/kg : 13 Weeks : Liver, Testis	s, Brain, Spinal cord
		: Mouse : 200 mg/kg : 13 Weeks : Liver, Testis	5
Specie	26	: Rat	



Date of last issue: 04.04.2023

Florfenicol Formulation

Revision Date:

Version

51011	30.09.2023		81969-00009	Date of first issue: 15.12.2020
NOAE	L	:	30 mg/kg	
	ure time	:	13 Weeks	
Target	Organs	:	Liver, Testis	
Specie		:	Dog	
NOAE		:	3 mg/kg	
LOAE		:	12 mg/kg	
	ure time t Organs	:	52 Weeks Liver, gallbladder	
Specie	es	:	Rat	
NOAE		:	1 mg/kg	
LOAE	L	:	3 mg/kg	
Expos	ure time	:	52 Weeks	
Target	Organs	:	Testis	
-	ation toxicity assified based on availa	blo	information	
	ience with human exp			
-	onents:			
	hvl-2-nvrrolidone			
N-Met	hyl-2-pyrrolidone:		Symptoms: Skin i	rritation
N-Met Skin ce	ontact	:	Symptoms: Skin i	rritation
N-Met Skin ce			• •	rritation
N-Met Skin ce	ontact		• •	rritation
N-Met Skin c CTION	ontact		• •	rritation
N-Met Skin c CTION Ecoto <u>Comp</u>	ntact		• •	rritation
N-Met Skin c CTION Ecoto <u>Comp</u> N-Met	ontact 12. ECOLOGICAL INFO xicity onents:		MATION	hus mykiss (rainbow trout)): > 500 mg/l
N-Met Skin co CTION ² Ecoto <u>Comp</u> N-Met Toxicit	ontact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to fish ty to daphnia and other	ORM :	MATION LC50 (Oncorhync Exposure time: 96 EC50 (Daphnia m	hus mykiss (rainbow trout)): > 500 mg/l ວີ h nagna (Water flea)): > 1,000 mg/l
N-Met Skin co CTION ² Ecoto <u>Comp</u> N-Met Toxicit	ontact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to fish	ORM :	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): > 500 mg/l δ h hagna (Water flea)): > 1,000 mg/l 4 h
N-Met Skin co CTION ² Ecoto <u>Comp</u> N-Met Toxicit aquati	ontact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to fish ty to daphnia and other	ORM :	MATION LC50 (Oncorhync Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode	hus mykiss (rainbow trout)): > 500 mg/l 5 h hagna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 mg
N-Met Skin co CTION ² Ecoto <u>Comp</u> N-Met Toxicit Toxicit aquatio	antact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to fish ty to daphnia and other c invertebrates	ORM :	MATION LC50 (Oncorhync Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode Exposure time: 72	thus mykiss (rainbow trout)): > 500 mg/l 5 h 1agna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 m 2 h
N-Met Skin co CTION ² Ecoto <u>Comp</u> N-Met Toxicit aquati	antact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to fish ty to daphnia and other c invertebrates	ORM :	MATION LC50 (Oncorhync Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode Exposure time: 72	thus mykiss (rainbow trout)): > 500 mg/l 5 h 1agna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 mg/l 2 h
N-Met Skin co CTION ⁴ Ecoto <u>Comp</u> N-Met Toxicit aquation Toxicit plants	antact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to fish ty to daphnia and other c invertebrates	DRI : :	MATION LC50 (Oncorhynd Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode Exposure time: 72 EC10 (Desmodes Exposure time: 72	thus mykiss (rainbow trout)): > 500 mg/l 5 h 1agna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 m 2 h smus subspicatus (green algae)): 92.6 mg/l
N-Met Skin ca CTION ² Ecoto <u>Comp</u> N-Met Toxicit aquati Toxicit plants	antact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to daphnia and other c invertebrates ty to algae/aquatic ty to daphnia and other c invertebrates (Chron-	DRI : :	MATION LC50 (Oncorhynd Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode Exposure time: 72 EC10 (Desmodes Exposure time: 72 NOEC (Daphnia m Exposure time: 22	hus mykiss (rainbow trout)): > 500 mg/l 6 h hagna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 m 2 h smus subspicatus (green algae)): 92.6 mg/ 2 h magna (Water flea)): 12.5 mg/l 1 d
N-Met Skin co CTION ² Ecoto <u>Comp</u> N-Met Toxicit Toxicit aquatic Toxicit plants	antact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to daphnia and other c invertebrates ty to algae/aquatic ty to daphnia and other c invertebrates (Chron-	DRI : :	MATION LC50 (Oncorhynd Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode Exposure time: 72 EC10 (Desmodes Exposure time: 72 NOEC (Daphnia m	hus mykiss (rainbow trout)): > 500 mg/l 6 h hagna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 m 2 h smus subspicatus (green algae)): 92.6 mg/ 2 h magna (Water flea)): 12.5 mg/l 1 d
N-Met Skin co CTION 2 Ecoto Comp N-Met Toxicit aquatic Toxicit plants Toxicit aquatic	antact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to fish ty to daphnia and other c invertebrates ty to algae/aquatic ty to daphnia and other c invertebrates (Chron- city)	DRI : :	MATION LC50 (Oncorhynd Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode Exposure time: 72 EC10 (Desmodes Exposure time: 72 NOEC (Daphnia m Exposure time: 22 Method: OECD To	thus mykiss (rainbow trout)): > 500 mg/l 5 h hagna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 m 2 h smus subspicatus (green algae)): 92.6 mg/ 2 h magna (Water flea)): 12.5 mg/l I d est Guideline 211
N-Met Skin co CTION 2 Ecoto Comp N-Met Toxicit aquatic Toxicit plants Toxicit aquatic	antact 12. ECOLOGICAL INFO xicity onents: hyl-2-pyrrolidone: ty to daphnia and other c invertebrates ty to algae/aquatic ty to daphnia and other c invertebrates (Chron-	DRI : :	MATION LC50 (Oncorhynd Exposure time: 96 EC50 (Daphnia m Exposure time: 24 Method: DIN 384 ErC50 (Desmode Exposure time: 72 EC10 (Desmodes Exposure time: 72 NOEC (Daphnia m Exposure time: 22	thus mykiss (rainbow trout)): > 500 mg/l 5 h hagna (Water flea)): > 1,000 mg/l 4 h 12 smus subspicatus (green algae)): 600.5 m 2 h smus subspicatus (green algae)): 92.6 mg/ 2 h magna (Water flea)): 12.5 mg/l I d est Guideline 211

SDS Number:



Vers 3.1	sion	Revision Date: 30.09.2023		9S Number: 81969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
	Florfer	licol:			
	Toxicity		:	LC50 (Lepomis m Exposure time: 96 Method: FDA 4.11	
				LC50 (Oncorhync Exposure time: 96 Method: FDA 4.11	
		v to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
	Toxicity plants	v to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 14 Method: FDA 4.01	
				NOEC (Pseudokir mg/l Exposure time: 14 Method: FDA 4.01	
				IC50 (Skeletonem Exposure time: 72 Method: ISO 1025	
				NOEC (Skeletone Exposure time: 72 Method: ISO 1025	
				EC50 (Lemna gibl Exposure time: 7 o Method: OECD Te	
				NOEC (Lemna gib Exposure time: 7 o Method: OECD Te	
				EC50 (Navicula po Exposure time: 72 Method: OECD Te	
				NOEC (Navicula p Exposure time: 72 Method: OECD Te	
				EC50 (Anabaena Exposure time: 72 Method: OECD Te	
				NOEC (Anabaena Exposure time: 72 Method: OECD Te	



rsion	Revision Date: 30.09.2023		OS Number: 81969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020	
Toxici icity)	ty to fish (Chronic tox-	:	Exposure time: 3	les promelas (fathead minnow)): 5.5 mg/l 2 d ēst Guideline 210	
aquati	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		 NOEC (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 		
Persis	stence and degradabil	ity			
Comp	oonents:				
N-Met	hyl-2-pyrrolidone:				
Biode	gradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD T	73 %	
Bioac	cumulative potential				
Comp	oonents:				
Partiti	t hyl-2-pyrrolidone: on coefficient: n- pl/water	:		est Guideline 107	
Florfe	nicol:				
	on coefficient: n- bl/water	:	log Pow: 0.373 pH: 7		
Mobil	ity in soil				
Comp	onents:				
Florfe	enicol:				
	oution among environ- Il compartments	:	Koc: 52 Method: FDA 3.0	8	
	adverse effects ta available				

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.



Florfenicol Formulation

Version 3.1	Revision Date: 30.09.2023		DS Number: 81969-00009	Date of last issue: 04.04.2023 Date of first issue: 15.12.2020
SECTION	I 14. TRANSPORT INFO	RIN	IATION	
Inter	national Regulations			
	TDG number er shipping name	:	UN 3082 ENVIRONMENT N.O.S. (Florfenicol)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Labe	ing group	:	9 III 9 yes	
UN/I Prop Pack Labe Pack aircra Pack ger a	ing group ls ing instruction (cargo		UN 3082 Environmentally I (Florfenicol) 9 III Miscellaneous 964 964 yes	hazardous substance, liquid, n.o.s.
IMD UN r	G-Code number er shipping name	:	UN 3082	ALLY HAZARDOUS SUBSTANCE, LIQUID,

Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S.
Class	:	(Florfenicol) 9
Packing group	:	
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT	
LIN number	

UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Florfenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	7681969-00009	Date of first issue: 15.12.2020

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:	The ingredients of this	product are rep	ported in the foll	owing inventories:
--	-------------------------	-----------------	--------------------	--------------------

DSL	:	not determined
AICS	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date Date format	:	30.09.2023 dd.mm.yyyy
Full text of other abbreviation	ons	
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
MX BEI	:	Official Mexican Norm NOM-047-SSA1-2011, Environmental Health - Biological exposure indices for workers occupational- ly exposed to chemical agents

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No



Florfenicol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	7681969-00009	Date of first issue: 15.12.2020

1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8