



Vers 14.0		Revision Date: 2024/09/28		S Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
1. P	RODUC	T AND COMPANY ID	ENT	IFICATION	
	Chemic	al product name	:	Florfenicol Liquic	Formulation
Other means of identification		:	NUFLOR LA INJ	ECTABLE SOLUTION (52201)	
Supplier's company name, a Company name of supplier		addr :	ess and phone n MSD	umber	
	Addres	S	:	Kumagaya, Saita Menuma factory	ama Prefecture, Xicheng 810 MSD Co., Ltd.
	Telepho	one	:	048-588-8411	
	E-mail a	address	:	EHSDATASTEW	/ARD@msd.com
	Emerge	ency telephone number	r :	+1-908-423-6000)

Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary p	roduct

Restrictions on use	: Not applicable
---------------------	------------------

2. HAZARDS IDENTIFICATION

GHS classification of chemical product				
Skin corrosion/irritation	:	Category 2		
Serious eye damage/eye irri- tation	:	Category 2A		
Reproductive toxicity	:	Category 1B		
Specific target organ toxicity - single exposure	:	Category 3		
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallblad- der)		
Short-term (acute) aquatic hazard	:	Category 1		
Long-term (chronic) aquatic hazard	:	Category 1		

GHS label elements



Version 14.0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
	rd pictograms		
Signa	l word	: Danger	
Hazaı	rd statements	H319 Causes H335 May ca H360Df May fertility. H372 Causes cord, Blood, g sure.	s skin irritation. s serious eye irritation. use respiratory irritation. damage the unborn child. Suspected of damaging damage to organs (Liver, Brain, Testis, Spinal gallbladder) through prolonged or repeated expo- xic to aquatic life with long lasting effects.
Preca	utionary statements	P202 Do not and understo P260 Do not P264 Wash s P270 Do not P271 Use on P273 Avoid re	breathe mist or vapours. kin thoroughly after handling. eat, drink or smoke when using this product. y outdoors or in a well-ventilated area. elease to the environment. rotective gloves/ protective clothing/ eye protec-
		P304 + P340 and keep con doctor if you f P305 + P351 for several mi easy to do. C P308 + P313 attention. P332 + P313 tion. P337 + P313 tention.	 + P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and ontinue rinsing. IF exposed or concerned: Get medical advice/ If skin irritation occurs: Get medical advice/ atten- If eye irritation persists: Get medical advice/ at- Take off contaminated clothing and wash it before
		P405 Store lo Disposal:	ocked up. e of contents/ container to an approved waste



Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/30
14.0	2024/09/28	26280-00026	Date of first issue: 2014/10/29

Other hazards which do not result in classification None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Florfenicol	73231-34-2	>= 30 - < 40	-
-			
N-Methyl-2-pyrrolidone	872-50-4	25	5-113
Propylene glycol	57-55-6	>= 10 - < 20	2-234

4. FIRST AID MEASURES

If inhaled : If inhaled, remove to fresh air. In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. : Wash clothing before reuse.
In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention.
Thoroughly clean shoes before reuse.
In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms : Causes skin irritation.
and effects, both acute and Causes serious eye irritation.
delayed May cause respiratory irritation.
May damage the unborn child. Suspected of damaging fertili- ty.
Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES



Version 14.0	Revision Date: 2024/09/28		DS Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
Suit	able extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (C Dry chemical	
Uns mec	uitable extinguishing lia	:	None known.	
Spe fight	cific hazards during fire- ting	:	Exposure to comb	oustion products may be a hazard to health.
Haz ucts	ardous combustion prod-	:	Carbon oxides Nitrogen oxides (I	NOx)
Spe ods	Specific extinguishing meth- ods		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to d so. Evacuate area.	
	cial protective equipment irefighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.
6. ACCI	DENTAL RELEASE MEAS	SUF	RES	
	sonal precautions, protec- equipment and emer-	:	Use personal prot Follow safe handl	ective equipment. ing advice (see section 7) and personal pro-

tive equipment and emer- gency procedures		tective equipment recommendations (see section 7) and personal pro-
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.



14.0 2024/09/28 26280-00026 Date of first issue: 2014/10/29	Version 14.0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
---	-----------------	---------------------------	----------------------------	---

7. HANDLING AND STORAGE

Handling		
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira- tory irritants or sensitisers. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Avoidance of contact Hygiene measures	:	Oxidizing agents If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Storage		
Conditions for safe storage	:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents
Packaging material	:	Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components CAS-No Value type Control parame- Basis					
onponents one no. Value type officion parame basis	Components	CAS-No.	Value type	Control parame-	Basis



VersionRevision Date:SDS Number:Date of last issue: 2023/11/3014.02024/09/2826280-00026Date of first issue: 2014/10/29						
--	--	--	--	--	--	--

		(Form of exposure)	ters / Concentra- tion standard / Permissible con- centration	
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal
N-Methyl-2-pyrrolidone	872-50-4	OEL-M	1 ppm 4 mg/m3	JP OEL JSOH
	Further inform	ation: Skin abso	rption	

Biological occupational exposure limits

872-50-4	5-Hydroxy- N-methyl-2-	Urine		tion	
	pyrrolidone		End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI
tech less All des prot	nnologies to co quick connect engineering co ign and opera tect products,	ontrol airborr tions). ontrols should ted in accord workers, and	he concentr d be implen dance with (d the enviro	ations (e.g., di nented by facil GMP principle nment.	rip- lity s to
pment					
sure omi : Cor	e assessment mended guide mbined particu	demonstrate lines, use re lates and or	es exposure spiratory pr	es outside the otection.	
: We If th We pote	ar safety glass e work enviror ts or aerosols, ar a faceshield ential for direct osols.	ses with side nment or act wear the ap d or other full t contact to t	shields or ivity involve propriate g face prote he face with	es dusty condit oggles. ction if there is	a
	tech less All d des prof Lab pment : If ac surd omn : Cor : Che : Imp : We If th mis We pote	technologies to co less quick connect All engineering co design and opera protect products, Laboratory operat pment : If adequate local of sure assessment ommended guide : Combined particu : Chemical-resistar : Impermeable prot : Wear safety glass If the work environ mists or aerosols, Wear a faceshield potential for direct aerosols.	 technologies to control airborn less quick connections). All engineering controls should design and operated in accord protect products, workers, and Laboratory operations do not a sure assessment demonstrate ommended guidelines, use rest. Combined particulates and orgonal component in the comparison of the compariso	 Use appropriate engineering controls and technologies to control airborne concentraless quick connections). All engineering controls should be implent design and operated in accordance with 0 protect products, workers, and the enviro Laboratory operations do not require speriment If adequate local exhaust ventilation is not sure assessment demonstrates exposure ommended guidelines, use respiratory pr Combined particulates and organic vapout Chemical-resistant gloves Wear safety glasses with side shields or guidelines or activity involve mists or aerosols, wear the appropriate g Wear a faceshield or other full face protective potential for direct contact to the face with 	 Use appropriate engineering controls and manufacturin technologies to control airborne concentrations (e.g., di less quick connections). All engineering controls should be implemented by facil design and operated in accordance with GMP principle protect products, workers, and the environment. Laboratory operations do not require special containment If adequate local exhaust ventilation is not available or sure assessment demonstrates exposures outside the ommended guidelines, use respiratory protection. Combined particulates and organic vapour type Chemical-resistant gloves Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditi mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is potential for direct contact to the face with dusts, mists, aerosols.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state
- : Aqueous solution



Vers 14.0	-			S Number: 80-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
	Colour		:	gold	
	Odour		:	No data available	
	Odour T	hreshold	:	No data available	
	Melting p	point/freezing point	:	No data available	
		oint, initial boiling d boiling range	:	No data available	
	Flammal	oility (solid, gas)	:	Not applicable	
	Flammal	oility (liquids)	:	No data available	•
	Uppe	xplosion limit and uppe r explosion limit / Up- ammability limit			
		r explosion limit / r flammability limit	:	No data available	
	Flash po	int	:	No data available	
	Decomp	osition temperature	:	No data available	
	pН		:	No data available	
	Evapora	tion rate	:	No data available	1
	Auto-ign	ition temperature	:	No data available	1
	Viscosity Visco	, sity, kinematic	:	No data available	
	Solubility Wate	r(ies) r solubility	:	No data available	
	Partition octanol/v	coefficient: n- vater	:	Not applicable	
	Vapour p	pressure	:	No data available	,
		and / or relative densit ive density	у :	No data available	
	Dens	ity	:	No data available	
	Relative	vapour density	:	No data available	
	Explosiv	e properties	:	Not explosive	





ersion 1.0	Revision Date: 2024/09/28	SDS Ni 26280-		Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
Partic	zing properties			r mixture is not classified as oxidizing.
Pa	article size	: No	t applicable	
). STABI		ſ		
Possi tions Condi Incom	nical stability bility of hazardous reac- itions to avoid npatible materials rdous decomposition	: Sta : Ca : No : Ox	able under nor n react with st ne known. idizing agents	a reactivity hazard. mal conditions. rong oxidizing agents. ecomposition products are known.
I. TOXIC	OLOGICAL INFORMA	TION		
Inforn expos	nation on likely routes of sure	Skir Inge	alation n contact estion e contact	
expos Acute Not cl		Skir Inge Eye	n contact estion e contact	
Acute Not cl <u>Comp</u>	sure e toxicity lassified based on availa <u>conents:</u> enicol:	Skir Inge Eye able infor	n contact estion e contact mation.	
Acute Not cl <u>Comp</u>	sure e toxicity lassified based on availa <u>conents:</u>	Skir Inge Eye able infor : LD5	n contact estion e contact mation. 50 (Rat): > 2,0	
Acute Not cl <u>Comp</u>	sure e toxicity lassified based on availa <u>conents:</u> enicol:	Skir Inge Eye able infor : LDS	n contact estion e contact mation. 50 (Rat): > 2,0 50 (Mouse): >	2,000 mg/kg
Acute Not cl Comp Florfe Acute	sure e toxicity lassified based on availa <u>conents:</u> enicol:	Skir Inge Eye able infor : LD5 LD5 : LC5	n contact estion e contact mation. 50 (Rat): > 2,0	2,000 mg/kg 280 mg/kg 8 mg/l
Acute Not cl Comp Florfe Acute	sure toxicity lassified based on availa <u>ponents:</u> enicol: e oral toxicity	Skir Inge Eye able infor : LDS LDS : LCS Exp	n contact estion contact mation. 50 (Rat): > 2,0 50 (Mouse): > 50 (Dog): > 1,2 50 (Rat): > 0.2	2,000 mg/kg 280 mg/kg 8 mg/l h
Acute Not cl Comp Florfe Acute Acute Acute	e toxicity lassified based on availa <u>conents:</u> enicol: e oral toxicity	Skir Inge Eye able infor : LDS LDS : LCS Exp : Rer : LDS	n contact estion contact mation. 50 (Rat): > 2,0 50 (Mouse): > 50 (Dog): > 1,2 50 (Rat): > 0.2 50 (Rat): > 0.2 50 (Rat): > 1,913 50 (Rat): 1,913	2,000 mg/kg 280 mg/kg 8 mg/l h a available
Acute Not cl Comp Florfe Acute Acute Acute	a toxicity lassified based on availa conents: enicol: e oral toxicity inhalation toxicity dermal toxicity toxicity (other routes of	Skir Inge Eye able infor : LDS LDS : LCS Exp : Rer : LDS App LDS	n contact estion contact mation. 50 (Rat): > 2,0 50 (Mouse): > 50 (Dog): > 1,2 50 (Rat): > 0.2 50 (Rat): > 0.2 50 (Rat): > 1,913 50 (Rat): 1,913	2,000 mg/kg 280 mg/kg 8 mg/l h a available 3 - 2,253 mg/kg :: Intraperitoneal
Acute Not cl Comp Florfe Acute Acute Acute admir	a toxicity lassified based on availa conents: enicol: e oral toxicity inhalation toxicity dermal toxicity toxicity (other routes of	Skir Inge Eye able infor : LDS LDS : LCS Exp : Rer : LDS App LDS	n contact estion contact mation. 50 (Rat): > 2,0 50 (Mouse): > 50 (Dog): > 1,2 50 (Rat): > 0.2 50 (Rat): > 0.2 50 (Rat): 1,913 50 (Rat): 1,913 50 (Rat): 1,913 50 (Rat): 1,913	2,000 mg/kg 280 mg/kg 8 mg/l h a available 3 - 2,253 mg/kg :: Intraperitoneal



Version 14.0	Revision Date: 2024/09/28		DS Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
Acute	inhalation toxicity	:	Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rat): > 5,0	000 mg/kg
Prop	ylene glycol:			
	e oral toxicity	:	LD50 (Rat): 22,0	00 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 44 Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rabbit): > Assessment: The toxicity	2,000 mg/kg e substance or mixture has no acute dermal
	corrosion/irritation es skin irritation.			
Com	oonents:			
Florfe	enicol:			
Speci Resul		:	Rabbit No skin irritation	
N-Me	thyl-2-pyrrolidone:			
Resu	lt	:	Skin irritation	
Prop	ylene glycol:			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Guid No skin irritation	eline 404
	us eye damage/eye in es serious eye irritation		ion	
Com	oonents:			
	enicol:			
Speci Resul		:	Rabbit Mild eye irritation	
	thyl-2-pyrrolidone:			
Speci Resul		:	Rabbit Irritation to eyes,	reversing within 21 days



Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/30
14.0	2024/09/28	26280-00026	Date of first issue: 2014/10/29

Propylene glycol:

Species Result Method	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Florfenicol:

Test Type	: Maximisation Test
Test Type Species Result	: Guinea pig
Result	: negative

N-Methyl-2-pyrrolidone:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Test Type Exposure routes Species Method Result Remarks	: Based on data from similar materials

Propylene glycol:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Test Type Exposure routes Species Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA damage and repair, unscheduled DNA syn thesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells



ersion 4.0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
			hromosome aberration test in vitro Chinese hamster ovary cells
Genot	toxicity in vivo	: Test Type: M Species: Mou Cell type: Bor Application R Result: negat	ne marrow oute: Oral
N-Met	thyl-2-pyrrolidone:		
Genot	toxicity in vitro	Method: OEC Result: negat	acterial reverse mutation assay (AMES) D Test Guideline 471 ive vitro mammalian cell gene mutation test
		Method: OEC Result: negat Test Type: DI	CD Test Guideline 476 ive NA damage and repair, unscheduled DNA syn- nmalian cells (in vitro)
Genot	toxicity in vivo	cytogenetic a Species: Mou Application R	use oute: Ingestion D Test Guideline 474
		cytogenetic te Species: Han Application R	oute: Ingestion D Test Guideline 475
Propy	/lene glycol:		
Genot	toxicity in vitro	Result: negat	
			hromosome aberration test in vitro 2D Test Guideline 473 ive
Genot	toxicity in vivo	cytogenetic a Species: Mou	



/ersion 14.0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
п		Result: negativ	/e
		rtooun: noguin	
Carc	inogenicity		
	lassified based on avai	lable information.	
Com	ponents:		
	enicol:		
Spec	cation Route	: Rat	
	sure time	: oral (gavage) : 2 Years	
Resu		: negative	
Targe	et Organs	: Liver, Testes	
Spec	ies	: Mouse	
	cation Route	: oral (gavage)	
	sure time	: 2 Years	
Resu		: negative	
Targe	et Organs	: Testes, Blood	
N-Me	thyl-2-pyrrolidone:		
Spec		: Rat	
Appli	cation Route	: Ingestion	
	sure time	: 2 Years	
Resu	lit	: negative	
Spec		: Rat	
	cation Route	: inhalation (vap	oour)
Expo Resu	sure time	: 2 Years	
Resu	in	: negative	
	ylene glycol:		
Spec		: Rat	
Appli	cation Route sure time	: Ingestion : 2 Years	
⊏xρo Resu		: negative	
		-	
-	oductive toxicity		
	damage the unborn chi	ia. Suspected of dam	naging tertility.
	ponents:		
	enicol:	_	
Effec	ts on fertility		o-generation reproduction toxicity study
		Species: Rat Application Ro	ute: Oral
			L: 12 mg/kg body weight
			sed pup survival, reduced lactation
Effec	ts on foetal develop-	: Test Type: Em	bryo-foetal development
		12 / 23	3



rsion .0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
ment		Embryo-foetal Result: No ter	ity Maternal: NOAEL: 4 mg/kg body weight toxicity: LOAEL: 40 mg/kg body weight atogenic effects, Fetotoxicity e effects were seen only at maternally toxic do
		Species: Mou Application Ro General Toxic	oute: oral (gavage) ity Maternal: NOAEL: 120 mg/kg body weight I toxicity: LOAEL: 40 mg/kg body weight
Reproc sessme	luctive toxicity - As- ent	fertility, based	ce of adverse effects on sexual function and on animal experiments., Some evidence of ts on development, based on animal experi-
N-Meth	yl-2-pyrrolidone:		
Effects	on fertility	Species: Rat Application Ro	vo-generation reproduction toxicity study oute: Ingestion D Test Guideline 416 ve
Effects ment	on foetal develop-	Species: Rat Application Ro	nbryo-foetal development oute: Ingestion D Test Guideline 414 re
		Species: Rat	rtility/early embryonic development oute: inhalation (vapour) re
		Species: Rabl	oute: Ingestion
Reproc sessme	luctive toxicity - As- ent	: Clear evidenc animal experi	e of adverse effects on development, based on ments.
Propyl	ene glycol:		
Effects	on fertility	Species: Mou	oute: Ingestion



Version 14.0	Revision Date: 2024/09/28	-	DS Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
Effec ment	ts on foetal develop-	:	Test Type: Embry Species: Mouse Application Route Result: negative	ro-foetal development : Ingestion
	- single exposure cause respiratory irritation	on.		
Com	ponents:			
N-Me Asses	thyl-2-pyrrolidone: ssment	:	May cause respir	atory irritation.
Caus	F - repeated exposure es damage to organs (L d or repeated exposure		, Brain, Testis, Spir	al cord, Blood, gallbladder) through pro-
Com	ponents:			
Targe	enicol: et Organs ssment	:		s, Spinal cord, Blood, gallbladder to organs through prolonged or repeated
Repe	ated dose toxicity			
<u>Com</u>	ponents:			
Spec NOAI Expo		:	Dog 3 mg/kg 13 Weeks Liver, Testis, Brai	n, Spinal cord
		:	Mouse 200 mg/kg 13 Weeks Liver, Testis	
		:	Rat 30 mg/kg 13 Weeks Liver, Testis	
	EL	:	Dog 3 mg/kg 12 mg/kg 52 Weeks Liver, gallbladder	
Spec	ies	:	Rat	



Version 14.0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29			
		: 1 mg/kg : 3 mg/kg : 52 Weeks : Testis				
N-Me	thyl-2-pyrrolidone:					
Speci NOAE LOAE Applic	es EL EL cation Route sure time	: Rat, male : 169 mg/kg : 433 mg/kg : Ingestion : 90 Days : OECD Test G	uideline 408			
	EL EL cation Route sure time	: Rat : 0.5 mg/l : 1 mg/l : inhalation (dus : 96 Days : OECD Test G				
	EL	: Rabbit : 826 mg/kg : 1,653 mg/kg : Skin contact : 20 Days				
Prop	ylene glycol:					
		: Rat, male : >= 1,700 mg/k : Ingestion : 2 yr	g			
Not cl	Aspiration toxicity Not classified based on available information. Experience with human exposure					
-	oonents:	Apocalo				
N-Me	thyl-2-pyrrolidone: contact	: Symptoms: Sk	in irritation			
12. ECOL	OGICAL INFORMATI	ON				
Ecoto	oxicity					
	oonents:					
Florfe	enicol: ity to fish	: LC50 (Lepomi	s macrochirus (Bluegill sunfish)): > 830 mg/l			
		15 / 2	3			



Version 14.0	Revision Date: 2024/09/28		0S Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
			Exposure time: 96 Method: FDA 4.17	
			LC50 (Oncorhync Exposure time: 96 Method: FDA 4.17	
	y to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokiro mg/l Exposure time: 14 Method: FDA 4.01	
			NOEC (Pseudokin mg/l Exposure time: 14 Method: FDA 4.01	
			IC50 (Skeletonem Exposure time: 72 Method: ISO 1025	
			NOEC (Skeletone Exposure time: 72 Method: ISO 1025	
			EC50 (Lemna gib Exposure time: 7 Method: OECD To	
			NOEC (Lemna gil Exposure time: 7 Method: OECD Te	
			EC50 (Navicula p Exposure time: 72 Method: OECD Te	
			NOEC (Navicula p Exposure time: 72 Method: OECD Te	
			EC50 (Anabaena Exposure time: 72 Method: OECD Te	
			NOEC (Anabaena Exposure time: 72 Method: OECD To	



sion 0	Revision Date: 2024/09/28		S Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
M-Fac icity)	ctor (Acute aquatic tox-	:	10	
	ity to fish (Chronic tox-	:	Exposure time	hales promelas (fathead minnow)): 5.5 mg/l : 32 d) Test Guideline 210
	ic invertebrates (Chron-	:	Exposure time	ia magna (Water flea)): 1.5 mg/l : 21 d) Test Guideline 211
M-Fac toxicit	ctor (Chronic aquatic y)	:	10	
N-Me	thyl-2-pyrrolidone:			
Toxici	ity to fish	:	LC50 (Oncorh Exposure time	ynchus mykiss (rainbow trout)): > 500 mg/l : 96 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphni Exposure time Method: DIN 3	
Toxici plants	ity to algae/aquatic	:	ErC50 (Desmo Exposure time	odesmus subspicatus (green algae)): 600.5 : 72 h
			EC10 (Desmo Exposure time	desmus subspicatus (green algae)): 92.6 m : 72 h
	ity to daphnia and other ic invertebrates (Chron-	:	Exposure time	ia magna (Water flea)): 12.5 mg/l : 21 d D Test Guideline 211
Toxici	ity to microorganisms	:	EC50: > 600 n Exposure time Method: ISO 8	: 30 min
II Propy	/lene glycol:			
	ity to fish	:	LC50 (Oncorh Exposure time	ynchus mykiss (rainbow trout)): 40,613 mg/l : 96 h
	ity to daphnia and other ic invertebrates	:	EC50 (Cerioda Exposure time	aphnia dubia (water flea)): 18,340 mg/l : 48 h
Toxici plants	ity to algae/aquatic	:	Exposure time	onema costatum (marine diatom)): 19,300 m : 72 h D Test Guideline 201
	ity to daphnia and other ic invertebrates (Chron-	:	NOEC (Ceriod Exposure time	aphnia dubia (water flea)): 13,020 mg/l : 7 d
	ity to microorganisms	:	NOEC (Pseud Exposure time	omonas putida): > 20,000 mg/l : 18 h



Version 14.0	Revision Date: 2024/09/28		0S Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
II				
	istence and degradabi	litv		
	ponents:	,		
N-Me	thyl-2-pyrrolidone:			
	egradability	:	Biodegradation Exposure time	
Prop	ylene glycol:			
	egradability	:	Biodegradation Exposure time	
Bioa	ccumulative potential			
Com	ponents:			
Florf	enicol:			
	ion coefficient: n- nol/water	:	log Pow: 0.373 pH: 7	3
N-Me	thyl-2-pyrrolidone:			
Partit	ion coefficient: n- nol/water	:	log Pow: -0.46 Method: OECI	6 D Test Guideline 107
Prop	ylene glycol:			
Partit	ion coefficient: n- nol/water	:		, lation (EC) No. 440/2008, Annex, A.8
Mobi	lity in soil			
<u>Com</u>	ponents:			
Florf	enicol:			
Distri	bution among environ- al compartments	:	Koc: 52 Method: FDA	3.08
	rdous to the ozone lay	/er		
	r adverse effects			

No data available



Version 14.0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
13. DISPO	OSAL CONSIDERATIO	NS	
Disp	osal methods		
Wast	e from residues		in accordance with local regulations.
Conta	aminated packaging	: Empty con dling site fo	tainers should be taken to an approved waste han- or recycling or disposal. wise specified: Dispose of as unused product.
14. TRAN	SPORT INFORMATIO	N	
Inter	national Regulations		
••••	TDG umber er shipping name	N.O.S.	MENTALLY HAZARDOUS SUBSTANCE, LIQUID,
	ing group	(Florfenico : 9 : III : 9	1)
Labe Envir	onmentally hazardous	: yes	

IA I A-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.



Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/30
14.0	2024/09/28	26280-00026	Date of first issue: 2014/10/29

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
N-Methyl-2-pyrrolidone	136
Propane-1,2-diol	106

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
N-Methyl-2-pyrrolidone	>=20 - <30	-
Propylene glycol	>=10 - <20	From April 1st, 2025

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
N-Methyl-2-pyrrolidone	-
Propylene glycol	From April 1st, 2025

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)



	Version 14.0	Revision Date: 2024/09/28	SDS Number: 26280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
--	-----------------	---------------------------	----------------------------	---

Chemical name	
N-methyl-2-pyrrolidone	

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
N-Methyl-2-pyrrolidone	746	25

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation :	Noxious	liquid substance(Category Y)
-----------------------	---------	------------------------------

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission)



Version 14.0	Revision Date: 2024/09/28		DS Number: 280-00026	Date of last issue: 2023/11/30 Date of first issue: 2014/10/29
Not ap	plicable			
	Disposal and Public	Cle	ansing Law	
The co	omponents of this pro	oduo	ct are reported in t	the following inventories:
AICS		:	not determined	
DSL		:	not determined	
IECSC	:	:	not determined	

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format :		yyyy/mm/dd				
Full text of other abbreviations						
ACGIH BEI JP OEL JSOH		ACGIH - Biological Exposure Indices (BEI) Japan. The Japan Society for Occupational Health. Recom- mendation of Occupational Exposure Limits				
		Occupational Exposure Limit Moon				

JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/30
14.0	2024/09/28	26280-00026	Date of first issue: 2014/10/29

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN