

Vers 14.0		Revision Date: 06.04.2024		S Number: 87-00026		ue: 30.11.2023 sue: 29.10.2014
Sec	tion 1: l	dentification				
	Product	name	:	Florfenicol Liquid	Formulation	
	Other m	neans of identification	:	NUFLOR LA INJ	ECTABLE SOLU	JTION (52201)
	Manufa Compa	acturer or supplier's d ny	letai :	ls MSD		
	Address	5	:	33 Whakatiki Stre Upper Hutt - New		908
	Telepho	one	:	0800 800 543		
	Emerge	ency telephone number	· :	0800 764 766 (08 CHEMCALL)	300 POISON)	0800 243 622 (0800
	E-mail a	address	:	EHSDATASTEW	ARD@msd.con	n
	Recom	mended use of the ch mended use ions on use	nemi : :	ical and restrictic Veterinary produc Not applicable		

Section 2: Hazard identification

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2
Reproductive toxicity	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallblad- der)
Hazardous to the aquatic environment - acute hazard	:	Category 1
Hazardous to the aquatic environment - chronic hazard	:	Category 1

GHS label elements



rsion .0	Revision Date: 06.04.2024	SDS Number: 26287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Hazar	d pictograms		
Signa	l word	: Danger	• •
Hazar	d statements	H335 May ca H360Df May o fertility. H372 Causes cord, Blood, g sure.	skin irritation. serious eye irritation. use respiratory irritation. damage the unborn child. Suspected of damagi damage to organs (Liver, Brain, Testis, Spinal gallbladder) through prolonged or repeated expo kic to aquatic life with long lasting effects.
Preca	utionary statements	[:] Prevention:	
		P260 Do not I P264 Wash s P270 Do not e P271 Use onI P273 Avoid re	special instructions before use. breathe mist or vapours. kin thoroughly after handling. eat, drink or smoke when using this product. y outdoors or in a well-ventilated area. elease to the environment. rotective gloves/ protective clothing/ eye protec- ection.
		Response:	
		P304 + P340 and keep com doctor if you f P305 + P351 for several mi easy to do. Co P308 + P313 attention. P332 + P313 tion.	 + P338 IF IN EYES: Rinse cautiously with wate nutes. Remove contact lenses, if present and ontinue rinsing. IF exposed or concerned: Get medical advice/ If skin irritation occurs: Get medical advice/ atte If eye irritation persists: Get medical advice/ atte
		Storage:	
		P405 Store lo	cked up.
		Disposal: P501 Dispose disposal plant	e of contents/ container to an approved waste

None known.



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
14.0	06.04.2024	26287-00026	Date of first issue: 29.10.2014

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	>= 30 -< 50
N-Methyl-2-pyrrolidone	872-50-4	>= 20 -< 30
Propylene glycol	57-55-6	>= 10 -< 20

Section 4: First-aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	:	advice. If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms	:	Causes skin irritation.
and effects, both acute and		Causes serious eye irritation.
delayed		May cause respiratory irritation. May damage the unborn child. Suspected of damaging fertili- ty.
		Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Alcohol-resistant foam
		Carbon dioxide (CO2)
		Dry chemical
Unsuitable extinguishing media	:	None known.



/ersion 4.0	Revision Date: 06.04.2024		OS Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Spec fightir	ific hazards during fire-	:	Exposure to c	ombustion products may be a hazard to health.
	rdous combustion prod-	:	Carbon oxide Nitrogen oxid	
Spec ods	ific extinguishing meth-	:	cumstances a Use water spi	hing measures that are appropriate to local cir- and the surrounding environment. ay to cool unopened containers. Imaged containers from fire area if it is safe to do a.
for fir	ial protective equipment efighters hem Code	:		f fire, wear self-contained breathing apparatus. protective equipment.
ection 6	: Accidental release me	eas	ures	
tive e	onal precautions, protec- quipment and emer- y procedures	:	Follow safe h	protective equipment. andling advice (see section 7) and personal pro- nent recommendations (see section 8).
Envir	onmental precautions	:	Prevent furthe Prevent sprea barriers). Retain and di	to the environment. er leakage or spillage if safe to do so. ading over a wide area (e.g. by containment or oil spose of contaminated wash water. ies should be advised if significant spillages atained.
	ods and materials for inment and cleaning up	:	For large spill ment to keep be pumped, s	inert absorbent material. s, provide dyking or other appropriate contain- material from spreading. If dyked material can tore recovered material in appropriate container. aining materials from spill with suitable absor-
			posal of this r employed in t mine which re Sections 13 a	nal regulations may apply to releases and dis- naterial, as well as those materials and items he cleanup of releases. You will need to deter- gulations are applicable. nd 15 of this SDS provide information regarding r national requirements.
ection 7	: Handling and storage	•		
Tech	nical measures	:		ing measures under EXPOSURE PERSONAL PROTECTION section.
	/Total ventilation		If oufficient ve	ntilation is uppygilable, upp with logal sybayot



Version 14.0	Revision Date: 06.04.2024	SDS Number: 26287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Hygia	ne measures	Handle in acc practice, base sessment Keep containe Already sensi to asthma, alle should consul tory irritants o Do not eat, dr Take care to p environment.	oroughly after handling. ordance with good industrial hygiene and safety ad on the results of the workplace exposure as- er tightly closed. tised individuals, and those susceptible ergies, chronic or recurrent respiratory disease, t their physician regarding working with respira-
i iygici	ne measures	flushing syste place. When using d Wash contam The effective engineering c appropriate de industrial hygi	o not eat, drink or smoke. inated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, egowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls.
	tions for safe storage ials to avoid	: Keep in prope Store locked u Keep tightly c Keep in a coo Store in accor	rly labelled containers. up. losed. I, well-ventilated place. dance with the particular national regulations. vith the following product types:

Section 8: Exposure controls/personal protection

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal	
N-Methyl-2-pyrrolidone	872-50-4	WES-TWA	10 ppm 40 mg/m3	NZ OEL	
	Further inform	ation: Skin abso	ption		
		WES-STEL	20 ppm 80 mg/m3	NZ OEL	
	Further inform	ation: Skin abso	rption		
Propylene glycol	57-55-6	WES-TWA (particulate)	10 mg/m3	NZ OEL	
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m3	NZ OEL	

Components with workplace control parameters



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
14.0	06.04.2024	26287-00026	Date of first issue: 29.10.2014

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI
Engineering measures	tec les All des pro	e appropriate e hnologies to co s quick connec engineering co sign and opera stect products, poratory opera	ontrol airborn ctions). ontrols shoul ted in accord workers, and	ne concentr d be implen dance with d the enviro	ations (e.g., d nented by faci GMP principle nment.	rip- lity s to
Personal protective equ	ipment					
Respiratory protection Filter type Hand protection Material	sur om : Co	dequate local re assessment mended guide mbined particu emical-resistar	demonstrate lines, use re lates and or	es exposure spiratory pr	es outside the otection.	
Eye protection Skin and body protection	If th mis We pot aer	ear safety glass ne work enviro sts or aerosols ear a faceshield ential for direc rosols. ork uniform or l	nment or act , wear the ap d or other ful t contact to t	ivity involve propriate g l face prote he face witl	es dusty condit oggles. ction if there is	sa

Section 9: Physical and chemical properties

Appearance	:	Aqueous solution
Colour	:	gold
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available

SAFETY DATA SHEET



Florfenicol Liquid Formulation

Version 14.0	Revision Date: 06.04.2024		S Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
rang	e			
Flast	h point	:	No data available	9
Evap	poration rate	:	No data available	9
Flam	nmability (solid, gas)	:	Not applicable	
Flam	nmability (liquids)	:	No data available	9
	er explosion limit / Upper mability limit	:	No data available	9
	er explosion limit / Lower mability limit	:	No data available	9
Vapo	our pressure	:	No data available	9
Rela	tive vapour density	:	No data available	9
Rela	tive density	:	No data available	9
Dens	sity	:	No data available	9
	bility(ies) /ater solubility	:	No data available	9
	tion coefficient: n- nol/water	:	Not applicable	
	-ignition temperature	:	No data available	9
Deco	omposition temperature	:	No data available	9
Visco V	osity ïscosity, kinematic	:	No data available	9
Expl	osive properties	:	Not explosive	
Oxid	izing properties	:	The substance o	r mixture is not classified as oxidizing.
	cle characteristics cle size	:	Not applicable	

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
3	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.





sion D	Revision Date: 06.04.2024		S Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
	patible materials dous decomposition cts	:	Oxidizing agents No hazardous d	s ecomposition products are known.
tion 11	: Toxicological inform	atic	n	
Exposure routes		:	Inhalation Skin contact Ingestion Eye contact	
	toxicity			
	assified based on availa	ble	information.	
<u>Comp</u>	oonents:			
	enicol:			
Acute	oral toxicity	:	LD50 (Rat): > 2,0	Juu mg/kg
			LD50 (Mouse): >	2,000 mg/kg
			LD50 (Dog): > 1,	280 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 0.2 Exposure time: 4	
Acute	dermal toxicity	:	Remarks: No data available	
	toxicity (other routes of istration)	:	LD50 (Rat): 1,91 Application Route	
			LD50 (Mouse): 1 Application Route	
N-Met	hyl-2-pyrrolidone:			
	oral toxicity	:	LD50 (Rat): 4,15	0 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 5.1 Exposure time: 4 Test atmosphere Method: OECD 1	h
Acute	dermal toxicity	:	LD50 (Rat): > 5,0	000 mg/kg
Prop	/lene glycol:			
	oral toxicity	:	LD50 (Rat): 22,0	00 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 44 Exposure time: 4 Test atmosphere	h
Acute	dermal toxicity	:	LD50 (Rabbit): >	2,000 mg/kg



Version 14.0	Revision Date: 06.04.2024	SDS Numbe 26287-0002	
		Assessn toxicity	nent: The substance or mixture has no acute derma
II			
	corrosion/irritation		
	es skin irritation.		
Com	ponents:		
	enicol:		
Spec Resu		: Rabbit : No skin	rritation
Resu	iii.	. NO SKIT	Intation
N-Me	thyl-2-pyrrolidone:		
Resu		: Skin irrit	ation
Prop	ylene glycol:		
Spec		: Rabbit	
Meth Resu		: OECD T : No skin	est Guideline 404
	ous eye damage/eye		
	es serious eye irritatio ponents:	n.	
	enicol:		
Spec		: Rabbit	
Resu			irritation
N-Me	thyl-2-pyrrolidone:		
Spec		: Rabbit	
Resu	lt	: Irritation	to eyes, reversing within 21 days
Prop	ylene glycol:		
Spec		: Rabbit	
Resu Meth			rritation est Guideline 405
Meth	u	. UECD I	
Resp	piratory or skin sensi	tisation	
Skin	sensitisation		
Not c	lassified based on ava	ailable informatio	n

Respiratory sensitisation

Not classified based on available information.



ersion I.0	Revision Date: 06.04.2024	SDS Number: 26287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
•			
Comp	oonents:		
	enicol:		
Test		: Maximisatio	n Test
Speci Resul		: Guinea pig : negative	
N-Me	thyl-2-pyrrolidone:		
Test			node assay (LLNA)
	sure routes	: Skin contac	t
Speci Metho		: Mouse · OECD Test	Guideline 429
Resu		: negative	
Rema	arks		ata from similar materials
	ylene glycol:		
Test		: Maximisatio	
Expos	sure routes	: Skin contac : Guinea pig	t .
Resu		: negative	
Germ Not cl	nic toxicity a cell mutagenicity lassified based on av ponents:	ailable information.	
Florfe	enicol:		
Geno	toxicity in vitro	: Test Type: I Result: nega	Bacterial reverse mutation assay (AMES) ative
		thesis in ma	DNA damage and repair, unscheduled DNA syn mmalian cells (in vitro) i: rat hepatocytes ative
			n vitro mammalian cell gene mutation test n: mouse lymphoma cells ative
			Chromosome aberration test in vitro c Chinese hamster ovary cells tive
Geno			Micronucleus test



rsion 0	Revision Date: 06.04.2024	SDS Number: 26287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
	thyl-2-pyrrolidone: toxicity in vitro	Method: OECE	cterial reverse mutation assay (AMES) D Test Guideline 471
		Method: OECE Result: negativ	vitro mammalian cell gene mutation test D Test Guideline 476 ve
			A damage and repair, unscheduled DNA syn malian cells (in vitro) /e
Geno	toxicity in vivo	cytogenetic as Species: Mous Application Ro	ute: Ingestion D Test Guideline 474
		cytogenetic tes Species: Hams Application Ro	ute: Ingestion) Test Guideline 475
Prop	ylene glycol:		
	toxicity in vitro	: Test Type: Bao Result: negativ	cterial reverse mutation assay (AMES) /e
			romosome aberration test in vitro D Test Guideline 473 /e
Geno	toxicity in vivo	cytogenetic as Species: Mous	e ute: Intraperitoneal injection
	i nogenicity lassified based on av	ailable information.	
<u>Com</u>	ponents:		
Florfe	enicol:		
Speci		: Rat	

Species Application Route Exposure time Result	: Rat
Application Route	: oral (gavage)
Exposure time	: 2 Years
Result	: negative

SAFETY DATA SHEET



	Revision Date: 06.04.2024	SDS Number: 26287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
IITarge	t Organs	: Liver, Test	65
Inarge	a Organs		65
Expos	cation Route sure time	: Mouse : oral (gava : 2 Years	ge)
Resul Targe	t et Organs	: negative : Testes, Bl	bod
N-Me	thyl-2-pyrrolidone:		
Speci		: Rat	
	cation Route	: Ingestion	
	sure time	: 2 Years	
Resu	t	: negative	
Speci	es	: Rat	
	cation Route	: inhalation	(vapour)
	sure time	: 2 Years	
Resu	t	: negative	
Propy	vlene glycol:		
Speci		: Rat	
	cation Route	: Ingestion	
Expos Resu	sure time	: 2 Years : negative	
-	oductive toxicity Jamage the unborn chi	ld Suspected of	domoging fortility
iviay C	-	iu. Suspected of	
<u>Comp</u>	<u>ponents:</u>		
Florfe	oonents: enicol: is on fertility	Species: F Application Fertility: L	: Two-generation reproduction toxicity study Rat n Route: Oral DAEL: 12 mg/kg body weight creased pup survival, reduced lactation
Florfe Effect	enicol:	Species: F Application Fertility: L0 Result: de : Test Type Species: F General T Embryo-fo Result: No	Rat n Route: Oral DAEL: 12 mg/kg body weight creased pup survival, reduced lactation : Embryo-foetal development



Version 14.0	Revision Date: 06.04.2024		0S Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Repro	oductive toxicity - As- nent	:	fertility, based o	of adverse effects on sexual function and n animal experiments., Some evidence of on development, based on animal experi-
II N-Me	thyl-2-pyrrolidone:			
	ts on fertility	:	Species: Rat Application Rou	Test Guideline 416
Effect ment	ts on foetal develop-	:	Species: Rat Application Rou	ryo-foetal development te: Ingestion Test Guideline 414
			Species: Rat	lity/early embryonic development te: inhalation (vapour)
			Test Type: Emb Species: Rabbit Application Rou Result: positive	
Repro sessr	oductive toxicity - As- nent	:	Clear evidence animal experime	of adverse effects on development, based on ents.
	ylene glycol:			
Effect	ts on fertility	:	Test Type: Two Species: Mouse Application Rou Result: negative	te: Ingestion
Effect ment	ts on foetal develop-	:	Test Type: Emb Species: Mouse Application Rou Result: negative	te: Ingestion
	- single exposure cause respiratory irritati	on.		
Com	oonents:			
N-Me Asses	thyl-2-pyrrolidone: ssment	:	May cause resp	iratory irritation.



Version 14.0	Revision Date: 06.04.2024	SDS Number: 26287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Cause longe <u>Comp</u> Florfe	- repeated exposur es damage to organs d or repeated exposu ponents: enicol: et Organs	(Liver, Brain, Testis re.	, Spinal cord, Blood, gallbladder) through pro Testis, Spinal cord, Blood, gallbladder
	ssment		hage to organs through prolonged or repeated
Repe	ated dose toxicity		
<u>Comp</u>	oonents:		
	enicol:		
Speci NOAE		: Dog : 3 mg/kg	
	sure time	: 13 Weeks	
	et Organs	: Liver, Testis	, Brain, Spinal cord
Speci	es	: Mouse	
NOAE	EL	: 200 mg/kg	
	sure time et Organs	: 13 Weeks : Liver, Testis	
	Ū		
Speci NOAE		: Rat : 30 mg/kg	
_	sure time	: 30 mg/kg : 13 Weeks	
	et Organs	: Liver, Testis	
Speci	es	: Dog	
NOAE	ΞL	: 3 mg/kg	
LOAE	EL suro timo	: 12 mg/kg : 52 Weeks	
	sure time et Organs	: Liver, gallbla	adder
Speci	es	: Rat	
NOAE	EL	: 1 mg/kg	
LOAE	EL sure time	: 3 mg/kg : 52 Weeks	

Species NOAEL LOAEL Application Route Exposure time Method	: Rat, male
NOAEL	: 169 mg/kg
LOAEL	: 433 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

: Rat

Species

SAFETY DATA SHEET



Version 14.0	Revision Date: 06.04.2024		0S Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
	EL cation Route sure time	:	0.5 mg/l 1 mg/l inhalation (dust/n 96 Days OECD Test Guid	
	EL	:	Rabbit 826 mg/kg 1,653 mg/kg Skin contact 20 Days	
Spec NOAI Appli		:	Rat, male >= 1,700 mg/kg Ingestion 2 yr	
Not c Expe	ration toxicity lassified based on avail rience with human ex ponents:			
N-Me Skin	ethyl-2-pyrrolidone: contact 2: Ecological informat	:	Symptoms: Skin	irritation
Ecote	oxicity ponents:			
	enicol: hity to fish	:	LC50 (Lepomis n Exposure time: 9 Method: FDA 4.1	
			LC50 (Oncorhynd Exposure time: 9 Method: FDA 4.1	
	ity to daphnia and othei tic invertebrates	r:	Exposure time: 4	nagna (Water flea)): > 330 mg/l 8 h ēest Guideline 202
Toxic plants	ity to algae/aquatic s	:	EC50 (Pseudokir mg/l Exposure time: 1 Method: FDA 4.0	



/ersion 4.0	Revision Date: 06.04.2024		0S Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
			NOEC (Pseudokin mg/l Exposure time: 14 Method: FDA 4.0	
			IC50 (Skeletonem Exposure time: 72 Method: ISO 1025	
			NOEC (Skeletone Exposure time: 72 Method: ISO 1025	
			EC50 (Lemna gib Exposure time: 7 Method: OECD T	
			NOEC (Lemna gil Exposure time: 7 Method: OECD T	
			EC50 (Navicula p Exposure time: 72 Method: OECD T	
			NOEC (Navicula Exposure time: 72 Method: OECD T	
			EC50 (Anabaena Exposure time: 72 Method: OECD T	
			NOEC (Anabaena Exposure time: 72 Method: OECD T	
	ctor (Acute aquatic tox-	:	10	
icity) Toxic icity)	ity to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32 Method: OECD T	
	ity to daphnia and other ic invertebrates (Chron- icity)	:	NOEC (Daphnia r Exposure time: 2′ Method: OECD T	
M-Factoric	ctor (Chronic aquatic	:	10	
N-Me	thyl-2-pyrrolidone:			
Toxic	ity to fish	:	LC50 (Oncorhync	hus mykiss (rainbow trout)): > 500 mg/l



sion)	Revision Date: 06.04.2024		287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
-				
			Exposure time: 96) h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 24 Method: DIN 384	
Toxic plants	ity to algae/aquatic	:	ErC50 (Desmode Exposure time: 72	smus subspicatus (green algae)): 600.5 m ! h
			EC10 (Desmodes Exposure time: 72	mus subspicatus (green algae)): 92.6 mg/ ? h
	ity to daphnia and other tic invertebrates (Chron- icity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD To	
Toxic	ity to microorganisms	:	EC50: > 600 mg/l Exposure time: 30 Method: ISO 8192	
Prop	ylene glycol:			
Toxic	ity to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l 5 h
	ity to daphnia and other tic invertebrates	:	EC50 (Ceriodaph Exposure time: 48	nia dubia (water flea)): 18,340 mg/l 3 h
Toxic plants	ity to algae/aquatic	:	ErC50 (Skeletone Exposure time: 72 Method: OECD Te	
aquat	ity to daphnia and other tic invertebrates (Chron-	:	NOEC (Ceriodapł Exposure time: 7	nnia dubia (water flea)): 13,020 mg/l d
ic toxi Toxic	ity to microorganisms	:	NOEC (Pseudom Exposure time: 18	onas putida): > 20,000 mg/l s h
Persi	stence and degradabili	ty		
Com	ponents:			
-	thyl-2-pyrrolidone: gradability	:	Result: Readily bi Biodegradation: 7 Exposure time: 28 Method: OECD Te	73 %
	ylene glycol: egradability	:	Result: Readily bi Biodegradation: S Exposure time: 28	98.3 %





/ersion 4.0	Revision Date: 06.04.2024		0S Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
I			Method: OECI	D Test Guideline 301F
II Bioac	cumulative potential			
Comp	oonents:			
Florfe	enicol:			
	on coefficient: n- ol/water	:	log Pow: 0.373 pH: 7	3
N-Met	thyl-2-pyrrolidone:			
	on coefficient: n- ol/water	:		D Test Guideline 107
Propy	/lene glycol:			
	on coefficient: n- ol/water	:	log Pow: -1.07 Method: Regu	ation (EC) No. 440/2008, Annex, A.8
Mobil	ity in soil			
Comp	oonents:			
Florfe	enicol:			
	oution among environ- al compartments	:	Koc: 52 Method: FDA	3.08
Other	adverse effects			
No da	ta available			
ection 13	3: Disposal considerat	tion	6	
Dispo	osal methods			
-	e from residues	:		e of waste into sewer.
Conta	minated packaging	:	Empty contain dling site for re	accordance with local regulations. ers should be taken to an approved waste har ccycling or disposal. e specified: Dispose of as unused product.
ection 14	I: Transport information	on		

UNRTDG UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
Class Packing group	:	9





Version 14.0	Revision Date: 06.04.2024		98 Number: 287-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
La	bels	:	9	
En	vironmentally hazardous	:	yes	
IA	IATA-DGR			
UN	I/ID No.	:	UN 3082	
Pro	oper shipping name	:	Environmentally h (Florfenicol)	nazardous substance, liquid, n.o.s.
	ass	:	9	
	cking group	:		
	bels	:	Miscellaneous	
	cking instruction (cargo	:	964	
	craft) cking instruction (passen-	:	964	
	r aircraft)	·	304	
	vironmentally hazardous	:	ves	
	DG-Code		,	
	I number		UN 3082	
	oper shipping name	÷		ALLY HAZARDOUS SUBSTANCE, LIQUID,
			N.O.S.	······, ······, ·····, ·····, ·····, ·····, ·····, ·····, ·····, ·····, ·····, ·····, ······
			(Florfenicol)	
	ass	:	9	
	cking group	:		
	bels	:	9	
	nS Code	÷	F-A, S-F	
	arine pollutant	•	yes	
				OL 73/78 and the IBC Code
No	t applicable for product as	sup	plied.	
Na	tional Regulations			
NZ	S 5433			
-	l number	:	UN 3082	
Pro	oper shipping name	:		ALLY HAZARDOUS SUBSTANCE, LIQUID,
			N.O.S. (Florfenicol)	
	ass	:	9	
	cking group	:	III	
	bels	:	9	

Special precautions for user

Hazchem Code

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

: 3Z

: no

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
14.0	06.04.2024	26287-00026	Date of first issue: 29.10.2014

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Chemical name	Environmental compartment	Reference concentration
2-Pyrrolidinone, 1-methyl-	Air	0.4 mg/m3
2-Pyrrolidinone, 1-methyl-	Drinking Water	0.375 mg/l
2-Pyrrolidinone, 1-methyl-	Skin/Surface Deposition	0.83 mg/m2

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	06.04.2024
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
Full text of other abbreviation	ons	
ACGIH BEI NZ OEL	:	ACGIH - Biological Exposure Indices (BEI) New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
NZ OEL / WES-TWA NZ OEL / WES-STEL	:	Workplace Exposure Standard - Time Weighted average Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

SAFETY DATA SHEET



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
14.0	06.04.2024	26287-00026	Date of first issue: 29.10.2014

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System: GLP - Good Laboratory Practice: IARC - International Agency for Research on Cancer: IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN