



Version 9.0	Revision Date: 06.04.2024		S Number: 290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Section 1:	Identification			
Produ	uct identifier	:	Florfenicol Liquic	Formulation
Other tion	Other means of identifica- tion		NUFLOR LA INJ	ECTABLE SOLUTION (52201)
Reco	mmended use of the cl	nem	ical and restriction	ons on use
	nmended use ctions on use	:	Veterinary produ Not applicable	ct
Manu	facturer or supplier's d	leta	ils	
Comp	any	:	MSD	
Addre	SS	:	50 Tuas West Dr Singapore - Sing	
Telepl	hone	:	+1-908-740-4000	0
Emerç	gency telephone number	· :	65 6697 2111 (2	4/7/365)
E-mai	l address	:	EHSDATASTEW	/ARD@msd.com
	Horord identification			

Section 2: Hazard identification

Classification of the substance or mixture

Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallblad- der)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS Label elements, including precautionary statements



ersion 0	Revision Date: 06.04.2024	SDS Number: 26290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Hazai	rd pictograms		!
Signa	l word	: Danger	$\mathbf{\vee}$
Hazaı	rd statements	H319 Causes H335 May ca H360Df May fertility. H372 Causes cord, Blood, g sure.	s skin irritation. s serious eye irritation. use respiratory irritation. damage the unborn child. Suspected of damage damage to organs (Liver, Brain, Testis, Spina gallbladder) through prolonged or repeated exp xic to aquatic life with long lasting effects.
Preca	autionary statements	P202 Do not and understo P260 Do not P264 Wash s P270 Do not P271 Use on P273 Avoid re P280 Wear p	special instructions before use. handle until all safety precautions have been re od. breathe mist or vapours. kin thoroughly after handling. eat, drink or smoke when using this product. ly outdoors or in a well-ventilated area. elease to the environment. rotective gloves/ protective clothing/ eye protect tection/ hearing protection.
		Response: P302 + P352 P304 + P340 and keep condector if you for the several minimum of the several minimum	IF ON SKIN: Wash with plenty of water. + P312 IF INHALED: Remove person to fresh nfortable for breathing. Call a POISON CENTE eel unwell. + P338 IF IN EYES: Rinse cautiously with wat inutes. Remove contact lenses, if present and ontinue rinsing. IF exposed or concerned: Get medical advice, If skin irritation occurs: Get medical advice/ at If eye irritation persists: Get medical advice/ a
		Storage: P405 Store lo Disposal:	ocked up.



Version	Revision Date:	SDS Number: 26290-00026	Date of last issue: 30.11.2023
9.0	06.04.2024		Date of first issue: 29.10.2014

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	>= 30 -< 50
N-Methyl-2-pyrrolidone	872-50-4	>= 20 -< 30

Section 4: First-aid measures

Description of necessary fir	Description of necessary first-aid measures						
General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.					
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.					
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.					
In case of eye contact	:						
If swallowed	:						
Most important symptoms a	and	effects, both acute and delayed					
Risks	:	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May damage the unborn child. Suspected of damaging fertili- ty.					
Protection of first-aiders	:	Causes damage to organs through prolonged or repeated exposure. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).					
Indication of any immediate	e me	edical attention and special treatment needed					
Treatment	:	Treat symptomatically and supportively.					



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
9.0	06.04.2024	26290-00026	Date of first issue: 29.10.2014

Section 5: Fire-fighting measures

Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Special hazards arising from	n th	e substance or mixture
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx)
Special protective actions for	or fi	re-fighters
Special protective equipment for firefighters Specific extinguishing meth- ods		In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Section 6: Accidental release measures

• • •	uipment and emergency procedures
Personal precautions :	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containm	nent and cleaning up
Methods for cleaning up :	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items





Version 9.0	Revision Date: 06.04.2024	SDS Number: 26290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
		mine which re Sections 13 a	ne cleanup of releases. You will need to deter- gulations are applicable. nd 15 of this SDS provide information regarding r national requirements.
Section 7:	Handling and storag	e	
Preca	utions for safe handl	ing	
Techr	nical measures		ing measures under EXPOSURE
Local/	Total ventilation		PERSONAL PROTECTION section. ntilation is unavailable, use with local exhaust
	e on safe handling	: Do not get on Do not breath Do not swallo Do not get in o Wash skin tho Handle in acc practice, base sessment Keep containe Already sensi to asthma, allo should consul tory irritants o Do not eat, dr Take care to p environment.	eyes. broughly after handling. ordance with good industrial hygiene and safety ed on the results of the workplace exposure as- er tightly closed. tised individuals, and those susceptible ergies, chronic or recurrent respiratory disease, t their physician regarding working with respira- r sensitisers. ink or smoke when using this product. prevent spills, waste and minimize release to the
Hygie	ne measures	flushing syste place. When using d Wash contam The effective engineering c appropriate de industrial hygi	chemical is likely during typical use, provide ey ms and safety showers close to the working o not eat, drink or smoke. inated clothing before re-use. operation of a facility should include review of ontrols, proper personal protective equipment, egowning and decontamination procedures, ene monitoring, medical surveillance and the strative controls.
Cond	itions for safe storag	e, including any in	compatibilities
Condi	tions for safe storage	Store locked u Keep tightly c Keep in a coo	
Mater	ials to avoid		vith the following product types:



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
9.0	06.04.2024	26290-00026	Date of first issue: 29.10.2014

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Appropriate engineering : control measures	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
Individual protection measures	s, such as personal protective equipment (PPE)
Eye/face protection :	Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Work uniform or laboratory coat.
If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Combined particulates and organic vapour type
Chemical-resistant gloves

Section 9: Physical and chemical properties

Appearance

: Aqueous solution



Vers 9.0	sion	Revision Date: 06.04.2024		S Number: 290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
	Colour		:	gold	
	Odour		:	No data available)
	Odour ⁻	Threshold	:	No data available)
	pН		:	No data available)
	Melting	point/freezing point	:	No data available)
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	No data available)
	Evapor	ation rate	:	No data available)
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available)
		explosion limit / Upper bility limit	:	No data available)
		explosion limit / Lower bility limit	:	No data available	•
	Vapour	pressure	:	No data available)
	Relative	e vapour density	:	No data available)
	Relative	e density	:	No data available)
	Density	,	:	No data available)
	Solubili Wat	ty(ies) er solubility	:	No data available	•
		n coefficient: n-	:	Not applicable	
	octanol Auto-ig	nition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	mixture is not classified as oxidizing.





ersion .0	Revision Date: 06.04.2024		S Number: 290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
	ele characteristics Sle size	:	Not applicable	
ection 1	0: Stability and reactivi	ty		
	tivity nical stability bility of hazardous reac-	:	Stable under nor	a reactivity hazard. mal conditions. rong oxidizing agents.
Cond Incon	itions to avoid npatible materials rdous decomposition icts	::	None known. Oxidizing agents No hazardous de	ecomposition products are known.
ection 1	1: Toxicological inform	atic	on	
Inforr expos	nation on likely routes of sure	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity lassified based on availa	ble	information.	
Com	oonents:			
	enicol:		LD50 (Rat): > 2,0	00 ma/ka
/ 100110	oral toxicity		LD00 (Mal). > 2,0	
	e oral toxicity	•		
	oral toxicity	•	LD50 (Mouse): >	2,000 mg/kg
Acute	e oral toxicity e inhalation toxicity	:	LD50 (Mouse): > LD50 (Dog): > 1,2 LC50 (Rat): > 0.2 Exposure time: 4	2,000 mg/kg 280 mg/kg 8 mg/l
	·	:	LD50 (Dog): > 1,2 LC50 (Rat): > 0.2	2,000 mg/kg 280 mg/kg 8 mg/l h
Acute Acute	e inhalation toxicity	:	LD50 (Dog): > 1,2 LC50 (Rat): > 0.2 Exposure time: 4	2,000 mg/kg 280 mg/kg 8 mg/l h a available 3 - 2,253 mg/kg
Acute Acute	e inhalation toxicity e dermal toxicity e toxicity (other routes of	:	LD50 (Dog): > 1,2 LC50 (Rat): > 0.2 Exposure time: 4 Remarks: No data LD50 (Rat): 1,913	2,000 mg/kg 280 mg/kg 8 mg/l h a available 3 - 2,253 mg/kg :: Intraperitoneal
Acute Acute admin	e inhalation toxicity e dermal toxicity e toxicity (other routes of histration) thyl-2-pyrrolidone:	:	LD50 (Dog): > 1,2 LC50 (Rat): > 0.2 Exposure time: 4 Remarks: No data LD50 (Rat): 1,913 Application Route LD50 (Mouse): 10 Application Route	2,000 mg/kg 280 mg/kg 8 mg/l h a available 8 - 2,253 mg/kg :: Intraperitoneal 00 mg/kg :: Intravenous
Acute Acute admin N-Me Acute	e inhalation toxicity e dermal toxicity e toxicity (other routes of histration)	:	LD50 (Dog): > 1,2 LC50 (Rat): > 0.2 Exposure time: 4 Remarks: No data LD50 (Rat): 1,913 Application Route LD50 (Mouse): 10	2,000 mg/kg 280 mg/kg 8 mg/l h a available 8 - 2,253 mg/kg :: Intraperitoneal 00 mg/kg :: Intravenous



rsion)	Revision Date: 06.04.2024	SDS Number: 26290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
11		Method: OE0	CD Test Guideline 403
Acute	e dermal toxicity	: LD50 (Rat): :	> 5,000 mg/kg
II Skin	corrosion/irritation		
	es skin irritation.		
	ponents:		
Florfe Speci	enicol:	: Rabbit	
Resu		: No skin irrita	tion
	thyl-2-pyrrolidone:		
Resu	It	: Skin irritation	
	ous eye damage/eye i		
	es serious eye irritatior	1.	
	ponents:		
	enicol:	. Dabbit	
Speci Resu		: Rabbit : Mild eye irrita	ation
	thyl-2-pyrrolidone:		
Speci Resu		: Rabbit : Irritation to e	yes, reversing within 21 days
Resp	iratory or skin sensit	isation	
Skin	sensitisation		
Not c	lassified based on avai	lable information.	
•	iratory sensitisation		
	lassified based on avai	lable information.	
	ponents:		
	enicol:	: Maximisation	Toot
Test Speci		: Guinea pig	
Resu		: negative	
N-Me	thyl-2-pyrrolidone:		
Test			node assay (LLNA)
HEVDO	sure routes	: Skin contact : Mouse	
			Guideline 429
Speci Metho	bc		



U.S.				
Remar	ks	:	Based on data	from similar materials
Not cla	cell mutagenicity assified based on ava onents:	ailable	information.	
Florfe Genote	nicol: oxicity in vitro	:	Test Type: Bac Result: negativ	terial reverse mutation assay (AMES) e
				itro mammalian cell gene mutation test ouse lymphoma cells e
				omosome aberration test in vitro hinese hamster ovary cells
Genoto	oxicity in vivo	:	Test Type: Mich Species: Mouse Cell type: Bone Application Rou Result: negativ	e e marrow ute: Oral
N-Met	hyl-2-pyrrolidone:			
	oxicity in vitro	:		terial reverse mutation assay (AMES) Test Guideline 471 e
				itro mammalian cell gene mutation test) Test Guideline 476 e
				A damage and repair, unscheduled DNA syn- nalian cells (in vitro) e
Genote	oxicity in vivo	:	cytogenetic ass Species: Mouse Application Rol	e ute: Ingestion 9 Test Guideline 474
			Test Type: Mut	agenicity (in vivo mammalian bone-marrow



Version 9.0	Revision Date: 06.04.2024	SDS Number: 26290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
		Species: Ham Application Ro	oute: Ingestion D Test Guideline 475
Not cl	nogenicity assified based on avail	able information.	
	oonents:		
Speci Applic Expos Resul	cation Route sure time	: Rat : oral (gavage) : 2 Years : negative : Liver, Testes	
Expos Resul	cation Route sure time	: Mouse : oral (gavage) : 2 Years : negative : Testes, Blood	
N-Me	thyl-2-pyrrolidone:		
	cation Route sure time	: Rat : Ingestion : 2 Years : negative	
	cation Route sure time	: Rat : inhalation (vap : 2 Years : negative	bour)
May o	oductive toxicity Jamage the unborn chil ponents:	d. Suspected of dan	naging fertility.
	enicol: s on fertility	Species: Rat Application Ro Fertility: LOAE	vo-generation reproduction toxicity study oute: Oral EL: 12 mg/kg body weight ased pup survival, reduced lactation
Effect ment	s on foetal develop-	Species: Rat General Toxic	nbryo-foetal development ity Maternal: NOAEL: 4 mg/kg body weight toxicity: LOAEL: 40 mg/kg body weight



sion	Revision Date: 06.04.2024		9S Number: 290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
			Remarks: The es.	atogenic effects, Fetotoxicity effects were seen only at maternally toxic do nbryo-foetal development
			Application Ro General Toxic	oute: oral (gavage) ity Maternal: NOAEL: 120 mg/kg body weight toxicity: LOAEL: 40 mg/kg body weight
Repro sessn	oductive toxicity - As- nent	:	fertility, based	e of adverse effects on sexual function and on animal experiments., Some evidence of s on development, based on animal experi-
N-Me	thyl-2-pyrrolidone:			
Effect	s on fertility	:	Species: Rat Application Ro	vo-generation reproduction toxicity study oute: Ingestion D Test Guideline 416 ve
Effect ment	s on foetal develop-	:	Species: Rat Application Ro	nbryo-foetal development oute: Ingestion D Test Guideline 414 e
			Species: Rat	rtility/early embryonic development oute: inhalation (vapour) e
			Species: Rabl	oute: Ingestion
Repro sessn	oductive toxicity - As- nent	:	Clear evidenc animal experi	e of adverse effects on development, based on nents.
	- single exposure ause respiratory irritati	on.		
	oonents:			
	thyl-2-pyrrolidone:			
Asses	sment	:	May cause re	spiratory irritation.



Elertonical Liquid Eermulation

	nicol Liquid Fo	mulation	
Version 9.0	Revision Date: 06.04.2024	SDS Number: 26290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
Caus longe <u>Com</u> Florfe Targe	F - repeated exposur es damage to organs ed or repeated exposu ponents: enicol: et Organs ssment	(Liver, Brain, Testis, re. : Liver, Brain, ⁻	Spinal cord, Blood, gallbladder) through pr Testis, Spinal cord, Blood, gallbladder age to organs through prolonged or repeate
Repe	ated dose toxicity		
Com	ponents:		
Florf	enicol:		
Spec		: Dog	
NOA	=∟ sure time	: 3 mg/kg : 13 Weeks	
	et Organs		Brain, Spinal cord
Spec	ies	: Mouse	
NOA	EL	: 200 mg/kg	
	sure time et Organs	: 13 Weeks	
Targe	et Organs	: Liver, Testis	
Spec		: Rat	
NOA	±L sure time	: 30 mg/kg : 13 Weeks	
	et Organs	: Liver, Testis	
Spec	ies	: Dog	
NOA	EL	: 3 mg/kg	
LOAE		: 12 mg/kg	
	sure time et Organs	: 52 Weeks : Liver, gallblad	dder
Spec	ies	: Rat	
NOA	EL	: 1 mg/kg	
LOAE		: 3 mg/kg	
	sure time et Organs	: 52 Weeks : Testis	
N-Me	thyl-2-pyrrolidone:		
Spec	ies	: Rat, male	
NOA		: 169 mg/kg	
LOAE	L cation Route	: 433 mg/kg	

Method

Species



Versior 9.0	n Revision Date: 06.04.2024	-	0S Number: 290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014
LC Ar E> Mi Sr LC Ar E>	DAEL DAEL oplication Route cposure time ethod Decies DAEL DAEL DAEL oplication Route cposure time		0.5 mg/l 1 mg/l inhalation (dust/m 96 Days OECD Test Guide Rabbit 826 mg/kg 1,653 mg/kg Skin contact 20 Days	
No	ot classified based on availa	ble	information.	
E>	perience with human exp	osi	ıre	
<u>Co</u>	omponents:			
	Methyl-2-pyrrolidone: kin contact	:	Symptoms: Skin i	irritation
Тс <u>Сс</u>	n 12: Ecological informati oxicity omponents:			
	orfenicol: oxicity to fish		LC50 (Lepomis m	nacrochirus (Bluegill sunfish)): > 830 mg/l
		•	Exposure time: 9 Method: FDA 4.1	6 h
			LC50 (Oncorhynd Exposure time: 9 Method: FDA 4.1	
	oxicity to daphnia and other juatic invertebrates	:	Exposure time: 4	nagna (Water flea)): > 330 mg/l 8 h rest Guideline 202
	oxicity to algae/aquatic ants	:	EC50 (Pseudokir mg/l Exposure time: 14 Method: FDA 4.0	
			NOEC (Pseudoki mg/l Exposure time: 1- Method: FDA 4.0	rchneriella subcapitata (green algae)): 2.9 4 d 1
			IC50 (Skeletonen	na costatum (marine diatom)): 0.0336 mg/l



M-Factor (Acute aquatic tox- : icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7 Method: ISO 102 EC50 (Lemna gi Exposure time: 7 Method: OECD 7 NOEC (Lemna gi Exposure time: 7 Method: OECD 7 EC50 (Navicula Exposure time: 7 Method: OECD 7 NOEC (Navicula Exposure time: 7 Method: OECD 7 EC50 (Anabaen Exposure time: 7 Method: OECD 7 NOEC (Anabaen Exposure time: 7 Method: OECD 7	253 nema costatum (marine diatom)): 0.00423 mg/l 72 h 253 ibba (gibbous duckweed)): 0.76 mg/l 7 d Test Guideline 221 gibba (gibbous duckweed)): 0.39 mg/l 7 d Test Guideline 221 pelliculosa (Freshwater diatom)): 61 mg/l 72 h Test Guideline 201 a pelliculosa (Freshwater diatom)): 19 mg/l 72 h Test Guideline 201 a flos-aquae): 0.066 mg/l
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Method: ISO 102 NOEC (Skeleton Exposure time: 7 Method: ISO 102 EC50 (Lemna gi Exposure time: 7 Method: OECD NOEC (Lemna gi Exposure time: 7 Method: OECD EC50 (Navicula Exposure time: 7 Method: OECD NOEC (Navicula Exposure time: 7 Method: OECD EC50 (Anabaen Exposure time: 7 Method: OECD NOEC (Anabaen Exposure time: 7 Method: OECD	253 nema costatum (marine diatom)): 0.00423 mg/l 72 h 253 ibba (gibbous duckweed)): 0.76 mg/l 7 d Test Guideline 221 gibba (gibbous duckweed)): 0.39 mg/l 7 d Test Guideline 221 pelliculosa (Freshwater diatom)): 61 mg/l 72 h Test Guideline 201 a pelliculosa (Freshwater diatom)): 19 mg/l 72 h Test Guideline 201 a flos-aquae): 0.066 mg/l 72 h Test Guideline 201
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7 Method: ISO 102 EC50 (Lemna gi Exposure time: 7 Method: OECD 7 NOEC (Lemna gi Exposure time: 7 Method: OECD 7 EC50 (Navicula Exposure time: 7 Method: OECD 7 NOEC (Navicula Exposure time: 7 Method: OECD 7 EC50 (Anabaen Exposure time: 7 Method: OECD 7 NOEC (Anabaen Exposure time: 7 Method: OECD 7	72 h 253 ibba (gibbous duckweed)): 0.76 mg/l 7 d Test Guideline 221 gibba (gibbous duckweed)): 0.39 mg/l 7 d Test Guideline 221 pelliculosa (Freshwater diatom)): 61 mg/l 72 h Test Guideline 201 a pelliculosa (Freshwater diatom)): 19 mg/l 72 h Test Guideline 201 ha flos-aquae): 0.066 mg/l 72 h Test Guideline 201
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7 Method: OECD NOEC (Lemna g Exposure time: 7 Method: OECD EC50 (Navicula Exposure time: 7 Method: OECD NOEC (Navicula Exposure time: 7 Method: OECD EC50 (Anabaen Exposure time: 7 Method: OECD	7 d Test Guideline 221 gibba (gibbous duckweed)): 0.39 mg/l 7 d Test Guideline 221 pelliculosa (Freshwater diatom)): 61 mg/l 72 h Test Guideline 201 a pelliculosa (Freshwater diatom)): 19 mg/l 72 h Test Guideline 201 ha flos-aquae): 0.066 mg/l 72 h Test Guideline 201
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7 Method: OECD EC50 (Navicula Exposure time: 7 Method: OECD NOEC (Navicula Exposure time: 7 Method: OECD EC50 (Anabaen Exposure time: 7 Method: OECD NOEC (Anabaen Exposure time: 7	7 d Test Guideline 221 pelliculosa (Freshwater diatom)): 61 mg/l 72 h Test Guideline 201 a pelliculosa (Freshwater diatom)): 19 mg/l 72 h Test Guideline 201 ha flos-aquae): 0.066 mg/l 72 h Test Guideline 201
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7 Method: OECD NOEC (Navicula Exposure time: 7 Method: OECD EC50 (Anabaen Exposure time: 7 Method: OECD NOEC (Anabaen Exposure time: 7	72 h Test Guideline 201 a pelliculosa (Freshwater diatom)): 19 mg/l 72 h Test Guideline 201 a flos-aquae): 0.066 mg/l 72 h Test Guideline 201
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7 Method: OECD EC50 (Anabaen Exposure time: 7 Method: OECD NOEC (Anabaen Exposure time: 7	72 h Test Guideline 201 ha flos-aquae): 0.066 mg/l 72 h Test Guideline 201
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7 Method: OECD NOEC (Anabaer Exposure time: 7	72 h Test Guideline 201
icity) Toxicity to fish (Chronic tox- : icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	Exposure time: 7	na flos-aquae): 0.051 mg/l
icity) Toxicity to fish (Chronic tox-: icity) Toxicity to daphnia and other: aquatic invertebrates (Chron-	Method: OECD	
Toxicity to fish (Chronic tox- icity) Toxicity to daphnia and other : aquatic invertebrates (Chron-	10	
aquatic invertebrates (Chron-	Exposure time: 3	ales promelas (fathead minnow)): 5.5 mg/l 32 d Test Guideline 210
ic toxicity)	Exposure time: 2	a magna (Water flea)): 1.5 mg/l 21 d Test Guideline 211
M-Factor (Chronic aquatic : toxicity)	10	
N-Methyl-2-pyrrolidone:		
Toxicity to fish :	LC50 (Oncorhyn Exposure time: S	nchus mykiss (rainbow trout)): > 500 mg/l 96 h
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia Exposure time: 2 Method: DIN 384	
Toxicity to algae/aquatic :		lesmus subspicatus (green algae)): 600.5 mg



ersion 0	Revision Date: 06.04.2024		S Number: 290-00026	Date of last issue: 30.11.2023 Date of first issue: 29.10.2014	
			_		
plants	6		Exposure time:	72 h	
			EC10 (Desmod Exposure time:	esmus subspicatus (green algae)): 92.6 r 72 h	
	ity to daphnia and other ic invertebrates (Chron-	:	Exposure time:	a magna (Water flea)): 12.5 mg/l 21 d Test Guideline 211	
Toxici	ity to microorganisms			EC50: > 600 mg/l Exposure time: 30 min Method: ISO 8192	
Persi	stence and degradabili	ity			
Comp	oonents:				
N-Me	thyl-2-pyrrolidone:				
Biodegradability :		:	Result: Readily Biodegradation Exposure time: Method: OECD	73 %	
Bioad	cumulative potential				
Comr	oonents:				
	enicol:				
Partiti	on coefficient: n- ol/water	:	log Pow: 0.373 pH: 7		
N-Me	thyl-2-pyrrolidone:				
Partiti	on coefficient: n- ol/water	:	log Pow: -0.46 Method: OECD	Test Guideline 107	
Mobil	lity in soil				
Comp	oonents:				
Florfe	enicol:				
	oution among environ- al compartments	:	Koc: 52 Method: FDA 3	08	
	r adverse effects ata available				



	sue: 30.11.2023 sue: 29.10.2014
--	------------------------------------

Section 13: Disposal considerations

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
Contaminated packaging	:	Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG	
UN number	: UN 3082
UN proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
Transport hazard class(es)	: 9
Packing group	: III
Labels	: 9
Environmental hazards	: yes
IATA-DGR	
UN/ID No.	: UN 3082
UN proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Florfenicol)
Transport hazard class(es)	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passen- ger aircraft)	: 964
Environmentally hazardous	: yes
IMDG-Code	
UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
Transport hazard class(es)	: 9
Packing group	: UI
Labels	: 9
EmS Code	. 5 : F-A, S-F
Marine pollutant	: yes
	. ,00

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
9.0	06.04.2024	26290-00026	Date of first issue: 29.10.2014

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazard- ous Substances) Regulations	:	Not applicable
Fire Safety (Petroleum and Flammable Materials) Regulations	:	Not applicable

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	06.04.2024
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy
Full text of other abbreviation		

ACGIH BEI	ACGIH - Biological Exposure Indices	(REI)
ACGILIDEI	ACGITT - Diological Exposure mulces	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Florfenicol Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2023
9.0	06.04.2024	26290-00026	Date of first issue: 29.10.2014

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN