



Versic 7.1	on	Revision Date: 30.09.2023		S Number: /412-00019		sue: 04.04.2023 sue: 06.01.2016
Sectio	on 1: l	dentification				
P	Produc	t name	:	Florfenicol Prem	ix Formulation	
N	Manufa	acturer or supplier's d	letai	ls		
C	Compa	ny	:	MSD		
A	Addres	S	:	33 Whakatiki Str Upper Hutt - Nev		g 908
т	elepho	one	:	0800 800 543		
E	Emerge	ency telephone number	:	0800 764 766 (0 CHEMCALL)	800 POISON)	0800 243 622 (0800
E	E-mail a	address	:	EHSDATASTEV	VARD@msd.cor	n
R	Recom	mended use of the ch	nem	ical and restricti	ons on use	
R	Recom	mended use	:	Veterinary produ		
Г	Cesinci	tions on use	:	Not applicable		
Sectio	on 2: ł	Hazard identification				
G	SHS C	lassification				
R	Reprod	luctive toxicity	:	Category 2		
		c target organ toxicity - ed exposure	:	Category 2 (Live der)	er, Brain, Testis,	Spinal cord, Blood, gallblad-
		ous to the aquatic ment - acute hazard	:	Category 1		
		ous to the aquatic ment - chronic hazard	:	Category 1		
G	GHS la	bel elements				
		pictograms	:		¥_2	
					\checkmark	

Signal word

Hazard statements

: H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated expo-

: Warning



ersion 1	Revision Date: 30.09.2023	SDS Number: 437412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
		sure. H410 Very to	kic to aquatic life with long lasting effects.
Preca	autionary statements	P202 Do not I and understoo P273 Avoid re	elease to the environment. rotective gloves/ protective clothing/ eye protec-
		Response: P308 + P313 attention. P391 Collect s	IF exposed or concerned: Get medical advice/
		Storage: P405 Store lo	cked up.
		Disposal: P501 Dispose disposal plant	e of contents/ container to an approved waste
Othe	r hazards which do ı	not result in classific	ation
		can lead to mechanica e mechanical irritation	

May form explosive dust-air mixture during processing, handling or other means.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Calcium carbonate	471-34-1	>= 90 -<= 100
Florfenicol	73231-34-2	>= 2.5 -< 10

Section 4: First-aid measures

General advice	In the case of accident or if you feel un vice immediately. When symptoms persist or in all cases advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention.	
In case of skin contact	In case of contact, immediately flush sl of water. Remove contaminated clothing and sh Get medical attention. Wash clothing before reuse.	



Version 7.1	Revision Date: 30.09.2023	SDS Numb 437412-000	
If swa Most i and e delaye	ction of first-aiders	 If in eye Get mee If swallo Get mee Rinse m Suspect unborn May cate exposur Contact the skin Dust co First Aic and use when th 	use damage to organs through prolonged or repeated e. with dust can cause mechanical irritation or drying of ntact with the eyes can lead to mechanical irritation. I responders should pay attention to self-protection, the recommended personal protective equipment e potential for exposure exists (see section 8).
	to physician		mptomatically and supportively.
Section 5:	Fire-fighting measure	S	
Unsui	ble extinguishing media		resistant foam dioxide (CO2) mical
media Speci fightin	fic hazards during fire-	concent potentia	enerating dust; fine dust dispersed in air in sufficient rations, and in the presence of an ignition source is a I dust explosion hazard. re to combustion products may be a hazard to health.
Hazar ucts	rdous combustion prod-	: Carbon Metal or	
Speci ods	fic extinguishing meth-	cumstar Use wa	nguishing measures that are appropriate to local cir- nces and the surrounding environment. er spray to cool unopened containers. e undamaged containers from fire area if it is safe to do re area.
for fire Hazch	al protective equipment efighters nem Code	Use per : 2Z	vent of fire, wear self-contained breathing apparatus. sonal protective equipment.

Section 6: Accidental release measures

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Follow safe handling advice (see section 7) and personal pro-
gency procedures	tective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.



Versi 7.1	on Revision Date: 30.09.2023		S Number: 7412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
	Methods and materials for containment and cleaning up	:	cannot be contain Sweep up or vacu tainer for disposa Avoid dispersal or with compressed Dust deposits sho es, as these may leased into the at Local or national posal of this mate employed in the or mine which regula Sections 13 and	uum up spillage and collect in suitable con- l. f dust in the air (i.e., clearing dust surfaces
Secti	on 7: Handling and storage			
L	Fechnical measures	:	causing an explos Provide adequate and bonding, or in Use only with ade Do not breathe du Do not swallow. Avoid contact with Avoid prolonged of Wash skin thorou Handle in accorda practice, based of sessment Minimize dust gen Keep container cl Keep away from I Take precautiona Do not eat, drink	e precautions, such as electrical grounding nert atmospheres. equate ventilation. ust.
ł	Hygiene measures	:	If exposure to che flushing systems place. When using do no Wash contaminat The effective ope engineering contr appropriate dego	emical is likely during typical use, provide eye and safety showers close to the working of eat, drink or smoke. ed clothing before re-use. ration of a facility should include review of ols, proper personal protective equipment, whing and decontamination procedures, e monitoring, medical surveillance and the tive controls
(Conditions for safe storage	•	Keep in properly Store locked up.	abelled containers.



Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 04.04.2023	
7.1		437412-00019	Date of first issue: 06.01.2016	

 Materials to avoid
 : Do not store with the following product types:

 Strong oxidizing agents

Section 8: Exposure controls/personal protection

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
Calcium carbonate	471-34-1	WES-TWA	10 mg/m3 (Calcium car- bonate)	NZ OEL		
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal		
Engineering measures	compound. All engineerin design and op	g controls shoul	rols to minimize expo d be implemented by dance with GMP princ d the environment.	facility		
Personal protective equipmer	nt					
Respiratory protection :	sure assessm	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.				
Filter type : Hand protection	: Particulates type					
Material	Chemical-resi	stant gloves				
Eye protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.			ere is a		
Skin and body protection :		or laboratory co	at.			

Components with workplace control parameters

Section 9: Physical and chemical properties

Appearance	: powder	
Colour	: white	
Odour	: No data available	
Odour Threshold	: No data available	
рН	: No data available	
Melting point/freezing point	: No data available	





ersion .1	Revision Date: 30.09.2023		S Number: 412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
Initial range	boiling point and boiling	:	No data available	9
Flash	point	:	Not applicable	
Evap	oration rate	:	Not applicable	
Flam	mability (solid, gas)	:	May form explosi dling or other me	ive dust-air mixture during processing, han ans.
Flam	mability (liquids)	:	No data available	9
	r explosion limit / Upper nability limit	:	No data available	9
	r explosion limit / Lower nability limit	:	No data available)
Vapo	ur pressure	:	No data available	9
Relat	ive vapour density	:	Not applicable	
Relat	ive density	:	No data available	9
Dens	ity	:	No data available	9
	ility(ies) ater solubility	:	No data available	
	ion coefficient: n- ol/water	:	Not applicable	
	ignition temperature	:	No data available	9
Deco	mposition temperature	:	No data available	9
Visco Vi	sity scosity, kinematic	:	Not applicable	
Explo	sive properties	:	Not explosive	
Oxidi	zing properties	:	The substance o	r mixture is not classified as oxidizing.
Partic	cle size	:	No data available	9

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	May form explosive dust-air mixture during processing, han-



Version 7.1	Revision Date: 30.09.2023		S Number: 7412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016				
tions	3		dling or other Can react wit	means. h strong oxidizing agents.				
Con	Conditions to avoid		: Heat, flames and sparks. Avoid dust formation.					
	mpatible materials ardous decomposition ucts	:	Oxidizing agents No hazardous decomposition products are known.					
Section '	11: Toxicological inform	atio	on					
Expo	osure routes	:	Inhalation Skin contact Ingestion Eye contact					
	te toxicity classified based on availa	hlo	information					
	ponents:	010						
Calc	ium carbonate:							
Acut	e oral toxicity	:		2,000 mg/kg D Test Guideline 420 Fhe substance or mixture has no acute oral tox-				
Acut	e inhalation toxicity	:		: 4 h				
Acut	e dermal toxicity	:		2,000 mg/kg D Test Guideline 402 The substance or mixture has no acute dermal				
Flor	fenicol:							
Acut	e oral toxicity	:	LD50 (Rat): >	2,000 mg/kg				
			LD50 (Mouse)	: > 2,000 mg/kg				
			LD50 (Dog): >	1,280 mg/kg				
Acut	e inhalation toxicity	:	LC50 (Rat): > Exposure time					
Acut	e dermal toxicity	:	Remarks: No	data available				
Acut	e toxicity (other routes of	:	LD50 (Rat): 1,	913 - 2,253 mg/kg				





Version 7.1	Revision Date: 30.09.2023	SDS N 437412	umber: 2-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
adr	ninistration)	Apr	blication Route	e: Intraperitoneal
		LD	50 (Mouse): 1	
-	in corrosion/irritation t classified based on ava	ilable infor	mation.	
<u>Co</u>	mponents:			
Spe Me	lcium carbonate: ecies thod sult		obit CD Test Guid skin irritation	eline 404
Spe	orfenicol: ecies sult	: Rat : No	obit skin irritation	
Not	rious eye damage/eye i t classified based on ava mponents:		mation.	
Spe Re:	lcium carbonate: ecies sult thod		obit eye irritation CD Test Guid	eline 405
Spe	orfenicol: ecies sult	: Rat : Milo	obit d eye irritation	
Re	spiratory or skin sensit	isation		
	in sensitisation t classified based on ava	ilable infor	mation.	
	spiratory sensitisation t classified based on ava	ilable infor	mation.	
<u>Co</u>	mponents:			
Tes Exp Spe Me	Icium carbonate: st Type posure routes ecies thod sult	: Skii : Moi : OE	n contact	e assay (LLNA) eline 429



Version 7.1	Revision Date: 30.09.2023	SDS Number: 437412-0001	
Florf Test Spec Resu	ies	: Maximisat : Guinea pi : negative	
Chro	nic toxicity		
	n cell mutagenicity classified based on av	ailable informatior	
<u>Com</u>	ponents:		
	ium carbonate: otoxicity in vitro		: Bacterial reverse mutation assay (AMES) DECD Test Guideline 471 gative
			: Chromosome aberration test in vitro DECD Test Guideline 473 gative
			: In vitro mammalian cell gene mutation test DECD Test Guideline 476 gative
Florf	enicol:		
Geno	otoxicity in vitro	: Test Type Result: ne	: Bacterial reverse mutation assay (AMES) gative
		thesis in n	: DNA damage and repair, unscheduled DNA syn- nammalian cells (in vitro) em: rat hepatocytes gative
			: In vitro mammalian cell gene mutation test m: mouse lymphoma cells gative
			: Chromosome aberration test in vitro m: Chinese hamster ovary cells sitive
Genc	otoxicity in vivo	Species: I Cell type:	Bone marrow n Route: Oral

Carcinogenicity

Not classified based on available information.



Version 7.1	Revision Date: 30.09.2023		S Number: 7412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
<u>Com</u>	ponents:			
Florf	enicol:			
Spec		:	Rat	
	cation Route sure time	:	oral (gavage) 2 Years	
Resu	llt	:	negative	
Targe	et Organs	:	Liver, Testes	
Spec		:	Mouse	
	cation Route sure time	:	oral (gavage) 2 Years	
Resu		:	negative	
Targe	et Organs	:	Testes, Blood	
Repr	oductive toxicity			
-	-	tility. S	suspected of dam	aging the unborn child.
<u>Com</u>	ponents:			
Calci	ium carbonate:			
Effec	ts on fertility	:	reproduction/dev Species: Rat Application Rou	Test Guideline 422
Effec	ts on foetal develop-	:	Test Type: Emb	ryo-foetal development
ment	•		Species: Rat	
			Application Rou	te: Ingestion Test Guideline 414
			Result: negative	
Florf	enicol:			
	ts on fertility	:	Test Type: Two-	generation reproduction toxicity study
	, and the second s		Species: Rat	
			Application Rou	te: Oral t 12 mg/kg body weight
				ed pup survival, reduced lactation
Effec	ts on foetal develop-	:	Test Type: Emb	ryo-foetal development
ment			Species: Rat	
				Maternal: NOAEL: 4 mg/kg body weight pxicity: LOAEL: 40 mg/kg body weight
				ogenic effects, Fetotoxicity
			Remarks: The e es.	ffects were seen only at maternally toxic dos-
			Test Type: Fmh	ryo-foetal development
			Species: Mouse	





Version 7.1	Revision Date: 30.09.2023		Number: 2-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
Repro	oductive toxicity - As- nent	G Er Ro : So fe	eneral Toxici mbryo-foetal esult: Fetotox ome evidence rtility, based	ute: oral (gavage) ty Maternal: NOAEL: 120 mg/kg body weight toxicity: LOAEL: 40 mg/kg body weight ticity e of adverse effects on sexual function and on animal experiments., Some evidence of s on development, based on animal experi-
Not c STO May c	 r - single exposure lassified based on avail repeated exposure cause damage to organid or repeated exposure 	able info		s, Spinal cord, Blood, gallbladder) through pro-
<u>Com</u> Florfe Targe	ponents: enicol: et Organs ssment	: Li : Ca		estis, Spinal cord, Blood, gallbladder Je to organs through prolonged or repeated
-	ated dose toxicity ponents:			
Spec NOAI Applie	EL cation Route sure time	: In : 28	at 1,000 mg/kg gestion 3 Days ECD Test Gu	ideline 422
Spec NOAI Expo		: 3 : 13	og mg/kg 3 Weeks ver, Testis, B	rain, Spinal cord
		: 20 : 13	ouse)0 mg/kg 3 Weeks ver, Testis	
		: 13	at) mg/kg } Weeks ver, Testis	



Version 7.1	Revision Date: 30.09.2023	SDS Number: 437412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016					
Targe Speci NOAI LOAE Expo	EL EL sure time et Organs ies EL	: Dog : 3 mg/kg : 12 mg/kg : 52 Weeks : Liver, gallbladde : Rat : 1 mg/kg : 3 mg/kg : 52 Weeks : Testis	Dog 3 mg/kg 12 mg/kg 52 Weeks Liver, gallbladder Rat 1 mg/kg 3 mg/kg 52 Weeks					
Not c	ration toxicity lassified based on availa							
	2: Ecological informati	on						
	oxicity							
	ponents:							
	um carbonate: ity to fish	Exposure time: 9 Test substance:	chus mykiss (rainbow trout)): > 100 mg/l 96 h Water Accommodated Fraction Test Guideline 203					
	ity to daphnia and other tic invertebrates	Exposure time: 4 Test substance:	magna (Water flea)): > 100 mg/l 48 h Water Accommodated Fraction Test Guideline 202					
Toxic plants	ity to algae/aquatic	mg/l Exposure time: 7 Test substance:	okirchneriella subcapitata (green algae)): 50 72 h Water Accommodated Fraction Test Guideline 201					
		mg/l Exposure time: 7 Test substance:	rchneriella subcapitata (green algae)): > 100 72 h Water Accommodated Fraction Test Guideline 201					
Toxic	ity to microorganisms	: NOEC: 1,000 m Exposure time: 3 Method: OECD EC50: > 1,000 n	3 h Test Guideline 209					
		Exposure time: 3						



/ersion 7.1	Revision Date: 30.09.2023		OS Number: 7412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
Florfe Toxici	enicol: ty to fish	:	LC50 (Lepomis Exposure time: 9	macrochirus (Bluegill sunfish)): > 830 mg/l 96 h
			Method: FDA 4.	11 nchus mykiss (rainbow trout)): > 780 mg/l 96 h
	ty to daphnia and other ic invertebrates	:	Exposure time:	magna (Water flea)): > 330 mg/l 48 h Test Guideline 202
Toxici plants	ty to algae/aquatic	:	EC50 (Pseudok mg/l Exposure time: Method: FDA 4.	
			NOEC (Pseudol mg/l Exposure time: Method: FDA 4.	
			IC50 (Skeletone Exposure time: Method: ISO 10	
			NOEC (Skeletor Exposure time: Method: ISO 10	
			Exposure time:	ibba (gibbous duckweed)): 0.76 mg/l 7 d Test Guideline 221
			Exposure time:	gibba (gibbous duckweed)): 0.39 mg/l 7 d Test Guideline 221
			Exposure time:	pelliculosa (Freshwater diatom)): 61 mg/l 72 h Test Guideline 201
			Exposure time:	a pelliculosa (Freshwater diatom)): 19 mg/l 72 h Test Guideline 201
			Exposure time:	a flos-aquae): 0.066 mg/l 72 h Test Guideline 201





Florfenicol Premix Formulation

/ersion 7.1	Revision Date: 30.09.2023	-	0S Number: 7412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
			NOEC (Anabaena Exposure time: 72 Method: OECD T	
icity)	ctor (Acute aquatic tox-	:	10	
	ity to fish (Chronic tox-	:	Exposure time: 32	es promelas (fathead minnow)): 5.5 mg/l 2 d est Guideline 210
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): 1.5 mg/l 1 d est Guideline 211
M-Factoric	ctor (Chronic aquatic ty)	:	10	
	stence and degradabili ata available	ty		
Bioad	ccumulative potential			
<u>Com</u>	oonents:			
Florfe	enicol:			
	ion coefficient: n- ol/water	:	log Pow: 0.373 pH: 7	
Mobi	lity in soil			
<u>Com</u>	oonents:			
Florfe	enicol:			
	bution among environ- al compartments	:	Koc: 52 Method: FDA 3.0	8
	r adverse effects ata available			
ection 1	3: Disposal considerati	ons	6	
Disp	osal methods			
-	e from residues	:	Do not dispose of	waste into sewer.
Conta	aminated packaging	:	 Do not dispose of waste into sewer. Dispose of in accordance with local regulations. Empty containers should be taken to an approved was dling site for recycling or disposal. 	

dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations



Version 7.1	Revision Date: 30.09.2023		DS Number: 37412-00019	Date of last issue: 04.04.2023 Date of first issue: 06.01.2016
Prop	umber er shipping name	: :	UN 3077 ENVIRONMENT/ N.O.S. (Florfenicol) 9 III	ALLY HAZARDOUS SUBSTANCE, SOLID,
Labe		:	9 yes	
UN/I	-DGR D No. er shipping name	:	UN 3077 Environmentally I (Florfenicol)	hazardous substance, solid, n.o.s.
Labe Pack aircra Pack ger a	ing group Ils ing instruction (cargo	: :	9 III Miscellaneous 956 956 yes	
IMD UN r	G-Code number er shipping name	:	UN 3077 ENVIRONMENT/ N.O.S.	ALLY HAZARDOUS SUBSTANCE, SOLID,
Labe EmS	ing group	:	(Florfenicol) 9 III 9 F-A, S-F yes	
	•	-		POL 73/78 and the IBC Code
	applicable for product as onal Regulations	sup	pileu.	
NZS	5433 number	:	UN 3077	

(Florfenicol)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	437412-00019	Date of first issue: 06.01.2016

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

HSW Controls

Certified handler certificate not required. Tracking hazardous substance not required. Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	30.09.2023		
Further information				
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/		
Date format	:	dd.mm.yyyy		
Full text of other abbreviations				
NZOEL	:	New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants		
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

SAFETY DATA SHEET



Florfenicol Premix Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
7.1	30.09.2023	437412-00019	Date of first issue: 06.01.2016

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN