

**Florfenicol Solid Formulation**

Version 4.0      Revision Date: 2023/04/04      SDS Number: 412410-00017      Date of last issue: 2022/10/01  
Date of first issue: 2016/01/07

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Florfenicol Solid Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065  
Telephone : 908-740-4000  
Emergency telephone number : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**



Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 2  
Specific target organ toxicity - repeated exposure : Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :  

Signal word : Danger

Hazard statements : H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

## Florfenicol Solid Formulation

Version 4.0      Revision Date: 2023/04/04      SDS Number: 412410-00017      Date of last issue: 2022/10/01  
 Date of first issue: 2016/01/07

Precautionary statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P391 Collect spillage.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.  
 Contact with dust can cause mechanical irritation or drying of the skin.  
 May form explosive dust-air mixture during processing, handling or other means.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	>= 30 -< 60

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
 Get medical attention if irritation develops and persists.

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

## Florfenicol Solid Formulation

Version 4.0      Revision Date: 2023/04/04      SDS Number: 412410-00017      Date of last issue: 2022/10/01  
 Date of first issue: 2016/01/07

with compressed air).  
 Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
 Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
 Do not swallow.  
 Avoid contact with eyes.  
 Avoid prolonged or repeated contact with skin.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Minimize dust generation and accumulation.  
 Keep container closed when not in use.  
 Keep away from heat and sources of ignition.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal

- Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

protect products, workers, and the environment.

### Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper	:	No data available

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

**Florfenicol Solid Formulation**

Version 4.0      Revision Date: 2023/04/04      SDS Number: 412410-00017      Date of last issue: 2022/10/01  
Date of first issue: 2016/01/07

---

**Components:****Florfenicol:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 mg/kg
		LD50 (Mouse): > 2,000 mg/kg
		LD50 (Dog): > 1,280 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 0.28 mg/l Exposure time: 4 h
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Rat): 1,913 - 2,253 mg/kg Application Route: Intraperitoneal
		LD50 (Mouse): 100 mg/kg Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Florfenicol:**

Species	:	Rabbit
Result	:	No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Florfenicol:**

Species	:	Rabbit
Result	:	Mild eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Florfenicol:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	negative

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Florfenicol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
		Test system: rat hepatocytes
		Result: negative
		Test Type: In vitro mammalian cell gene mutation test
		Test system: mouse lymphoma cells
		Result: negative
		Test Type: Chromosome aberration test in vitro
		Test system: Chinese hamster ovary cells
		Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test
		Species: Mouse
		Cell type: Bone marrow
		Application Route: Oral
		Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Florfenicol:

Species	:	Rat
Application Route	:	oral (gavage)
Exposure time	:	2 Years
Result	:	negative
Target Organs	:	Liver, Testes
Species	:	Mouse
Application Route	:	oral (gavage)
Exposure time	:	2 Years
Result	:	negative
Target Organs	:	Testes, Blood

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

### Components:

#### Florfenicol:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study
		Species: Rat
		Application Route: Oral



## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

		Fertility: LOAEL: 12 mg/kg body weight Result: decreased pup survival, reduced lactation
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: No teratogenic effects, Fetotoxicity Remarks: The effects were seen only at maternally toxic doses.
		Test Type: Embryo-foetal development Species: Mouse Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

### Components:

#### Florfenicol:

Target Organs	:	Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Florfenicol:

Species	:	Dog
NOAEL	:	3 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis, Brain, Spinal cord

Species	:	Mouse
NOAEL	:	200 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis

Species	:	Rat
NOAEL	:	30 mg/kg
Exposure time	:	13 Weeks

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

|| Target Organs : Liver, Testis

|| Species : Dog  
 || NOAEL : 3 mg/kg  
 || LOAEL : 12 mg/kg  
 || Exposure time : 52 Weeks  
 || Target Organs : Liver, gallbladder

|| Species : Rat  
 || NOAEL : 1 mg/kg  
 || LOAEL : 3 mg/kg  
 || Exposure time : 52 Weeks  
 || Target Organs : Testis

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Florfenicol:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l Exposure time: 14 d Method: FDA 4.01
	: NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l Exposure time: 14 d Method: FDA 4.01
	: IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l Exposure time: 72 h Method: ISO 10253
	: NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l Exposure time: 72 h Method: ISO 10253

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

	EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l Exposure time: 7 d Method: OECD Test Guideline 221
	NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l Exposure time: 7 d Method: OECD Test Guideline 221
	EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Anabaena flos-aquae): 0.066 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Anabaena flos-aquae): 0.051 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 10

### Persistence and degradability

No data available

### Bioaccumulative potential

#### Components:

##### Florfenicol:

Partition coefficient: n-octanol/water	: log Pow: 0.373 pH: 7
--	---------------------------

### Mobility in soil

#### Components:

##### Florfenicol:

Distribution among environmental compartments	: Koc: 52 Method: FDA 3.08
---	-------------------------------

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

### Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- |                           |   |  |
|---------------------------|---|--|
| Waste from residues       | : | Dispose of in accordance with local regulations.   |
| II Contaminated packaging | : | Do not dispose of waste into sewer.  |
|                           | : | Empty containers should be taken to an approved waste handling site for recycling or disposal. |
|                           | : | If not otherwise specified: Dispose of as unused product.                                      |

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

- |                      |   |  |
|----------------------|---|--|
| UN number            | : | UN 3077  |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol) |
| Class                | : | 9  |
| Packing group        | : | III  |
| Labels               | : | 9  |

#### IATA-DGR

- |  |   |  |
|--|---|--|
| UN/ID No.                                | : | UN 3077  |
| Proper shipping name                     | : | Environmentally hazardous substance, solid, n.o.s. (Florfenicol) |
| Class                                    | : | 9  |
| Packing group                            | : | III  |
| Labels                                   | : | Miscellaneous  |
| Packing instruction (cargo aircraft)     | : | 956  |
| Packing instruction (passenger aircraft) | : | 956  |
| Environmentally hazardous                | : | yes  |

#### IMDG-Code

- |                      |   |  |
|----------------------|---|--|
| UN number            | : | UN 3077  |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol) |
| Class                | : | 9  |
| Packing group        | : | III  |
| Labels               | : | 9  |
| EmS Code             | : | F-A, S-F   |
| Marine pollutant     | : | yes  |

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

### 15. REGULATORY INFORMATION

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

#### **Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

#### **Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

#### **Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

#### **The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

### 16. OTHER INFORMATION

Revision Date : 2023/04/04

#### **Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

## Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
4.0	2023/04/04	412410-00017	Date of first issue: 2016/01/07

---

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN