according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Florfenicol / Flunixin Formulation
Manufacturer or supplier's de Company	etai :	i ls MSD
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331
Telephone	:	+1-908-740-4000
Emergency telephone number	:	86-571-87268110
E-mail address	:	EHSDATASTEWARD@msd.com
Recommended use of the ch	em	ical and restrictions on use
Recommended use Restrictions on use	:	Veterinary product Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance Colour Odour	:	liquid yellow No data available				
age the unborn child. Causes of	Harmful if swallowed or if inhaled. Causes serious eye irritation. May damage fertility. May dam- age the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.					
GHS Classification						
Acute toxicity (Oral)	:	Category 4				
Acute toxicity (Inhalation)	:	Category 4				
Serious eye damage/eye irri- tation	:	Category 2A				
Reproductive toxicity	:	Category 1B				
Specific target organ toxicity - repeated exposure	:	Category 1				
Short-term (acute) aquatic hazard	:	Category 1				





Versio 6.0	'n	Revision Date: 2024/09/28		S Number: 036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
	ong-te azard	erm (chronic) aquatic	:	Category 1	
G	iHS la	bel elements			
H	azard	pictograms	:		!
Si	ignal	word	:	Danger	V V
H	azard	statements	:	H319 Causes so H360FD May da H372 Causes d exposure.	armful if swallowed or if inhaled. erious eye irritation. amage fertility. May damage the unborn child. amage to organs through prolonged or repeated to aquatic life with long lasting effects.
P	recau	tionary statements	:	P202 Do not ha and understood P260 Do not bre P264 Wash skir P270 Do not ea P271 Use only o P273 Avoid rele	eathe mist or vapours. a thoroughly after handling. t, drink or smoke when using this product. putdoors or in a well-ventilated area. ase to the environment. ective gloves/ protective clothing/ eye protec-
				CENTER/ doctor P304 + P340 + and keep comfor doctor if you fee P305 + P351 + for several minu easy to do. Con P308 + P313 IF attention.	P338 IF IN EYES: Rinse cautiously with water ites. Remove contact lenses, if present and tinue rinsing. exposed or concerned: Get medical advice/ eye irritation persists: Get medical advice/ at-
				Storage: P405 Store lock Disposal:	
				Disposal:	ed up. f contents/ container to an approved wast

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Harmful if swallowed. Harmful if inhaled. Causes serious eye irritation. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	>= 20 -< 25
2-Pyrrolidone	616-45-5	>= 20 -< 30
Malic Acid	6915-15-7	>= 1 -< 10
1-deoxy-1-(methylamino)-D-glucitol 2-[2-	42461-84-7	>= 1 -< 2.5
methyl-3-(perfluoromethyl)anilino]nicotinate		

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.

according to GB/T 16483 and GB/T 17519



Version 6.0	Revision Date: 2024/09/28		0S Number: 036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
	important symptoms ffects, both acute and ed	:	Harmful if swallo Causes serious e May damage fert	
	Protection of first-aiders Notes to physician		First Aid respond and use the reco when the potenti	lers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8). ically and supportively.
	GHTING MEASURES			
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (Dry chemical	
Unsu media	itable extinguishing a	:	None known.	
Spec fightir	ific hazards during fire- ng	:	Exposure to com	bustion products may be a hazard to health
Haza ucts	rdous combustion prod-	:	Carbon oxides Fluorine compou Nitrogen oxides (
Spec ods	ific extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to o
	ial protective equipment efighters	:		e, wear self-contained breathing apparatus. otective equipment.

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Formulation

Version 6.0	Revision Date: 2024/09/28	SDS Number: 28036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
			ert absorbent material.
Methods and materials for containment and cleaning up		ment to keep ma be pumped, stor Clean up remain bent. Local or nationa posal of this ma employed in the mine which regu Sections 13 and	provide dyking or other appropriate contain- aterial from spreading. If dyked material can re recovered material in appropriate container. hing materials from spill with suitable absor- I regulations may apply to releases and dis- terial, as well as those materials and items cleanup of releases. You will need to deter- ulations are applicable. I 15 of this SDS provide information regarding hational requirements.
7. HANDL Hand	ING AND STORAGE		

:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
:	Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
:	Oxidizing agents
:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
:	Do not store with the following product types: Strong oxidizing agents
:	Unsuitable material: None known.
	: : :

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



according to GB/T 16483 and GB/T 17519

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal
1-deoxy-1-(methylamino)-D- glucitol 2-[2-methyl-3- (perfluorome- thyl)anilino]nicotinate	42461-84-7	TWA	40 μg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	400 µg/100 cm ²	Internal

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Personal protective equipmen	t
Respiratory protection:Filter type:Eye/face protection:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Combined particulates and organic vapour type Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Skin and body protection :	Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material :	Chemical-resistant gloves
Remarks : Hygiene measures :	Consider double gloving. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work- ing place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.22
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available

according to GB/T 16483 and GB/T 17519



Version 6.0	Revision Date: 2024/09/28	SDS Number: 28036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
Deco	mposition temperature	: No data avail	able
Visco	sitv		
	scosity, kinematic	: No data avail	able
Explo	osive properties	: Not explosive	
Oxidi	zing properties	: The substance	e or mixture is not classified as oxidizing.
Mole	cular weight	: No data avail	able
	cle characteristics cle size	: Not applicabl	e
10. STAB	ILITY AND REACTIVIT	Y	
Read	tivity	: Not classified	l as a reactivity hazard.
	nical stability		normal conditions.
Poss tions	ibility of hazardous reac	- : Can react wit	h strong oxidizing agents.
	litions to avoid	: None known.	
	npatible materials	: Oxidizing age	
	rdous decomposition		s decomposition products are known.
11. TOXIC	COLOGICAL INFORMA	TION	
Expo	sure routes	: Inhalation	
1 -		Skin contact	
		Ingestion	
		Eye contact	
Acut	e toxicity		
Harm	ful if swallowed or if inh	aled.	
Prod	uct:		
Acute	e oral toxicity		estimate: 1,890 mg/kg Jlation method
Acute	e inhalation toxicity		estimate: 2.28 mg/l
		Exposure time	
		Test atmosphe Method: Calcu	ere: dust/mist ulation method
<u>Com</u>	ponents:		
Florf	enicol:		
Acute	e oral toxicity	: LD50 (Rat): >	2,000 mg/kg
		LD50 (Mouse)): > 2,000 mg/kg
		8/2	5

according to GB/T 16483 and GB/T 17519



rsion)	Revision Date: 2024/09/28		9S Number: 036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
			LD50 (Dog): > 1,2	280 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 0.2 Exposure time: 4	
Acute	dermal toxicity	:	Remarks: No data	a available
	toxicity (other routes of istration)	:	LD50 (Rat): 1,913 Application Route	
			LD50 (Mouse): 10 Application Route	
2-Pyrr	olidone:			
	oral toxicity	:	LD50 (Rat): > 2,0 Method: OECD To Assessment: The icity	
Acute	dermal toxicity	:	LD50 (Rabbit): > 2 Method: OECD To Assessment: The toxicity	
Malic	Acid:			
Acute	oral toxicity	:	LD50 (Rat): 3,500) mg/kg
	dermal toxicity	:	LD50 (Rabbit): > Remarks: Based	5,000 mg/kg on data from similar materials
II 1-deo	xy-1-(methylamino)-D-	glu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:
Acute	oral toxicity	:	LD50 (Rat): 53 - 1	57 mg/kg
			LD50 (Mouse): 17	76 - 249 mg/kg
			LD50 (Guinea pig): 488.3 mg/kg
			LD50 (Monkey): 3	800 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): < 0.5 Exposure time: 4 Test atmosphere:	h
	toxicity (other routes of istration)	:	LD50 (Rat): 59.4 Application Route	
			LD50 (Mouse): 16 Application Route	

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Formulation


Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

Skin corrosion/irritation Not classified based on available	information.
Components:	
Florfenicol:	
Species : Result :	Rabbit No skin irritation
2-Pyrrolidone:	
Species :	Rabbit
Method :	OECD Test Guideline 404 No skin irritation
Malic Acid:	
	Rabbit
	OECD Test Guideline 404 No skin irritation
	Based on data from similar materials
	citol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:
Species : Result :	Rabbit Mild skin irritation
Serious eye damage/eye irritat	ion
Causes serious eye irritation.	
Components:	
Florfenicol:	
Species : Result :	Rabbit Mild eye irritation
2-Pyrrolidone:	
Result :	Irritation to eyes, reversing within 21 days
Remarks	Based on national or regional regulation.
Malic Acid:	
Species :	Rabbit
Remarks :	Based on data from similar materials
Result : Method :	Irritation to eyes, reversing within 21 days OECD Test Guideline 405

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Species : Rabbit

Version

6.0





Date of last issue: 2024/04/06

Date of first issue: 2014/11/04

Florfenicol / Flunixin Formulation

SDS Number:

28036-00026

Revision Date:

2024/09/28

Result	: Irreversible effects on the eye
Respiratory or skin sen	sitisation
Skin sensitisation	
Not classified based on a	vailable information.
Respiratory sensitisation	on
Not classified based on a	vailable information.
Components:	
Florfenicol:	
Test Type	: Maximisation Test
Species	: Guinea pig
Result	: negative
2-Pyrrolidone:	
Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Remarks	: Based on data from similar materials
Malic Acid:	
Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result Remarks	negativeBased on data from similar materials
	o)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate : Maximisation Test
Test Type Exposure routes	: Dermal
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Result	: negative
Germ cell mutagenicity Not classified based on a	
Components:	
Florfenicol:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

according to GB/T 16483 and GB/T 17519



rsion)	Revision Date: 2024/09/28	SDS Number: 28036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
		thesis in man Test system: Result: negat	NA damage and repair, unscheduled DNA syn nmalian cells (in vitro) rat hepatocytes ive vitro mammalian cell gene mutation test
		Test system: Result: negat Test Type: Cl	mouse lymphoma cells ive hromosome aberration test in vitro Chinese hamster ovary cells
Geno	toxicity in vivo	: Test Type: M Species: Mou Cell type: Bor Application R Result: negat	ne marrow oute: Oral
2-Pyr	rolidone:		
Geno	toxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) ive
		Method: OEC Result: negat	vitro mammalian cell gene mutation test CD Test Guideline 476 ive sed on data from similar materials
			hromosome aberration test in vitro D Test Guideline 473 ive
Geno	toxicity in vivo	cytogenetic a Species: Mou Application R	use oute: Intraperitoneal injection CD Test Guideline 474
Malic	Acid:		
Geno	toxicity in vitro	: Test Type: Ba Result: negat	acterial reverse mutation assay (AMES) ive
		Method: OEC Result: negat	vitro mammalian cell gene mutation test D Test Guideline 476 ive sed on data from similar materials
		Test Type: Cl Result: negat	hromosome aberration test in vitro ive
		12/2	25

Version

6.0

according to GB/T 16483 and GB/T 17519

Revision Date:

2024/09/28



Date of last issue: 2024/04/06

Date of first issue: 2014/11/04

Florfenicol / Flunixin Formulation

SDS Number:

28036-00026

	Remarks: Based on data from similar materials
1-deoxy-1-(methylamino))-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: in vitro assay Test system: mouse lymphoma cells Result: positive
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive
	Test Type: in vitro assay Test system: Escherichia coli Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a g cell mutagen.
	cell mutagen.
Assessment Carcinogenicity Not classified based on av	cell mutagen.
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species	cell mutagen. vailable information. : Rat
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route	cell mutagen. vailable information. : Rat : oral (gavage)
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route	vailable information. : Rat : oral (gavage)
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage)
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : 2 Years
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time Result	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative : negative
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : 2 Years
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time Result	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative : negative
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time Result Target Organs 2-Pyrrolidone: Species	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative : Testes, Blood : Mouse
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time Result Target Organs 2-Pyrrolidone: Species Application Route	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative : Testes, Blood : Mouse : Ingestion
Assessment Carcinogenicity Not classified based on av Components: Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time Result Target Organs 2-Pyrrolidone: Species Application Route Exposure time	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative : 1 restes, Blood : Mouse : Ingestion : 18 month(s)
Assessment Carcinogenicity Not classified based on av <u>Components:</u> Florfenicol: Species Application Route Exposure time Result Target Organs Species Application Route Exposure time Result Target Organs 2-Pyrrolidone: Species Application Route	cell mutagen. vailable information. : Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative : Testes, Blood : Mouse : Ingestion

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

	···/ = g.v.	
Species	:	Rat
Application Route	:	oral (feed)
Exposure time	:	104 w
LOAEL	:	2 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing
Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	97 w
NÓAEL	:	0.6 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

Florfenicol:

Effects on fertility	 Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: LOAEL: 12 mg/kg body weight Result: decreased pup survival, reduced lactation
Effects on foetal develop- ment	: Test Type: Embryo-foetal development Species: Rat General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: No teratogenic effects, Fetotoxicity Remarks: The effects were seen only at maternally toxic dos- es.
	Test Type: Embryo-foetal development Species: Mouse Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - As- sessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

according to GB/T 16483 and GB/T 17519




ersion 0	Revision Date: 2024/09/28	SDS Number: 28036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
	rolidone: s on fertility	Species: F Application Result: po	n Route: Ingestion
Effect ment	s on foetal develop-	Species: F	n Route: Ingestion
Repro sessn	oductive toxicity - As- nent	ity, based	ence of adverse effects on sexual function and fer on animal experiments., Clear evidence of advers development, based on animal experiments.
Malic	Acid:		
Effect	s on fertility	Species: F	n Route: Ingestion
Effect ment	s on foetal develop-	Species: F	n Route: Ingestion
II 1-deo	xy-1-(methylamino)-l	D-glucitol 2-[2-m	nethyl-3-(perfluoromethyl)anilino]nicotinate:
	s on fertility	: Test Type: Species: F Application General To Symptoms	Two-generation reproduction toxicity study Rat n Route: Oral oxicity - Parent: LOAEL: 1 - 1.5 mg/kg body weigh No foetal abnormalities effects on fertility and early embryonic develop-
Effect ment	s on foetal develop-	Species: F Application General T Embryo-fo Result: En	E Development Rat In Route: Oral oxicity Maternal: LOAEL: 2 mg/kg body weight etal toxicity: NOAEL: 2 mg/kg body weight Inbryotoxic effects and adverse effects on the off- e detected only at high maternally toxic doses
		Species: F Applicatior General T Embryo-fo	Embryo-foetal development Rabbit n Route: Oral oxicity Maternal: LOAEL: 3 mg/kg body weight etal toxicity: NOAEL: 3 mg/kg body weight nbryotoxic effects and adverse effects on the off-

according to GB/T 16483 and GB/T 17519




Florfen	Florfenicol / Flunixin Formulation						
Version 6.0	Revision Date: 2024/09/28	SDS Number: 28036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04				
		spring were o	letected only at high maternally toxic doses				
	• - single exposure assified based on ava	ilable information.					
<u>Comp</u>	oonents:						
1-deo Asses			hyl-3-(perfluoromethyl)anilino]nicotinate: espiratory irritation.				
Cause <u>Comp</u>	• - repeated exposure es damage to organs t conents: enicol:		r repeated exposure.				
Targe	t Organs ssment		Testis, Spinal cord, Blood, gallbladder age to organs through prolonged or repeated				
1-deo	xy-1-(methylamino)-	D-glucitol 2-[2-met	hyl-3-(perfluoromethyl)anilino]nicotinate:				
	t Organs ssment		nal tract, Kidney, Blood age to organs through prolonged or repeated				
Repe	ated dose toxicity						
<u>Comp</u>	oonents:						
	enicol:	_					
Speci NOAE		: Dog : 3 mg/kg					
Expos	sure time t Organs	: 13 Weeks	Brain, Spinal cord				
Speci	Ū	: Mouse					
NOAE	EL	: 200 mg/kg					
	sure time t Organs	: 13 Weeks : Liver, Testis					
		: Rat : 30 mg/kg : 13 Weeks : Liver, Testis					





Version 6.0	Revision Date: 2024/09/28	SDS Number: 28036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
	EL	: Rat : 1 mg/kg : 3 mg/kg : 52 Weeks : Testis	
Speci NOAI Applio	EL cation Route sure time	: Rat : 207 mg/kg : Ingestion : 3 Months : OECD Test G	uideline 408
Speci NOAI Applie		: Rat : > 250 mg/kg : Ingestion : 104 Weeks	
Speci NOAI LOAE Applic Expos	ies EL	-D-glucitol 2-[2-meth : Rat : 2 mg/kg : < 4 mg/kg : Oral : 6 w : Gastrointestina	yl-3-(perfluoromethyl)anilino]nicotinate: al tract
Expo	ies EL cation Route sure time et Organs	: Rat : 1 mg/kg : Oral : 1 y : Gastrointestin:	al tract, Kidney
Expo		: Monkey : 15 mg/kg : Oral : 90 d : Gastrointestina	al tract, Blood
	EL cation Route sure time	: Rabbit : 80 mg/kg : Dermal : 21 d : Severe irritatio	'n
Speci LOAE Applie		: Dog : 11 mg/kg : Oral	





Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

Exposure time	:	9 d
Target Organs Symptoms	:	Gastrointestinal tract
Symptoms	:	Vomiting

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Inhalation	: Symptoms: respiratory tract irritation
Skin contact	: Symptoms: Skin irritation
Eye contact	: Symptoms: Severe irritation
Inhalation Skin contact Eye contact Ingestion	: Symptoms: Gastrointestinal disturbance, bleeding, hyperten- sion, Kidney disorders

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

				-
FI	or	٥n	ic	<u>-</u> l-
		CI		J I.

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l Exposure time: 14 d Method: FDA 4.01
		NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l Exposure time: 14 d Method: FDA 4.01
		IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l Exposure time: 72 h Method: ISO 10253

according to GB/T 16483 and GB/T 17519



rsion	Revision Date: 2024/09/28		0S Number: 036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
			NOEC (Skeletone Exposure time: 72 Method: ISO 1025	
			EC50 (Lemna gib Exposure time: 7 Method: OECD Te	
			NOEC (Lemna git Exposure time: 7 Method: OECD Te	oba (gibbous duckweed)): 0.39 mg/l d est Guideline 221
			EC50 (Navicula p Exposure time: 72 Method: OECD Te	
			NOEC (Navicula p Exposure time: 72 Method: OECD Te	
			EC50 (Anabaena Exposure time: 72 Method: OECD Te	
			NOEC (Anabaena Exposure time: 72 Method: OECD Te	
M-Fact icity)	or (Acute aquatic tox-	:	10	
	y to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32 Method: OECD Te	
	y to daphnia and other invertebrates (Chron- ity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
M-Fact	or (Chronic aquatic	:	10	
	, olidone:			
Toxicity		:	LC50 (Danio rerio Exposure time: 96 Method: OECD Te	
	y to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): > 500 mg/l 3 h
Toxicity plants	y to algae/aquatic	:	ErC50 (Desmodes Exposure time: 72	smus subspicatus (green algae)): > 500 mg/l ? h

according to GB/T 16483 and GB/T 17519




ersion)	Revision Date: 2024/09/28		0S Number: 036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
			EC10 (Desmodes Exposure time: 72	mus subspicatus (green algae)): 22.2 mg/l 2 h
Toxici	ty to microorganisms	:	EC50: > 1,000 mg Exposure time: 30 Method: OECD Te) min
Malic	Acid:			
Toxici	ty to fish	:	Exposure time: 96 Method: OECD To	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 240 mg/l 3 h
Toxici plants	ity to algae/aquatic	:	mg/l Exposure time: 72 Test substance: N Method: OECD To	leutralised product
			mg/l Exposure time: 72 Test substance: N Method: OECD To	leutralised product
Toxici	ty to microorganisms	:	EC50: > 100 mg/l Exposure time: 3 Method: OECD To Remarks: Based of	h
II 1-deo	xy-1-(methylamino)-D-	alu	citol 2-[2-methyl-3	B-(perfluoromethyl)anilino]nicotinate:
	ity to fish	:		acrochirus (Bluegill sunfish)): 28 mg/l
			LC50 (Oncorhync Exposure time: 96 Method: FDA 4.11	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): 15 mg/l Exposure time: 48 h Method: FDA 4.08	
Toxici plants	ity to algae/aquatic	:	NOEC (Microcyst Exposure time: 13	is aeruginosa (blue-green algae)): 97 mg/l 3 d

according to GB/T 16483 and GB/T 17519



/ersion 6.0	Revision Date: 2024/09/28	-	0S Number: 036-00026	Date of last issue: 2024/04/06 Date of first issue: 2014/11/04
			Method: FDA 4.0	1
			NOEC (Selenast Exposure time: 1	rum capricornutum (green algae)): 96 mg/l 2 d
Persi	stence and degradabi	lity		
Comp	oonents:			
2-Pyr	rolidone:			
Biode	gradability	:	Result: Readily b Remarks: Based	iodegradable. on data from similar materials
Malic	Acid:			
Biode	gradability	:	Result: Readily b	iodegradable. Fest Guideline 301C
				on data from similar materials
 			aital 0 [0 mathul	
	ity in water	-giu :	Hydrolysis: 0 %(2	3-(perfluoromethyl)anilino]nicotinate: 28 d)
	,		, ,	/
Bioad	cumulative potential			
<u>Comp</u>	oonents:			
	enicol:			
	on coefficient: n- ol/water	:	log Pow: 0.373 pH: 7	
2-Pyr	rolidone:			
	on coefficient: n- ol/water	:	log Pow: -0.71 Method: OECD T	Fest Guideline 107
Malic	Acid:			
	on coefficient: n- ol/water	:	log Pow: -1.26	
		-		3-(perfluoromethyl)anilino]nicotinate:
	on coefficient: n- ol/water	:	log Pow: 1.34	
Mobil	lity in soil			
Comp	oonents:			
Florfe	enicol:			
	oution among environ- al compartments	:	Koc: 52 Method: FDA 3.0	8





Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Distribution among environ- : log Koc: 1.92 mental compartments

Other adverse effects

No data available

13. DISPOSAL	CONSIDERATIONS
--------------	----------------

Waste from residues		Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UNRIDG		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
		N.O.S.
		(Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
IATA-DGR		
UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Florfenicol)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passen- ger aircraft)	:	964
Environmentally hazardous	:	yes
IMDG-Code		
UN number		UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
r topor ompping hanto	•	N.O.S.
		(Florfenicol)
Class	:	9
Packing group	:	III



according to GB/T 16483 and GB/T 17519

Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number Proper shipping name	:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
Class Packing group	:	
Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.


15. REGULATORY INFORMATION

National regulatory information Law on the Prevention and Control of Occupational Diseases

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

	-	
Catalogue of Hazardous Chemicals	:	This product is not listed in the cata- logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de- termination.
Identification of Major Hazard Installations for Hazardou 18218)	us C	hemicals (GB : Not listed
Hazardous Chemicals for Priority Management under SAWS	:	Not listed
Regulations on Labour Protection in Workplaces w	here	e Toxic Substances are Used
Catalogue of Highly Toxic Chemicals	:	Not listed
Regulation of Environmental Management on the Fi and Export of Toxic Chemicals	irst	Import of Chemicals and the Import
China Severely Restricted Toxic Chemicals for Import and Export	:	Not listed





Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product is prohibited only for bulk transport in inland river.

The components of this product a	are repo	rted in t	the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	2024/09/28
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-



according to GB/T 16483 and GB/T 17519

Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
6.0	2024/09/28	28036-00026	Date of first issue: 2014/11/04

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN