

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Florfenicol / Flunixin Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Walton Manor, Walton  
MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Acute toxicity, Category 4	H332: Harmful if inhaled.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

- Hazard pictograms :
- Signal word : Danger
- Hazard statements : H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

2-Pyrrolidone  
Florfenicol  
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

Florfenicol	73231-34-2	Repr. 2; H361fd STOT RE 1; H372 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
2-Pyrrolidone	616-45-5 210-483-1	Eye Irrit. 2; H319 Repr. 1B; H360FD  specific concentration limit Repr. 1B; H360FD > 3 %	>= 20 - < 30
Malic Acid	6915-15-7 230-022-8	Eye Irrit. 2; H319	>= 1 - < 10
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7 255-836-0	Acute Tox. 3; H301 Acute Tox. 2; H330 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 1; H372 (Gastrointestinal tract, Kidney, Blood) Aquatic Chronic 2; H411	>= 1 - < 2.5

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9371411-00007	Date of first issue: 27.08.2021

---

- If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye irritation.  
Harmful if inhaled.  
May damage fertility. May damage the unborn child.  
Causes damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.
- 

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Fluorine compounds  
Nitrogen oxides (NO<sub>x</sub>)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9371411-00007	Date of first issue: 27.08.2021

---

### 5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
- 

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

### 6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
-

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Florfenicol	73231-34-2	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-	42461-84-7	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

(perfluoromethyl)anilino]nicotinate				
Further information: Skin				
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal

### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
triacetin	Workers	Inhalation	Long-term systemic effects	35.275 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8.7 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2.5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2.5 mg/kg bw/day
2-Pyrrolidone	Workers	Inhalation	Long-term systemic effects	57.8 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	277 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	17.1 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	6 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	167 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5.2 mg/kg bw/day
Malic Acid	Consumers	Ingestion	Acute systemic effects	33.3 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	36.6 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	5.2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	9 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2.6 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2.6 mg/kg bw/day

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
triacetin	Fresh water	1.88 mg/l
	Marine water	0.188 mg/l
	Intermittent use/release	1 mg/l

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

	Sewage treatment plant	1088 mg/l
	Fresh water sediment	4.73 mg/kg
	Marine sediment	0.47 mg/kg
	Soil	0.57 mg/kg
	Oral (Secondary Poisoning)	69.9 mg/kg food
2-Pyrrolidone	Fresh water	0.5 mg/l
	Freshwater - intermittent	0.5 mg/l
	Marine water	0.05 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.4205 mg/kg dry weight (d.w.)
	Soil	0.0612 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.22
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Flammability (liquids)	:	No data available
Molecular weight	:	No data available
Particle size	:	Not applicable

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9371411-00007	Date of first issue: 27.08.2021

---

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 2.28 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

#### Florfenicol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 2,000 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

LD50 (Dog): > 1,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.28 mg/l  
Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1,913 - 2,253 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 100 mg/kg  
Application Route: Intravenous

### 2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Malic Acid:

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg

LD50 (Mouse): 176 - 249 mg/kg

LD50 (Guinea pig): 488.3 mg/kg

LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0.52 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59.4 - 185.3 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 164 - 363 mg/kg  
Application Route: Intraperitoneal

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Florfenicol:**

Species : Rabbit  
Result : No skin irritation

#### **2-Pyrrolidone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Malic Acid:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Mild skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Components:**

#### **Florfenicol:**

Species : Rabbit  
Result : Mild eye irritation

#### **2-Pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

#### **Malic Acid:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

#### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Irreversible effects on the eye

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Florfenicol:

Test Type : Maximisation Test  
Species : Guinea pig  
Result : negative

##### 2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

##### Malic Acid:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

##### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Florfenicol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

### 2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

### Malic Acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Result: positive

Test Type: Chromosomal aberration  
Test system: Chinese hamster ovary cells  
Result: positive

Test Type: in vitro assay  
Test system: Escherichia coli  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Florfenicol:

Species : Rat  
Application Route : oral (gavage)  
Exposure time : 2 Years  
Result : negative  
Target Organs : Liver, Testes

Species : Mouse  
Application Route : oral (gavage)  
Exposure time : 2 Years  
Result : negative  
Target Organs : Testes, Blood

#### 2-Pyrrolidone:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 18 month(s)  
Result : negative  
Remarks : Based on data from similar materials

#### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rat  
Application Route : oral (feed)  
Exposure time : 104 w  
LOAEL : 2 mg/kg body weight

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

Result : negative  
Target Organs : Gastrointestinal tract  
Remarks : Significant toxicity observed in testing

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 97 w  
NOAEL : 0.6 mg/kg body weight  
Result : negative  
Target Organs : Gastrointestinal tract  
Remarks : Significant toxicity observed in testing

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### Florfenicol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 12 mg/kg body weight  
Result: decreased pup survival, reduced lactation

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
General Toxicity Maternal: NOAEL: 4 mg/kg body weight  
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight  
Result: No teratogenic effects, Fetotoxicity  
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: 120 mg/kg body weight  
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

#### 2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

ment      Species: Rat  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

### Malic Acid:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: LOAEL: 1 - 1.5 mg/kg body weight  
Symptoms: No foetal abnormalities  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 2 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 2 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 3 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

### STOT - single exposure

Not classified based on available information.

### Components:

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

##### **Florfenicol:**

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Florfenicol:**

Species : Dog  
NOAEL : 3 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis, Brain, Spinal cord

Species : Mouse  
NOAEL : 200 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis

Species : Rat  
NOAEL : 30 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis

Species : Dog  
NOAEL : 3 mg/kg  
LOAEL : 12 mg/kg  
Exposure time : 52 Weeks  
Target Organs : Liver, gallbladder

Species : Rat  
NOAEL : 1 mg/kg  
LOAEL : 3 mg/kg  
Exposure time : 52 Weeks  
Target Organs : Testis

##### **2-Pyrrolidone:**

Species : Rat  
NOAEL : 207 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

Application Route : Ingestion  
Exposure time : 3 Months  
Method : OECD Test Guideline 408

### Malic Acid:

Species : Rat  
NOAEL : > 250 mg/kg  
Application Route : Ingestion  
Exposure time : 104 Weeks

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rat  
NOAEL : 2 mg/kg  
LOAEL : < 4 mg/kg  
Application Route : Oral  
Exposure time : 6 w  
Target Organs : Gastrointestinal tract

Species : Rat  
NOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Target Organs : Gastrointestinal tract, Kidney

Species : Monkey  
NOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Target Organs : Gastrointestinal tract, Blood

Species : Rabbit  
LOAEL : 80 mg/kg  
Application Route : Dermal  
Exposure time : 21 d  
Symptoms : Severe irritation

Species : Dog  
LOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 9 d  
Target Organs : Gastrointestinal tract  
Symptoms : Vomiting

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

### Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

Inhalation : Symptoms: respiratory tract irritation  
Skin contact : Symptoms: Skin irritation  
Eye contact : Symptoms: Severe irritation  
Ingestion : Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **Florfenicol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l  
Exposure time: 96 h  
Method: FDA 4.11  
  
LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 330 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l  
Exposure time: 14 d  
Method: FDA 4.01  
  
NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l  
Exposure time: 14 d  
Method: FDA 4.01  
  
IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l  
Exposure time: 72 h  
Method: ISO 10253  
  
NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l  
Exposure time: 72 h  
Method: ISO 10253  
  
EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221  
  
NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221  
  
EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l  
Exposure time: 72 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

Method: OECD Test Guideline 201

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0.066 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 5.5 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

### 2-Pyrrolidone:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Malic Acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9371411-00007	Date of first issue: 27.08.2021

---

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 240 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test substance: Neutralised product  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Test substance: Neutralised product  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50 : > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l  
Exposure time: 96 h  
Method: FDA 4.11
- LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l  
Exposure time: 96 h  
Method: FDA 4.11
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15 mg/l  
Exposure time: 48 h  
Method: FDA 4.08
- Toxicity to algae/aquatic plants : NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l  
Exposure time: 13 d  
Method: FDA 4.01
- NOEC (Selenastrum capricornutum (green algae)): 96 mg/l  
Exposure time: 12 d

## 12.2 Persistence and degradability

### **Components:**

#### **2-Pyrrolidone:**

- Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

#### **Malic Acid:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9371411-00007	Date of first issue: 27.08.2021

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301C  
Remarks: Based on data from similar materials

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Stability in water : Hydrolysis: 0 %(28 d)

### 12.3 Bioaccumulative potential

#### Components:

##### **Florfenicol:**

Partition coefficient: n-octanol/water : log Pow: 0.373  
pH: 7

##### **2-Pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.71  
Method: OECD Test Guideline 107

##### **Malic Acid:**

Partition coefficient: n-octanol/water : log Pow: -1.26

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Partition coefficient: n-octanol/water : log Pow: 1.34

### 12.4 Mobility in soil

#### Components:

##### **Florfenicol:**

Distribution among environmental compartments : Koc: 52  
Method: FDA 3.08

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Distribution among environmental compartments : log Koc: 1.92

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)  
ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)  
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)  
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)  
IATA : Environmentally hazardous substance, liquid, n.o.s.



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

(Florfenicol)

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

<b>ADN</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>ADR</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
<b>RID</b>	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
<b>IMDG</b>	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

<b>IATA (Cargo)</b>	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

<b>IATA (Passenger)</b>	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

### 14.5 Environmental hazards

<b>ADN</b>	
Environmentally hazardous	: yes

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	: Conditions of restriction for the following entries should be considered: Number on list 3
	Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	: Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	: Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	: Not applicable

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

Control of Major Accident Hazards Regulations 2015 (COMAH)

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H301 : Toxic if swallowed.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H335 : May cause respiratory irritation.  
H360FD : May damage fertility. May damage the unborn child.  
H361fd : Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 : Causes damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Repr. : Reproductive toxicity

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9371411-00007      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

STOT RE : Specific target organ toxicity - repeated exposure  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4	H332
Eye Irrit. 2	H319
Repr. 1B	H360FD
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9371411-00007	Date of first issue: 27.08.2021

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN