

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	28052-00027	Date of first issue: 04.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Florfenicol / Flunixin Formulation
1.2	Relevant identified uses of the	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Veterinary product
	Recommended restrictions on use	:	Not applicable
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	MSD Kilsheelan Clonmel Tipperary, IE
	Telephone	:	353-51-601000
	E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H332: Harmful if inhaled.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360FD: May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated	H372: Causes damage to organs through pro-
exposure, Category 1	longed or repeated exposure.
Short-term (acute) aquatic hazard, Cate- gory 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Cat- egory 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

Version Revision Date: 3.12 28.09.2024	SDS Number: 28052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
Hazard pictograms		! 🕹
Signal word	: Danger	• •
Hazard statements	H332 Harmfu H360FD child. H372 Causes peated exposur	s serious eye irritation. Il if inhaled. May damage fertility. May damage the unborn s damage to organs through prolonged or re- re. xic to aquatic life with long lasting effects.
Precautionary statements	[:] Prevention:	
	P273 Avoid r	special instructions before use. elease to the environment. rotective gloves/ protective clothing/ eye protec- ction.
	Response:	
	P308 + P313 attention.	IF exposed or concerned: Get medical advice/
	P337 + P313 attention.	If eye irritation persists: Get medical advice/
	P391 Collect	spillage.

Hazardous components which must be listed on the label:

2-Pyrrolidone

Florfenicol

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

/ersion 5.12		SDS Number: 28052-00027	Date of last issue: 06.04.202 Date of first issue: 04.11.201	
Chem	nical name	CAS-No. EC-No. Index-No. Registration	Classification	Concentration (% w/w)
Florfe		73231-34-2	STOT RE 1; H372 (Liver, Brain, Tes- tis, Spinal cord, Blood, gallbladder) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 20 - < 25
	rolidone	616-45-5 210-483-1	Eye Irrit. 2; H319 Repr. 1B; H360FD 	>= 20 - < 30
Malic	Acid	6915-15-7 230-022-8	Eye Irrit. 2; H319	>= 1 - < 10
2-[2-n	xy-1-(methylamino)-D-glu nethyl-3- uoromethyl)anilino]nicotina	255-836-0	Acute Tox. 3; H301 Acute Tox. 2; H330 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 1; H372 (Gastrointestinal tract, Kidney, Blood) Aquatic Chronic 2; H411	>= 1 - < 2,5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection,



Version 3.12	Revision Date: 28.09.2024	SDS Number: 28052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014	
			commended personal protective equipment ntial for exposure exists (see section 8).	
If inhaled		If not breathing	ove to fresh air. g, give artificial respiration. difficult, give oxygen. tention.	
In case of skin contact		of water. Remove conta Get medical at Wash clothing		
In case of eye contact		for at least 15 If easy to do, r	In case of contact, immediately flush eyes with plenty of wa for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.	
If swallowed		Get medical at Rinse mouth th	DO NOT induce vomiting. tention. horoughly with water. /thing by mouth to an unconscious person.	
I.2 Most i	mportant symptoms	and effects, both ac	ute and delayed	
Risks		Harmful if inha May damage f	s eye irritation. led. ertility. May damage the unborn child. ge to organs through prolonged or repeated	
4.3 Indicat	tion of any immedia	te medical attention a	and special treatment needed	
	ment		natically and supportively.	

5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Exposure to combustion products may be a hazard to health. fighting

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

Version 3.12	Revision Date: 28.09.2024		OS Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
Haz uct	zardous combustion prod- S	:	Carbon oxides Fluorine compour Nitrogen oxides (l	
5.3 Advice for firefighters Special protective equipment for firefighters		:		e, wear self-contained breathing apparatus. tective equipment.
Spe ods	ecific extinguishing meth-	: Use extinguishing measures that are appropria cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area so. Evacuate area.		he surrounding environment. o cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions Environmental precautions	:	Avoid release to the environment.

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	 Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. 	

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.



Commission Regulation (EU) 2020/878

Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	28052-00027	Date of first issue: 04.11.2014

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Technical measures	: See Engineering measures under EXPOSURE
Local/Total ventilation	 CONTROLS/PERSONAL PROTECTION section. If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	 If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
7.2 Conditions for safe storage, in	ncluding any incompatibilities
Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases
7.3 Specific end use(s)	
Specific use(s)	: No data available


SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No. Value type (Form Control parameters Basis					
	Co	mponents	Value type (Form	Control parameters	Basis

methyl-3-(perfluorome-





Florfenicol / Flunixin Formulation

 		Number: 52-00027	 te of last issue: 06.04.2024 te of first issue: 04.11.2014		
			of exposure)		
Florfer	nicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal
1-deox (methy glucito	/lamino)-D-	42461-84-7	TWA	40 µg/m3 (OEB 3)	Internal

thyl)anilino]nicotina te				1
	Further inform	ation: Skin		
		Wipe limit	400 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
triacetin	Workers	Inhalation	Long-term systemic effects	35,275 mg/m3
	Workers	Skin contact	Long-term systemic effects	5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2,5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,5 mg/kg bw/day
2-Pyrrolidone	Workers	Inhalation	Long-term systemic effects	57,8 mg/m3
	Workers	Skin contact	Long-term systemic effects	10 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	277 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	17,1 mg/m3
	Consumers	Skin contact	Long-term systemic effects	6 mg/kg bw/day
	Consumers	Skin contact	Acute systemic ef- fects	167 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5,2 mg/kg bw/day
	Consumers	Ingestion	Acute systemic ef- fects	33,3 mg/kg bw/day
Malic Acid	Workers	Inhalation	Long-term systemic effects	36,6 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	9 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2,6 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,6 mg/kg bw/day

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	28052-00027	Date of first issue: 04.11.2014

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
triacetin	Fresh water	1,88 mg/l
	Marine water	0,188 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	1088 mg/l
	Fresh water sediment	4,73 mg/kg
	Marine sediment	0,47 mg/kg
	Soil	0,57 mg/kg
	Oral (Secondary Poisoning)	69,9 mg/kg food
2-Pyrrolidone	Fresh water	0,5 mg/l
	Freshwater - intermittent	0,5 mg/l
	Marine water	0,05 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,4205 mg/kg dry
		weight (d.w.)
	Soil	0,0612 mg/kg dry
		weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection Hand protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Material	:	Chemical-resistant gloves
Remarks Skin and body protection Respiratory protection	:	Consider double gloving. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387



Version 3.12	Revision Date: 28.09.2024	SDS Number: 28052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
Fil	ter type	: Combined part	iculates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Flash point Auto-ignition temperature	:	No data available No data available
	: : :	
Auto-ignition temperature		No data available
Auto-ignition temperature Decomposition temperature		No data available No data available
Auto-ignition temperature Decomposition temperature pH Viscosity		No data available No data available No data available
Auto-ignition temperature Decomposition temperature pH Viscosity Viscosity, kinematic Solubility(ies)		No data available No data available No data available No data available
Auto-ignition temperature Decomposition temperature pH Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n-		No data available No data available No data available No data available
Auto-ignition temperature Decomposition temperature pH Viscosity Viscosity, kinematic Solubility(ies) Water solubility Partition coefficient: n- octanol/water		No data available No data available No data available No data available No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Florfenicol / Flunixin Formulation

Ver: 3.12	sion 2	Revision Date: 28.09.2024		9S Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014		
	Density	у	:	No data availabl	e		
	Relative vapour density		:	: No data available			
	Particle characteristics Particle size :		:	Not applicable			
9.2	Other in	nformation					
	Explos	ives	:	Not explosive			
	Oxidizi	ing properties	: The substance or mixture is not classified as oxidiz		or mixture is not classified as oxidizing.		
	Evapo	ration rate	:	No data availabl	e		
	Molecu	ular weight	:	No data availabl	e		

SECTION 10: Stability and reactivity

10.1 Reactivity Not classified as a reactivity hazard.						
ons						
Can react with strong oxidizing agents.						
None known.						
Oxidizing agents						

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation exposure Skin contact Ingestion Eye contact

Acute toxicity

Harmful if inhaled.

Product:



Versio 3.12		evision Date: 8.09.2024		9S Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
A	Acute oral toxicity		:	Acute toxicity estir Method: Calculation	mate: > 2.000 mg/kg on method
A	cute inh	alation toxicity	:	Acute toxicity estir Exposure time: 4 I Test atmosphere: Method: Calculatio	h dust/mist
<u>c</u>	compone	ents:			
F	Iorfenic	ol:			
A	cute ora	I toxicity	:	LD50 (Rat): > 2.00	00 mg/kg
				LD50 (Mouse): > 2	2.000 mg/kg
				LD50 (Dog): > 1.2	80 mg/kg
A	cute inh	alation toxicity	:	LC50 (Rat): > 0,28 Exposure time: 4 I	•
А	cute der	mal toxicity	:	Remarks: No data	available
	cute tox dministra	icity (other routes of ation)	:	LD50 (Rat): 1.913 Application Route	
				LD50 (Mouse): 10 Application Route	
2.	-Pyrrolie	done:			
	cute ora		:	Method: OECD Te	
A	cute der	mal toxicity	:	LD50 (Rabbit): > 2 Method: OECD Te Assessment: The toxicity	
м	Ialic Aci	d:			
A	cute ora	l toxicity	:	LD50 (Rat): 3.500	mg/kg
A	cute der	mal toxicity	:	LD50 (Rabbit): > 5 Remarks: Based o	5.000 mg/kg on data from similar materials
1.	-deoxy-	1-(methylamino)-D-	glu	citol 2-[2-methyl-3	-(perfluoromethyl)anilino]nicotinate:
A	cute ora	I toxicity	:	LD50 (Rat): 53 - 1	57 mg/kg
				LD50 (Mouse): 17	6 - 249 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ersion 12	Revision Date: 28.09.2024		0S Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
			LD50 (Guinea pig): 488,3 mg/kg
			LD50 (Monkey): 3	300 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): < 0,5 Exposure time: 4 Test atmosphere:	h
	e toxicity (other routes of nistration)	:	LD50 (Rat): 59,4 Application Route	
			LD50 (Mouse): 16 Application Route	
Skin	corrosion/irritation			
	assified based on availa	ble	information.	
<u>Comp</u>	oonents:			
	enicol:			
Speci Resul		:	Rabbit No skin irritation	
2-Pyr	rolidone:			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Guide No skin irritation	eline 404
Malic	Acid:			
Speci	es	:	Rabbit	
Metho		:	OECD Test Guide	eline 404
Resul Rema		:	No skin irritation Based on data fro	om similar materials
1-deo	oxy-1-(methylamino)-D-	alu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:
Speci		:	Rabbit	
Resul		:	Mild skin irritation	
Serio	us eye damage/eye irri	tati	on	
Cause	es serious eye irritation.			
Comp	oonents:			
Florfe	enicol:			
Speci Resul		:	Rabbit Mild eye irritation	
2-Pyr	rolidone:			
Speci	es	:	Rabbit	
			12/20	



Result : Irritation to eyes, reversing within 7 days Malic Acid: :: Species :: Result :: Statum :: Result :: Result :: Result :: Result :: Remarks :: Based on data from similar materials I-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Species :: Result :: Porfericol: :: Test Type :: Result ::	ersion .12	Revision Date: 28.09.2024	SDS Number: 28052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
Species : Rabbit Method : OECD Test Guideline 405 Result :: Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Species : Rabbit Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : negative Z-Pyrrolidone: : Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method :: OECD Test Guideline 429 Result : negative Remarks :: Based on data from similar materials Malic Acid: : OECD Test Guideline 406 Result :: negative Remarks :: Based on	Resul	t	: Irritation to ey	res, reversing within 7 days
Species : Rabbit Method : OECD Test Guideline 405 Result :: Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Species : Rabbit Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : negative Z-Pyrrolidone: : Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method :: OECD Test Guideline 429 Result : negative Remarks :: Based on data from similar materials Malic Acid: : OECD Test Guideline 406 Result :: negative Remarks :: Based on	Malic	Acid:		
Method :: OECD Test Guideline 405 Result :: Irritation to eyes, reversing within 21 days Remarks :: Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Species : Rabbit Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Cola lymph node assay (LLNA) Exposure routes Skin contact Species :: Maximisation Test Species :: Florfenicol: Test Type : Cocal lymph node assay (LLNA) Exposure routes Skin contact Species Skin contact Species Skin contact Species Colenea tig			· Dabbit	
Result : Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Species : Rabbit Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : negative 2-Pyrrolidone: : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Result	-			Luideline 405
Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Species : Rabbit Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : negative 2-Pyrrolidone: Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Remarks : Based on data from similar materials Malic Acid: : Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Method : OECD				
Species : Rabbit Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : rest Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Method : Method : Method : Test Type : Result : Result : Result : Result : Result : Skin contact Species : Skin contact S				
Species : Rabbit Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : rest Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Method : Method : Method : Test Type : Result : Result : Result : Result : Result : Skin contact Species : Skin contact S	1-deo	xv-1-(methylamino)	-D-alucitol 2-[2-metl	nvl-3-(perfluoromethvl)anilino1nicotinate:
Result : Irreversible effects on the eye Respiratory or skin sensitisation Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Suinea pig Result : rest Type : Local lymph node assay (LLNA) Exposure routes : Species : Method : Method : Method : Result : Test Type : Maximisation Test Exposure routes : Skin contact Species : Method : DECD Test Guideline 429 Result : Species : Skin contact Species </td <td></td> <td></td> <td>-</td> <td></td>			-	
Skin sensitisation Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type Maximisation Test Species Guinea pig Result negative 2-Pyrrolidone: Test Type Local lymph node assay (LLNA) Exposure routes Skin contact Species Mouse Method OECD Test Guideline 429 Result negative Remarks Based on data from similar materials Matic Acid: CCD Test Guideline 406 Result negative Result negative Result Skin contact Species Guinea pig Method OECD Test Guideline 406 Result negative Result Skin contact Species Guinea pig Method OECD Test Guideline 406 Result negative Remarks Based on data from similar materials Indetoxit negative <td></td> <td></td> <td></td> <td>ffects on the eye</td>				ffects on the eye
Not classified based on available information. Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : negative 2-Pyrrolidone: Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Result : negative Remarks : Based on data from similar materials Malic Acid: : Test Type : Guinea pig Method : OECD Test Guideline 406 Result : negative	Resp	iratory or skin sens	itisation	
Respiratory sensitisation Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : Test Type : Guinea pig Result : Test Type : Local lymph node assay (LLNA) Exposure routes : Sypcies : Method : Result : Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Method : OECD Test Guideline 406 Result : Regati	Skin s	sensitisation		
Not classified based on available information. Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : Pyrrolidone: Test Type : Test Type : Local lymph node assay (LLNA) Exposure routes : Species : Method : Method : Method : Result : rest Type : Malic Acid: Test Type : Makinisation Test Exposure routes : Skin contact Species : Subsci Contact Species : Skin contact Species : Skin contact Species : Skepcies : Skepcies : Skepcies : Skepcies : Skepcies <t< td=""><td>Not cl</td><td>assified based on av</td><td>ailable information.</td><td></td></t<>	Not cl	assified based on av	ailable information.	
Components: Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : negative 2-Pyrrolidone:	Resp	iratory sensitisatior	1	
Florfenicol: Test Type : Maximisation Test Species : Guinea pig Result : negative 2-Pyrrolidone: . . Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Remarks : Based on data from similar materials Malic Acid: . . Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Method : OECD Test Guideline 406 Result : negative Result : negative Remarks : Based on data from similar materials Method : OECD Test Guideline 406 Result : negative Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-	Not cl	assified based on av	ailable information.	
Test Type:Maximisation TestSpecies:Guinea pigResult:negative2-Pyrrolidone:Test Type:Local lymph node assay (LLNA)Exposure routes:Skin contactSpecies:MouseMethod:OECD Test Guideline 429Result:negativeRemarks:Based on data from similar materialsMalic Acid:Test Type:Maximisation TestExposure routes:Skin contactSpecies:Guinea pigMethod:OECD Test Guideline 406Result:negativeResult:negativeResult:negativeRemarks:Based on data from similar materialsHothod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsHothod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsHothod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsHothod:OECD Test Guideline 5(perfluoromethyl)anilino]nicotinate:Test Type:Maximisation TestExposure routes:DermalSpecies:Guinea pigAssessment:Does not cause skin sensitisa	<u>Comp</u>	oonents:		
Species : Guinea pig Result : negative 2-Pyrrolidone: : Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Remarks : Based on data from similar materials Malic Acid: : Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Method : OECD Test Guideline 406 Result : negative Result : negative Result : negative Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Test Type : Maximisation Test Exposure routes : Dermal Species : Guinea pig Assessment : Does not cause skin sensitisation.	Florfe	enicol:		
Species : Guinea pig Result : negative 2-Pyrrolidone: : Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Remarks : Based on data from similar materials Malic Acid: : Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Method : OECD Test Guideline 406 Result : negative Result : negative Result : negative Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Test Type : Maximisation Test Exposure routes : Dermal Species : Guinea pig Assessment : Does not cause skin sensitisation.	Test 1	Гуре	: Maximisation	Test
Result : negative 2-Pyrrolidone: Test Type : Local lymph node assay (LLNA) Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Remarks : Based on data from similar materials Malic Acid:			: Guinea pig	
Test Type:Local lymph node assay (LLNA)Exposure routes:Skin contactSpecies:MouseMethod:OECD Test Guideline 429Result:negativeRemarks:Based on data from similar materialsMalic Acid:Test Type:Maximisation TestExposure routes:Skin contactSpecies:Guinea pigMethod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsIdextract Species::Guinea pigMethod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsIdextract Species::Dermal from similar materials::DermalSpecies::::DermalSpecies::::Does not cause skin sensitisation.	Resul	t	: negative	
Exposure routes : Skin contact Species : Mouse Method : OECD Test Guideline 429 Result : negative Remarks : Based on data from similar materials Malic Acid: . Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Method : OECD Test Guideline 406 Result : negative Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Test Type : Maximisation Test Exposure routes : Dermal Species : Guinea pig Assessment : Does not cause skin sensitisation.	2-Pyr	rolidone:		
Species : Mouse Method : OECD Test Guideline 429 Result : negative Remarks : Based on data from similar materials Malic Acid:	Test 7	Гуре	: Local lymph r	node assay (LLNA)
Method:OECD Test Guideline 429Result:negativeRemarks:Based on data from similar materialsMalic Acid:Test Type:Maximisation TestExposure routes:Skin contactSpecies:Guinea pigMethod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsI-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:Test Type:Maximisation TestExposure routes:DermalSpecies:Guinea pigAssessment:Does not cause skin sensitisation.				
Result : negative Remarks : Based on data from similar materials Malic Acid:			: Mouse	
Remarks : Based on data from similar materials Malic Acid: . Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig Method : OECD Test Guideline 406 Result : negative Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Test Type : Maximisation Test Exposure routes : Dermal Species : Guinea pig Assessment : Does not cause skin sensitisation.	Metho	bd	: OECD Test G	Guideline 429
Malic Acid:Test Type:Maximisation TestExposure routes:Skin contactSpecies:Guinea pigMethod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsI-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:Test Type:Maximisation TestExposure routes:DermalSpecies:Guinea pigAssessment:Does not cause skin sensitisation.				
Test Type:Maximisation TestExposure routes:Skin contactSpecies:Guinea pigMethod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsI-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:Test Type:Maximisation TestExposure routes:DermalSpecies:Guinea pigAssessment:Does not cause skin sensitisation.	Rema	ırks	: Based on dat	a from similar materials
Exposure routes:Skin contactSpecies:Guinea pigMethod:OECD Test Guideline 406Result:negativeRemarks:Based on data from similar materialsI-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:Test Type:Maximisation TestExposure routes:DermalSpecies:Guinea pigAssessment:Does not cause skin sensitisation.	Malic	Acid:		
Species : Guinea pig Method : OECD Test Guideline 406 Result : negative Remarks : Based on data from similar materials I-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Test Type : Maximisation Test Exposure routes : Dermal Species : Guinea pig Assessment : Does not cause skin sensitisation.	Test 1	Гуре	: Maximisation	Test
Method : OECD Test Guideline 406 Result : negative Remarks : Based on data from similar materials 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Test Type : Maximisation Test Exposure routes : Dermal Species : Guinea pig Assessment : Does not cause skin sensitisation.				
Result: negativeRemarks: Based on data from similar materials1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:Test Type: Maximisation TestExposure routes: DermalSpecies: Guinea pigAssessment: Does not cause skin sensitisation.			: Guinea pig	
Remarks:Based on data from similar materials1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:Test Type:Maximisation TestExposure routes:DermalSpecies:Guinea pigAssessment:Does not cause skin sensitisation.				Guideline 406
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:Test Type:Maximisation TestExposure routes:DermalSpecies:Assessment:Does not cause skin sensitisation.				
Test Type: Maximisation TestExposure routes: DermalSpecies: Guinea pigAssessment: Does not cause skin sensitisation.	Rema	irks	: Based on dat	a from similar materials
Exposure routes: DermalSpecies: Guinea pigAssessment: Does not cause skin sensitisation.	1-deo	oxy-1-(methylamino)	-D-glucitol 2-[2-metl	nyl-3-(perfluoromethyl)anilino]nicotinate:
Species:Guinea pigAssessment:Does not cause skin sensitisation.				Test
Assessment : Does not cause skin sensitisation.				
	•			
Result : negative				se skin sensitisation.
	Resul	t	: negative	
13 / 29			10.11	20

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	28052-00027	Date of first issue: 04.11.2014

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
		Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative
		Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative
2-Pyrrolidone:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
		Remarks: Based on data from similar materials
		Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473
Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 3.12	Revision Date: 28.09.2024	-	DS Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
			Result: negative	
			Method: OECD T Result: negative	o mammalian cell gene mutation test est Guideline 476 on data from similar materials
			Result: negative	nosome aberration test in vitro on data from similar materials
1 do	ovy 1 (mothylomino) D	alu	unital 2 [2 mathul 1	2 (norfluoromethyl)enilinelnieetineter
	otoxicity in vitro	-giù :		3-(perfluoromethyl)anilino]nicotinate: rial reverse mutation assay (AMES)
			Test Type: in vitro Test system: mou Result: positive	o assay ise lymphoma cells
				nosomal aberration nese hamster ovary cells
			Test Type: in vitro Test system: Esc Result: positive	
Geno	otoxicity in vivo	:	Test Type: Micror Species: Mouse Application Route Result: negative	
	n cell mutagenicity- As- ment	:	Weight of evidend cell mutagen.	ce does not support classification as a germ
	inogenicity classified based on availa	able	information.	
<u>Com</u>	ponents:			
Florf	enicol:			
Expo Resu	ication Route osure time		Rat oral (gavage) 2 Years negative Liver, Testes	
Expo Resu	ication Route osure time		Mouse oral (gavage) 2 Years negative Testes, Blood	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 3.12	Revision Date: 28.09.2024		Number: 2-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
2-Pyi	rrolidone:			
Spec	ies	: M	ouse	
	cation Route		gestion	
	sure time		month(s)	
Resu			gative	
Rema	arks	: Ba	ased on data f	rom similar materials
1-deo	oxy-1-(methylamino)-I	D-glucito	ol 2-[2-methyl	-3-(perfluoromethyl)anilino]nicotinate:
Spec	ies	: Ra	at	
Appli	cation Route		al (feed)	
Expo	sure time	: 10	4 w	
LOAE	ΞL	: 2	mg/kg body w	eight
Resu	llt		gative	
	et Organs		astrointestinal	
Rema	arks	: Si	gnificant toxici	ty observed in testing
Spec	ies	: M	ouse	
	cation Route	: or	al (feed)	
	sure time		´w` ´	
NÓA	EL	: 0,	6 mg/kg body	weight
Resu	llt		gative	-
Targe	et Organs	: Ga	astrointestinal	tract
Rema	arks	: Si	gnificant toxici	ty observed in testing
-	oductive toxicity damage fertility. May da	amage th	e unborn child	J.
Com	ponents:			
Florf	enicol:			
Effec	ts on fertility	Sp Ap Fe	pecies: Rat oplication Rou ertility: LOAEL	generation reproduction toxicity study te: Oral : 12 mg/kg body weight ed pup survival, reduced lactation
Effec ment	ts on foetal develop-	Sp Ge Er Re	oecies: Rat eneral Toxicity nbryo-foetal to esult: No terate emarks: The e	ryo-foetal development Maternal: NOAEL: 4 mg/kg body weight oxicity: LOAEL: 40 mg/kg body weight ogenic effects, Fetotoxicity ffects were seen only at maternally toxic dos-
		Sp Ap Ge Er	pecies: Mouse oplication Rou eneral Toxicity	te: oral (gavage) / Maternal: NOAEL: 120 mg/kg body weight oxicity: LOAEL: 40 mg/kg body weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Versio 3.12	on	Revision Date: 28.09.2024	-	0S Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
	Reproductive toxicity - As- sessment		:	fertility, based on	f adverse effects on sexual function and animal experiments., Some evidence of a development, based on animal experi-
	2-Pyrrolidone: Effects on fertility		:	Species: Rat Application Route Result: positive	eneration reproduction toxicity study : Ingestion on data from similar materials
	Effects on foetal develop- ment		:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive	
	Reprodi sessme	uctive toxicity - As- nt	:	ity, based on anim	adverse effects on sexual function and fertil- nal experiments., Clear evidence of adverse oment, based on animal experiments.
-	Malic A Effects	cid: on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion
	Effects ment	on foetal develop-	:	Test Type: Embry Species: Rat Application Route Result: negative	o-foetal development : Ingestion
	-	y-1-(methylamino)-D- on fertility	glu :	Test Type: Two-ge Species: Rat Application Route General Toxicity - Symptoms: No for	Parent: LOAEL: 1 - 1,5 mg/kg body weight etal abnormalities on fertility and early embryonic develop-
	Effects ment	on foetal develop-	:	Embryo-foetal tox Result: Embryotox	
				Test Type: Embry	o-foetal development

Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

VersionRevision Date:SDS Number:Date of last issue: 06.04.20243.1228.09.202428052-00027Date of first issue: 04.11.2014	-
--	---

Species: Rabbit Application Route: Oral General Toxicity Maternal: LOAEL: 3 mg/kg body weight Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT - single exposure

Not classified based on available information.

Components:

1-deoxy-1-(methylamino)-D-	glu	citol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:
Assessment	:	May cause respiratory irritation.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs	:	Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Target Organs	:	Gastrointestinal tract, Kidney, Blood
Assessment	:	Causes damage to organs through prolonged or repeated
		exposure.

Repeated dose toxicity

Components:

Florfenicol: Species NOAEL Exposure time Target Organs	:	Dog 3 mg/kg 13 Weeks Liver, Testis, Brain, Spinal cord
Species NOAEL Exposure time Target Organs	:	Mouse 200 mg/kg 13 Weeks Liver, Testis
Species NOAEL Exposure time Target Organs	:	Rat 30 mg/kg 13 Weeks Liver, Testis
Species	:	Dog

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Version 3.12	Revision Date: 28.09.2024	SDS Number: 28052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
NOA		: 3 mg/kg	
LOAE		: 12 mg/kg	
	sure time	: 52 Weeks	ldor
Targe	et Organs	: Liver, gallblad	lder
Spec		: Rat	
NOA		: 1 mg/kg	
LOAE	=∟ sure time	: 3 mg/kg : 52 Weeks	
	et Organs	: Testis	
6 B.			
-	rrolidone:	. Det	
Spec NOAI		: Rat : 207 mg/kg	
	cation Route	: Ingestion	
	sure time	: 3 Months	
Meth		: OECD Test G	uideline 408
Malic	c Acid:		
Spec		: Rat	
NOA		250 mg/kg	
	cation Route	: Ingestion	
	sure time	: 104 Weeks	
Spec NOAI LOAE Appli Expo	ies EL	-D-glucitol 2-[2-meth : Rat : 2 mg/kg : < 4 mg/kg : Oral : 6 w : Gastrointestin	nyl-3-(perfluoromethyl)anilino]nicotinate: nal tract
Spec	ies	: Rat	
NOA		: 1 mg/kg	
	cation Route	: Oral	
	sure time	: 1 y	
large	et Organs	: Gastrointestin	al tract, Kidney
Spec		: Monkey	
NOA		: 15 mg/kg	
	cation Route	: Oral	
	sure time	: 90 d	al tract. Pland
Targe	et Organs	: Gastrointestin	al tract, Blood
Spec		: Rabbit	
LOAE		: 80 mg/kg	
	cation Route	: Dermal : 21 d	
•	sure time otoms	: Severe irritation	on
Spec		: Dog	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.04.2024
3.12		28052-00027	Date of first issue: 04.11.2014
Expos	ation Route sure time t Organs	: 11 mg/kg : Oral : 9 d : Gastrointestin : Vomiting	al tract

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Inhalation Skin contact Eye contact Ingestion	 Symptoms: respiratory tract irritation Symptoms: Skin irritation Symptoms: Severe irritation Symptoms: Gastrointestinal disturbance, bleeding, hyperten- sing, Kida and discurbance
0	sion, Kidney disorders

SECTION 12: Ecological information

12.1 Toxicity

Components:

Florfenicol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 2,9 mg/l


according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Ver: 3.12		Revision Date: 28.09.2024		S Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
				Exposure time: 14 Method: FDA 4.01	
				NOEC (Pseudokir mg/l Exposure time: 14 Method: FDA 4.01	
				IC50 (Skeletonem Exposure time: 72 Method: ISO 1025	
				NOEC (Skeletone Exposure time: 72 Method: ISO 1025	
				EC50 (Lemna gib Exposure time: 7 Method: OECD Te	
				NOEC (Lemna gib Exposure time: 7 Method: OECD Te	
				EC50 (Navicula p Exposure time: 72 Method: OECD Te	
				NOEC (Navicula p Exposure time: 72 Method: OECD Te	
				EC50 (Anabaena Exposure time: 72 Method: OECD Te	
				NOEC (Anabaena Exposure time: 72 Method: OECD Te	
	M-Facto icity)	r (Acute aquatic tox-	:	10	
	Toxicity icity)	to fish (Chronic tox-	:	NOEC: 5,5 mg/l Exposure time: 32 Species: Pimepha Method: OECD Te	ales promelas (fathead minnow)
		to daphnia and other invertebrates (Chron- y)	:	NOEC: 1,5 mg/l Exposure time: 21 Species: Daphnia Method: OECD Te	magna (Water flea)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

/ersion 8.12	Revision Date: 28.09.2024		9S Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
M-Fa toxici	ctor (Chronic aquatic ty)	:	10	
2-Pyr	rolidone:			
Toxic	ity to fish	:	Exposure time: 9	o (zebra fish)): > 4.600 - 10.000 mg/l 6 h est Guideline 203
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 4	nagna (Water flea)): > 500 mg/l 3 h
Toxic plants	ity to algae/aquatic	:	ErC50 (Desmode Exposure time: 72	smus subspicatus (green algae)): > 500 mg/ 2 h
			EC10 (Desmodes Exposure time: 72	smus subspicatus (green algae)): 22,2 mg/l 2 h
Toxic	ity to microorganisms	:	EC50 : > 1.000 m Exposure time: 30 Method: OECD T	
Malic	Acid:			
	ity to fish	:	Exposure time: 90 Method: OECD T	o (zebra fish)): > 100 mg/l 6 h est Guideline 203 on data from similar materials
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 44	nagna (Water flea)): 240 mg/l 3 h
Toxic plants	ity to algae/aquatic	:	mg/l Exposure time: 72 Test substance: N Method: OECD T	rchneriella subcapitata (green algae)): > 100 2 h Neutralised product est Guideline 201 on data from similar materials
			mg/l Exposure time: 72 Test substance: N Method: OECD T	rchneriella subcapitata (green algae)): 100 2 h Neutralised product est Guideline 201 on data from similar materials
Toxic	ity to microorganisms	:		
1-dec	oxv-1-(methvlamino)-D-	alu	citol 2-[2-methvl-:	3-(perfluoromethyl)anilino]nicotinate:
	ity to fish	:		nacrochirus (Bluegill sunfish)): 28 mg/l





Vers 3.12	-	Revision Date: 28.09.2024		DS Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
				Method: FDA 4.1	1
				LC50 (Oncorhynd Exposure time: 9 Method: FDA 4.1	
		y to daphnia and other invertebrates	:	EC50 (Daphnia n Exposure time: 4 Method: FDA 4.0	
	Toxicity plants	y to algae/aquatic	:	NOEC (Microcyst Exposure time: 1 Method: FDA 4.0	
				NOEC (Selenastr Exposure time: 12	rum capricornutum (green algae)): 96 mg/l 2 d
12.2	Persis	tence and degradabil	lity		
	<u>Comp</u>	onents:			
		olidone: radability	:	Result: Readily b Remarks: Based	iodegradable. on data from similar materials
	Malic /	Acid:			
	Biodeg	radability	:	Method: OECD T	iodegradable. est Guideline 301C on data from similar materials
	1-deox	xy-1-(methylamino)-D	-glu	citol 2-[2-methyl-	3-(perfluoromethyl)anilino]nicotinate:
	Stabilit	y in water	:	Hydrolysis: 0 %(2	28 d)
12.3	Bioaco	cumulative potential			
	Compo	onents:			
	Florfer	nicol:			
	Partitio octano	n coefficient: n- I/water	:	log Pow: 0,373 pH: 7	
	2-Pyrre	olidone:			
	Partitio octano	n coefficient: n- I/water	:	log Pow: -0,71 Method: OECD T	est Guideline 107
	Malic /	Acid:			
	Partitio octano	n coefficient: n- l/water	:	log Pow: -1,26	
	1-deox	xy-1-(methylamino)-D	-glu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Versior 3.12	n	Revision Date: 28.09.2024		DS Number: 3052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
		n coefficient: n- /water	:	log Pow: 1,34	
12.4 M	lobilit	y in soil			
<u>Cc</u>	ompo	onents:			
Fl	lorfen	icol:			
		tion among environ- compartments	:	Koc: 52 Method: FDA 3.0	8
1-0	-deox	y-1-(methylamino)-D	-glu	citol 2-[2-methyl-	3-(perfluoromethyl)anilino]nicotinate:
		tion among environ- compartments	:	log Koc: 1,92	
12.5 Re	esult	s of PBT and vPvB a	sse	ssment	
<u>Pr</u>	roduc	<u>:t:</u>			
As	SSESS	ment	:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of
12.6 Er	ndoc	rine disrupting prope	ertie	es	
<u>Pr</u>	roduc	: <u>t:</u>			
As	SSESS	ment	:	ered to have end REACH Article 5	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.
12.7 Ot	ther a	adverse effects			
No	o data	a available			
SECTI		13: Disposal consid	der	ations	
13 1 W	lasto	treatment methods			
	roduct		:		ordance with local regulations. European Waste Catalogue, Waste Codes

	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging :	Empty containers should be taken to an approved waste han-
Containinatou paolaging	dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	28052-00027	Date of first issue: 04.11.2014

SECTION 14: Transport information

14.1 UN number or ID number		
ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
ΙΑΤΑ	:	UN 3082
14.2 UN proper shipping name		
ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Florfenicol)
ΙΑΤΑ	:	Environmentally hazardous substance, liquid, n.o.s. (Florfenicol)
14.3 Transport hazard class(es)		
		Class Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
ΙΑΤΑ	:	9
14.4 Packing group		
ADN Packing group Classification Code Hazard Identification Number Labels ADR Packing group Classification Code Hazard Identification Number		III M6 90 9 9

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Florfenicol / Flunixin Formulation

Vers 3.12		Revision Date: 28.09.2024	-	OS Number: 052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
	Labels Tunnel	restriction code	:	9 (-)	
	Classif	g group ication Code I Identification Number	: :	III M6 90 9	
	IMDG Packin Labels EmS C	g group ode	:	III 9 F-A, S-F	
	aircraft Packin	g instruction (cargo	:	964 Y964 III Miscellaneous	
	Packin ger airo Packin	g instruction (LQ) g group	::	964 Y964 III Miscellaneous	
14.5	5 Enviro	onmental hazards			
	ADN Enviror	nmentally hazardous	:	yes	
	ADR Enviror	nmentally hazardous	:	yes	
	RID Enviror	nmentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
		Passenger)	:	yes	
	IATA (Enviror	Cargo) nmentally hazardous	:	yes	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	28052-00027	Date of first issue: 04.11.2014

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
		Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the condi- tions in corresponding Regulation to determine whether an entry is appli- cable to the placing on the market or not.
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu-	:	Not applicable

tants (recast) Regulation (EU) No 649/2012 of the European Parlia- : Not applicable ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity I	Quantity Z
E1	ENVIRONMENTAL	100 t	200 t
	HAZARDS		

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.



Version 3.12	Revision Date: 28.09.2024	SDS Number: 28052-00027	Date of last issue: 06.04.2024 Date of first issue: 04.11.2014
SECTION	N 16: Other information	ation	
Other	rinformation		nanges have been made to the previous version in the body of this document by two vertical
Full t	ext of H-Statements		
H301 H318 H319 H330 H360 H361 H372 H400 H410 H411 Full t Acute Aqua	FD fd a Tox. tic Acute tic Chronic Dam. rrit. Γ RE	 May damage for Suspected of a unborn child. Causes damage exposure. Very toxic to a e Very toxic to a e Toxic to aquatiente. Acute toxicity Short-term (ac Long-term (chr Serious eye da Eye irritation Reproductive t Specific target 	s eye damage. s eye irritation. piratory irritation. ertility. May damage the unborn child. lamaging fertility. Suspected of damaging the ge to organs through prolonged or repeated quatic life. quatic life with long lasting effects. c life with long lasting effects. c life with long lasting effects.
Wate Road ing of tion (I of the Europ assoc cy Sc socia borate Trans rying tional IMDC - Indu KECI tion; I tional NO(A fect L	rways; ADR - Agree ; AIIC - Australian Inv f Materials; bw - Body EC) No 1272/2008; C e German Institute for bean Chemicals Ager ciated with x% respon- ciated with x% respon- ciated with x% respon- ciated with x% growth r ory Practice; IARC - sport Association; IBC Dangerous Chemical Civil Aviation Organi G - International Maritius ustrial Safety and Hea - Korea Existing Che LD50 - Lethal Dose to Convention for the DEC - No Observed (Level; NOELR - No C	nt concerning the Inter- ment concerning the entory of Industrial Ch weight; CLP - Classif MR - Carcinogen, Mu Standardisation; DSL cy; EC-Number - Euro se; ELx - Loading rate ing and New Chemica ate response; GHS - international Agency for - International Agency for - International Code f s in Bulk; IC50 - Half r zation; IECSC - Inver- me Dangerous Goods; alth Law (Japan); ISO micals Inventory; LC50 o 50% of a test popula Prevention of Pollution Adverse) Effect Conce Observable Effect Loa	national Carriage of Dangerous Goods by Inland International Carriage of Dangerous Goods by memicals; ASTM - American Society for the Test- ication Labelling Packaging Regulation; Regula- tagen or Reproductive Toxicant; DIN - Standard - Domestic Substances List (Canada); ECHA - opean Community number; ECx - Concentration - associated with x% response; EmS - Emergen- al Substances (Japan); ErCx - Concentration as- Globally Harmonized System; GLP - Good La- or Research on Cancer; IATA - International Air or the Construction and Equipment of Ships car- naximal inhibitory concentration; ICAO - Interna- tory of Existing Chemical Substances in China; IMO - International Maritime Organization; ISHL - International Organisation for Standardization; 0 - Lethal Concentration to 50 % of a test popula- ation (Median Lethal Dose); MARPOL - Interna- n from Ships; n.o.s Not Otherwise Specified; entration; NO(A)EL - No Observed (Adverse) Ef- iding Rate; NZIOC - New Zealand Inventory of Co-operation and Development; OPPTS - Office



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.12	28.09.2024	28052-00027	Date of first issue: 04.11.2014

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Aquatic Chronic 1

Sources of key data used to compile the Safety Data Sheet	:		data from raw material SDSs, OECD sults and European Chemicals Agen- u/
Classification of the mixtur	e:		Classification procedure:
Acute Tox. 4	H3	32	Calculation method
Eye Irrit. 2	H3	19	Calculation method
Repr. 1B	H3	60FD	Calculation method
STOT RE 1	H3	72	Calculation method
Aquatic Acute 1	H4	00	Calculation method

H410

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

Calculation method

NO / EN