

Version 2.0	Revision Date: 28.09.2024		S Number: 346423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022	
SECTION	1. IDENTIFICATION				
Produ	uct identifier	:	Florfenicol / Flur	ixin Injection Formulation	
Manu	ifacturer or supplier's	s deta	ils		
Comp	bany	:	MSD		
Address		:	Rua Coronel Bento Soares, 530 Cruzeiro - Sao Paulo - Brazil CEP 12730-340		
Telep	hone	:	908-740-4000		
Emer	gency telephone	:	1-908-423-6000		
E-ma	il address	:	EHSDATASTEV	VARD@msd.com	
Reco	mmended use of the	••			
	mmended use ictions on use	:	Veterinary produ Not applicable	ict	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard					
Acute toxicity (Oral)	:	Category 4			
Acute toxicity (Inhalation)	:	Category 4			
Skin irritation	:	Category 2			
Eye irritation	:	Category 2A			
Reproductive toxicity	:	Category 1B			
Specific target organ toxicity - single exposure	:	Category 3			
Specific target organ toxicity - repeated exposure	:	Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)			
Specific target organ toxicity - repeated exposure	:	Category 2 (Gastrointestinal tract, Kidney)			
Short-term (acute) aquatic hazard	:	Category 1			
Long-term (chronic) aquatic hazard	:	Category 1			

GHS label elements in accordance with ABNT NBR 14725 Standard



ersion .0	Revision Date: 28.09.2024	SDS Number: 10846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Hazar	d pictograms		!
Signal	Word	Danger	
Hazard Statements		H315 Causes s H319 Causes s H335 May caus H360Df May da fertility. H372 Causes o cord, Blood, ga sure. H373 May caus Kidney) throug	Harmful if swallowed or if inhaled. skin irritation. serious eye irritation. se respiratory irritation. amage the unborn child. Suspected of damaging damage to organs (Liver, Brain, Testis, Spinal Ilbladder) through prolonged or repeated expo- se damage to organs (Gastrointestinal tract, n prolonged or repeated exposure. c to aquatic life with long lasting effects.
Preca	utionary Statements	P270 Do not ea P271 Use only P273 Avoid rel	becial instructions before use. at, drink or smoke when using this product. outdoors or in a well-ventilated area. ease to the environment. tective gloves/ protective clothing/ eye protec- ction.
		CENTER/ doct P302 + P352 IF P304 + P340 + and keep comf doctor if you fe P305 + P351 + for several min easy to do. Con P308 + P313 IF attention. P332 + P313 If tion.	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and ntinue rinsing. F exposed or concerned: Get medical advice/ skin irritation occurs: Get medical advice/ atten eye irritation persists: Get medical advice/ at-
		Storage: P405 Store loc	-

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



ersion D	Revision Date: 28.09.2024	SDS Number: 10846423-00004	Date of last issue: Date of first issue:	
Substa	ance / Mixture	: Mixture		
Comp	onents			
	ical name	CAS-No.	Classification	Concentration (% w/w)
Florfe	nicol	73231-34-2	Acute Tox. (Oral), 5 Repr., 2 STOT RE, (Liver, Brain, Testis, Spinal cord, Blood, gallblad- der), 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 30 -< 50
N-Met	hyl-2-pyrrolidone	872-50-4	Flam. Liq., 4 Acute Tox. (Oral), 5 Skin Irrit., 2 Eye Irrit., 2A Repr., 1B STOT SE, 3	>= 20 -< 30
glucito (perflu	xy-1-(methylamino)-D- ol 2-[2-methyl-3- lorome- nilino]nicotinate	42461-84-7	Acute Tox. (Oral), 3 Acute Tox. (Inhala- tion), 2 Eye Dam., 1 STOT SE, 3 STOT RE, (Gastroin- testinal tract, Kidney, Blood), 1 Aquatic Acute, 2 Aquatic Chronic, 2	>= 2,5 -< 3
Citric a	acid	77-92-9	Eye Irrit., 2A STOT SE, 3	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	 If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn.



Version 2.0	Revision Date: 28.09.2024	SDS Number: 10846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022			
Most	allowed important symptoms effects, both acute and ed	 Get medical attention. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious eye irritation. 				
	ction of first-aiders s to physician	May damage th fertility. Causes damage exposure. First Aid respo and use the rea when the poter	piratory irritation. The unborn child. Suspected of damaging ge to organs through prolonged or repeated Inders should pay attention to self-protection, commended personal protective equipment initial for exposure exists (see section 8). natically and supportively.			

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Fluorine compounds Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :	Use personal protective equipment.
tive equipment and emer-	Follow safe handling advice (see section 7) and personal
gency procedures	protective equipment recommendations (see section 8).
Environmental precautions :	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or



Vers 2.0	sion	Revision Date: 28.09.2024		9S Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
					se of contaminated wash water. should be advised if significant spillages ned.
		Is and materials for ment and cleaning up	:	For large spills, p containment to ke can be pumped, s container. Clean up remainin absorbent. Local or national disposal of this m employed in the c determine which Sections 13 and	t absorbent material. rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ang materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	:	Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the
Hygiene measures	:	 environment. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the
Conditions for safe storage	:	use of administrative controls. Keep in properly labeled containers. Store locked up.



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 30.09.2023
2.0		10846423-00004	Date of first issue: 06.09.2022
Materi	als to avoid	Store in accorda Do not store with Strong oxidizing	vell-ventilated place. nce with the particular national regulations. a the following product types: agents stances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal
1-deoxy-1-(methylamino)-D- glucitol 2-[2-methyl-3- (perfluorome- thyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	400 µg/100 cm ²	Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of workday	100 mg/l	BR BEI
		5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures
 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.

Personal protective equipment



Version 2.0	Revision Date: 28.09.2024		98 Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Filte	atory protection er type vrotection	:	exposure assessr recommended gu	exhaust ventilation is not available or ment demonstrates exposures outside the idelines, use respiratory protection. lates and organic vapor type
Mate	erial	:	Chemical-resistar	nt gloves
Eye pro	narks otection nd body protection	: :	If the work environ mists or aerosols, Wear a faceshield potential for direct aerosols. Work uniform or la Additional body g task being perform disposable suits)	ses with side shields or goggles. nment or activity involves dusty conditions, wear the appropriate goggles. d or other full face protection if there is a t contact to the face with dusts, mists, or aboratory coat. arments should be used based upon the ned (e.g., sleevelets, apron, gauntlets, to avoid exposed skin surfaces. degowning techniques to remove potentially

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	light yellow
		Straw-colored
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

SAFETY DATA SHEET



Florfenicol / Flunixin Injection Formulation

Vers 2.0	sion	Revision Date: 28.09.2024		S Number: 346423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
	Vapor p	oressure	:	No data available	9
	Relativ	e vapor density	:	No data available	9
	Relative	e density	:	No data available	9
	Density	/	:	No data available	9
	Solubili Wat	ity(ies) er solubility	:	No data available	9
		n coefficient: n-	:	Not applicable	
	octanol Autoigr	/water hition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact
expedure		Ingestion
		Eye contact

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1.435 mg/kg
		Method: Calculation method



ersion .0	Revision Date: 28.09.2024		DS Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Acute	inhalation toxicity	:	Acute toxicity estir Exposure time: 4 I Test atmosphere: Method: Calculatio	h dust/mist
Com	ponents:			
Florf	enicol:			
Acute	e oral toxicity	:	LD50 (Rat): > 2.00	00 mg/kg
			LD50 (Mouse): > 2	2.000 mg/kg
			LD50 (Dog): > 1.2	80 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 0,28 Exposure time: 4 I	
Acute	e dermal toxicity	:	Remarks: No data	available
	e toxicity (other routes of nistration)	:	LD50 (Rat): 1.913 Application Route	
			LD50 (Mouse): 10 Application Route	
N-Me	thyl-2-pyrrolidone:			
	e oral toxicity	:	LD50 (Rat): 4.150	mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 5,1 Exposure time: 4 I Test atmosphere: Method: OECD Te	h dust/mist
Acute	e dermal toxicity	:	LD50 (Rat): > 5.00	00 mg/kg
	oxy-1-(methylamino)-D- e oral toxicity	glu :	citol 2-[2-methyl-3 LD50 (Rat): 53 - 1	- (perfluoromethyl)anilino]nicotinate: 57 mg/kg
			LD50 (Mouse): 17	'6 - 249 mg/kg
			LD50 (Guinea pig)): 488,3 mg/kg
			LD50 (Monkey): 3	00 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): < 0,52 Exposure time: 4 I Test atmosphere:	h
	e toxicity (other routes of nistration)	:	LD50 (Rat): 59,4 - Application Route	
			LD50 (Mouse): 16 Application Route	



Version 2.0	Revision Date: 28.09.2024		OS Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
П				
Citric	acid:			
	oral toxicity	:	LD50 (Mouse): 5.	400 mg/kg
Acute	dermal toxicity	:	LD50 (Rat): > 2.0 Method: OECD To Assessment: The toxicity	00 mg/kg est Guideline 402 substance or mixture has no acute dermal
Skin o	corrosion/irritation			
Cause	es skin irritation.			
Comp	onents:			
Florfe	nicol:			
Specie		:	Rabbit	
Result		:	No skin irritation	
	hyl-2-pyrrolidone:			
Result	I	:	Skin irritation	
1-deo	xv-1-(methvlamino)-D	-alu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:
Specie		:	Rabbit	
Result	t	:	Mild skin irritation	
Citric	aaidu			
Specie			Rabbit	
Metho		÷	OECD Test Guide	eline 404
Result	t	:	No skin irritation	
Cause <u>Comp</u>	us eye damage/eye irr es serious eye irritation. ponents:		on	
Florfe				
Specie Result	es F	:	Rabbit Mild eye irritation	
	·	•	wind cyc inntation	
N-Met	hyl-2-pyrrolidone:			
Specie		:	Rabbit	
Result	t	:	Irritation to eyes,	reversing within 21 days
1-deo	xy-1-(methylamino)-D	-alu	citol 2-[2-methyl-2	3-(perfluoromethyl)anilino]nicotinate:
Specie		:	Rabbit	
Result		:	Irreversible effects	s on the eye
• ''	a a i di			
Citric Specie			Rabbit	
		•	ιταυμί	



Version 2.0	Revision Date: 28.09.2024	SDS Number: 10846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Resu Meth		: Irritation to eyes : OECD Test Gui	, reversing within 21 days deline 405
Resp	iratory or skin sensit	tization	
_	sensitization lassified based on ava	ilable information.	
-	iratory sensitization lassified based on ava	ilable information.	
Com	ponents:		
Florf	enicol:		
Test Spec Resu	ies	: Maximization Te : Guinea pig : negative	est
N-Me	thyl-2-pyrrolidone:		
Test Route Spec Meth Resu Rema	es of exposure ies od It	 Skin contact Mouse OECD Test Gui negative 	de assay (LLNA) deline 429 rom similar materials
Test Route Spec	Type es of exposure	: Maximization Te : Dermal : Guinea pig	-3-(perfluoromethyl)anilino]nicotinate: est skin sensitization.
	n cell mutagenicity	link in formation	
_	lassified based on ava ponents:	lilable information.	
	enicol:		
Genc	otoxicity in vitro	: Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
			ro mammalian cell gene mutation test buse lymphoma cells
			mosome aberration test in vitro inese hamster ovary cells



Version 2.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 30.09.202310846423-00004Date of first issue: 06.09.2022
		Result: positive
Genc	otoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative
N-Me	thyl-2-pyrrolidone:	
	otoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
		Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Result: negative
Genc	otoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Hamster Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative
11		
	xy-1-(methylamino) otoxicity in vitro	 D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: in vitro test Test system: mouse lymphoma cells Result: positive
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive
		Test Type: in vitro test Test system: Escherichia coli Result: positive
Genc	otoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral



C	Revision Date: 28.09.2024	SDS Number: 10846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
II		Result: negati	ve
	n cell mutagenicity - ssment	: Weight of evic cell mutagen.	dence does not support classification as a gern
Citric	acid:		
Geno	otoxicity in vitro	: Test Type: Ba Result: negati	acterial reverse mutation assay (AMES)
		Test Type: in Result: positiv	vitro micronucleus test /e
		Test Type: Ba Result: negati	acterial reverse mutation assay (AMES)
Geno	otoxicity in vivo	cytogenetic te Species: Rat	utagenicity (in vivo mammalian bone-marrow est, chromosomal analysis) pute: Ingestion ive
11			
Carci	inagonicity		
	inogenicity lassified based on ava	ailable information	
Not c	lassified based on ava	ailable information.	
Not c <u>Com</u>	lassified based on ava ponents:	ailable information.	
Not c <u>Com</u> Florfe	lassified based on ava ponents: enicol:		
Not c <u>Com</u> Florfe Spec	lassified based on ava ponents: enicol: ies	: Rat	
Not c <u>Com</u> Florf Spec Appli	lassified based on ava ponents: enicol: ies cation Route	: Rat : oral (gavage)	
Not c <u>Com</u> Florf Spec Appli	lassified based on ava ponents: enicol: ies cation Route sure time	: Rat : oral (gavage) : 2 Years	
Not c Com Florf Spec Appli Expo Resu	lassified based on ava ponents: enicol: ies cation Route sure time	: Rat : oral (gavage)	
Not c Com Florfd Spec Applie Expo Resu Targe	lassified based on ava ponents: enicol: ies cation Route sure time lt et Organs	: Rat : oral (gavage) : 2 Years : negative	
Not c Com Florf Spec Applie Expo Resu Targe	lassified based on ava ponents: enicol: ies cation Route sure time lt et Organs ies cation Route	: Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage)	
Not c Com Florf Spec Applie Expo Resu Targe	lassified based on ava ponents: enicol: ies cation Route sure time It et Organs ies cation Route sure time	: Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years	
Not c Com Florf Spec Applie Expo Resu Targe	lassified based on ava ponents: enicol: ies cation Route sure time It et Organs ies cation Route sure time lt	: Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative	
Not c Com Florf Spec Applie Expo Resu Targe	lassified based on ava ponents: enicol: ies cation Route sure time It et Organs ies cation Route sure time	: Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years	
Not c Com Florf Spec Applie Expo Resu Targe Spec Applie Expo Resu Targe	elassified based on ava ponents: enicol: ies cation Route sure time It et Organs ies cation Route sure time lt et Organs	: Rat : oral (gavage) : 2 Years : negative : Liver, Testes : Mouse : oral (gavage) : 2 Years : negative	
Not c Com Florfd Spec Applid Expo Resu Targe Spec Applid Expo Resu Targe	enicol: enicol: ies cation Route sure time it et Organs ies cation Route sure time it et Organs	 Rat oral (gavage) 2 Years negative Liver, Testes Mouse oral (gavage) 2 Years negative Testes, Blood 	
Not c <u>Com</u> Florfa Spec Applia Expo Resu Targe Spec Applia Expo Resu Targe N-Me	elassified based on ava ponents: enicol: ies cation Route sure time It et Organs ies cation Route sure time It et Organs ethyl-2-pyrrolidone: ies	 Rat oral (gavage) 2 Years negative Liver, Testes Mouse oral (gavage) 2 Years negative Testes, Blood Rat 	
Not c <u>Com</u> Florfd Spec Applid Expo Resu Targe Spec Applid Expo Resu Targe N-Me Spec Applid	enicol: enicol: ies cation Route sure time it et Organs ies cation Route sure time it et Organs	 Rat oral (gavage) 2 Years negative Liver, Testes Mouse oral (gavage) 2 Years negative Testes, Blood 	
Not c <u>Com</u> Florfd Spec Applid Expo Resu Targe Spec Applid Expo Resu Targe N-Me Spec Applid	elassified based on ava ponents: enicol: ies cation Route sure time It et Organs ies cation Route sure time It et Organs ethyl-2-pyrrolidone: ies cation Route sure time	 Rat oral (gavage) 2 Years negative Liver, Testes Mouse oral (gavage) 2 Years negative Testes, Blood Rat Ingestion 	
Not c <u>Com</u> Florf Spec Applie Expo Resu Targe Spec Applie Expo Resu Targe N-Me Spec Applie Expo Resu Targe	enicol: enicol: ies cation Route sure time lt et Organs ies cation Route sure time lt et Organs ethyl-2-pyrrolidone: ies cation Route sure time lt et Organs	 Rat oral (gavage) 2 Years negative Liver, Testes Mouse oral (gavage) 2 Years negative Testes, Blood Rat Ingestion 2 Years negative 	
Not c <u>Com</u> Florfe Spec Applie Expo Resu Targe Spec Applie Expo Resu Targe N-Me Spec Applie Expo Resu Targe	enicol: enicol: ies cation Route sure time lt et Organs ies cation Route sure time lt et Organs ethyl-2-pyrrolidone: ies cation Route sure time lt ies cation Route sure time lt ies	 Rat oral (gavage) 2 Years negative Liver, Testes Mouse oral (gavage) 2 Years negative Testes, Blood Rat Ingestion 2 Years negative Rat Ingestion 2 Years negative Rat Rat Rats Rats Rats Rats 	
Not c <u>Com</u> Florfe Spec Applie Expo Resu Targe Spec Applie Expo Resu Targe N-Me Spec Applie Expo Resu Targe	enicol: enicol: ies cation Route sure time lt et Organs ies cation Route sure time lt et Organs ethyl-2-pyrrolidone: ies cation Route sure time lt et Organs	 Rat oral (gavage) 2 Years negative Liver, Testes Mouse oral (gavage) 2 Years negative Testes, Blood Rat Ingestion 2 Years negative 	

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate: : Rat

Species



Version 2.0	Revision Date: 28.09.2024		98 Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Expos LOAE Result	t Organs		oral (feed) 104 w 2 mg/kg body wei negative Gastrointestinal tr Significant toxicity	-
Expos NOAE Result	ation Route sure time L t t Organs		Mouse oral (feed) 97 w 0,6 mg/kg body w negative Gastrointestinal tr Significant toxicity	
May d	oductive toxicity amage the unborn chilo ponents:	l. Si	ispected of damagi	ing fertility.
	nicol:			
	s on fertility	:	Species: Rat Application Route Fertility: LOAEL:	eneration reproduction toxicity study : Oral 12 mg/kg body weight d pup survival, reduced lactation
Effect	s on fetal development	:	Species: Rat General Toxicity M Embryo-fetal toxic Result: No teratog	vo-fetal development Maternal: NOAEL: 4 mg/kg body weight city.: LOAEL: 40 mg/kg body weight genic effects., Fetotoxicity. ects were seen only at maternally toxic dos-
			Species: Mouse Application Route General Toxicity	Maternal: NOAEL: 120 mg/kg body weight city.: LOAEL: 40 mg/kg body weight
Repro sessm	ductive toxicity - As- nent	:	fertility, based on	f adverse effects on sexual function and animal experiments., Some evidence of n development, based on animal
N-Met	hyl-2-pyrrolidone:			
	s on fertility	:	Test Type: Two-g Species: Rat Application Route Method: OECD To Result: negative	

SAFETY DATA SHEET



Florfenicol / Flunixin Injection Formulation

Version 2.0	Revision Date: 28.09.2024		98 Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Effect	Effects on fetal development		Test Type: Embry Species: Rat Application Route Method: OECD To Result: positive	
			Species: Rat	y/early embryonic development : inhalation (vapor)
			Test Type: Embry Species: Rabbit Application Route Result: positive	ro-fetal development : Ingestion
Repro sessr	oductive toxicity - As- nent	:	Clear evidence of animal experimen	adverse effects on development, based on ts.
1-dec	oxy-1-(methylamino)-D-	glu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:
Effect	ts on fertility	:	Species: Rat Application Route General Toxicity F Symptoms: No fet	Parent: LOAEL: 1 - 1,5 mg/kg body weight tal abnormalities. s on fertility and early embryonic develop-
Effect	ts on fetal development	:	Embryo-fetal toxic Result: Embryoto	
			Species: Rabbit Application Route General Toxicity M Embryo-fetal toxic Result: Embryotox	ro-fetal development : Oral Maternal: LOAEL: 3 mg/kg body weight city.: NOAEL: 3 mg/kg body weight xic effects and adverse effects on the off- ted only at high maternally toxic doses
Citric	acid:			
Effect	ts on fetal development	:	Test Type: One-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study

STOT-single exposure

May cause respiratory irritation.



Version 2.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 30.09.202310846423-00004Date of first issue: 06.09.2023					
Com	oonents:						
	thyl-2-pyrrolidone:						
Asses		: May cause respiratory irritation.					
1 doo	wy 1 (mothylomino) F	lucitol 2-[2-methyl-3-(perfluoromethyl)anilino]ni	ootinoto				
Asses	• • • •	: May cause respiratory irritation.	counate.				
Citric	acid:						
Asses	ssment	: May cause respiratory irritation.					
Cause prolor May c	STOT-repeated exposure Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure. May cause damage to organs (Gastrointestinal tract, Kidney) through prolonged or repeated exposure.						
Com	oonents:						
	enicol:						
	et Organs ssment	 Liver, Brain, Testis, Spinal cord, Blood, gallbladder Causes damage to organs through prolonged or repeated exposure. 					
Targe	oxy-1-(methylamino)-D et Organs ssment	 Iucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nic Gastrointestinal tract, Kidney, Blood Causes damage to organs through prolonged or exposure. 					
Repe	ated dose toxicity						
Com	oonents:						
Florfe	enicol:						
Speci NOAE Expos	es	 Dog 3 mg/kg 13 Weeks Liver, Testis, Brain, Spinal cord 					
		: Mouse : 200 mg/kg : 13 Weeks : Liver, Testis					
		: Rat : 30 mg/kg : 13 Weeks : Liver, Testis					
Speci NOAE LOAE	es EL EL	: Dog : 3 mg/kg : 12 mg/kg					



Version 2.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 30.09.202310846423-00004Date of first issue: 06.09.2022
	ure time Organs	: 52 Weeks : Liver, gallbladder
	L	: Rat : 1 mg/kg : 3 mg/kg : 52 Weeks : Testis
N-Met	hyl-2-pyrrolidone:	
Specie NOAE LOAEI Applica Expos Metho	L - ation Route ure time	 Rat, male 169 mg/kg 433 mg/kg Ingestion 90 Days OECD Test Guideline 408
	L - ation Route ure time	 Rat 0,5 mg/l 1 mg/l inhalation (dust/mist/fume) 96 Days OECD Test Guideline 413
	L	 Rabbit 826 mg/kg 1.653 mg/kg Skin contact 20 Days
1-deo	ky-1-(methylamino)-D	glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:
Expos	L	 Rat 2 mg/kg < 4 mg/kg Oral 6 w Gastrointestinal tract
Expos	es L ation Route ure time Organs	 Rat 1 mg/kg Oral 1 y Gastrointestinal tract, Kidney
Expos		 Monkey 15 mg/kg Oral 90 d Gastrointestinal tract, Blood
		: Rabbit : 80 mg/kg : Dermal : 21 d



Version 2.0	Revision Date: 28.09.2024	-	98 Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Sympto	oms	:	Severe irritation	
Expos	- ation Route ure time Organs		Dog 11 mg/kg Oral 9 d Gastrointestinal tr Vomiting	act
	s L	:	Rat 4.000 mg/kg 8.000 mg/kg Ingestion 10 Days	
Not cla	ition toxicity assified based on availa ience with human exp			
-	onents:	030		
N-Met	hyl-2-pyrrolidone:			
Skin co	ontact	:	Symptoms: Skin i	rritation
1-deox	(y-1-(methylamino)-D-	glu	citol 2-[2-methyl-3	-(perfluoromethyl)anilino]nicotinate:
Inhalat Skin co Eye co Ingesti	ontact Intact	:	Symptoms: Skin i Symptoms: Sever	e irritation ointestinal disturbance, bleeding, hyperten-
SECTION 1	2. ECOLOGICAL INFO	DRI	ATION	
Ecoto	•			
Comp	onents:			
Florfe Toxicit	nicol: y to fish	:	LC50 (Lepomis m Exposure time: 96 Method: FDA 4.1	
			LC50 (Oncorhync Exposure time: 96 Method: FDA 4.1	
	y to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	
Toxicit plants	y to algae/aquatic	:	EC50 (Pseudokiro mg/l	chneriella subcapitata (green algae)): > 2,9



Version 2.0	Revision Date: 28.09.2024		DS Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022			
			Exposure time: 14 Method: FDA 4.07				
			NOEC (Pseudokirchneriella subcapitata (green algae)): 2,9 mg/l Exposure time: 14 d Method: FDA 4.01				
			IC50 (Skeletonema costatum (marine diatom)): 0,0336 r Exposure time: 72 h Method: ISO 10253				
			NOEC (Skeletone Exposure time: 72 Method: ISO 102				
			EC50 (Lemna gib Exposure time: 7 Method: OECD T				
			NOEC (Lemna gibba (gibbous duckweed)): 0,39 mg/ Exposure time: 7 d Method: OECD Test Guideline 221				
			EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg Exposure time: 72 h Method: OECD Test Guideline 201				
			NOEC (Navicula Exposure time: 72 Method: OECD T				
			EC50 (Anabaena Exposure time: 72 Method: OECD T				
			NOEC (Anabaena Exposure time: 72 Method: OECD T				
	ctor (Acute aquatic tox-	:	10				
icity) Toxici icity)	ty to fish (Chronic tox-	:	NOEC (Pimephale Exposure time: 32 Method: OECD T				
	ty to daphnia and other ic invertebrates (Chron- city)		NOEC (Daphnia r Exposure time: 2' Method: OECD T				
M-Fac toxicit	ctor (Chronic aquatic y)	:	10				
N-Met	t hyl-2-pyrrolidone: ty to fish	:	LC50 (Oncorhync	hus mykiss (rainbow trout)): > 500 mg/l			



Version 2.0	Revision Date: 28.09.2024		9S Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
II			Exposure time: 96	3 h
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 24 Method: DIN 3841	
Toxi plan	city to algae/aquatic ts	:	ErC50 (Desmodes Exposure time: 72	smus subspicatus (green algae)): 600,5 mg/l 2 h
			EC10 (Desmodes Exposure time: 72	mus subspicatus (green algae)): 92,6 mg/l 2 h
aqua	city to daphnia and other atic invertebrates (Chron- xicity)		NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
Тохі	city to microorganisms	:	EC50: > 600 mg/l Exposure time: 30 Method: ISO 8192) min
II 1-de	eoxy-1-(methylamino)-D-	glu	citol 2-[2-methyl-3	-(perfluoromethyl)anilino]nicotinate:
	city to fish	:		acrochirus (Bluegill sunfish)): 28 mg/l Sh
			LC50 (Oncorhync Exposure time: 96 Method: FDA 4.11	
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: FDA 4.08	
Toxi plan	city to algae/aquatic ts	:	NOEC (Microcysti Exposure time: 13 Method: FDA 4.01	
			NOEC (Selenastro Exposure time: 12	um capricornutum (green algae)): 96 mg/l 2 d
Citri	c acid:			
Toxi	city to fish	:	LC50 (Pimephales Exposure time: 96	s promelas (fathead minnow)): > 100 mg/l S h
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 24	agna (Water flea)): 1.535 mg/l ⊧h
Pers	sistence and degradabili	ity		
Con	<u>iponents:</u>			
	ethyl-2-pyrrolidone: legradability	:	Result: Readily bi	odegradable.



Version 2.0	Revision Date: 28.09.2024		DS Number: 1846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
			Biodegradation: Exposure time: 2 Method: OECD T	
1-de	oxy-1-(methylamino)-D	-glu	citol 2-[2-methyl-	3-(perfluoromethyl)anilino]nicotinate:
Stabi	lity in water	:	Hydrolysis: 0 %(2	28 d)
Citric	c acid:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD T	97 %
Bioa	ccumulative potential			
<u>Com</u>	ponents:			
Florf	enicol:			
	tion coefficient: n- nol/water	:	log Pow: 0,373 pH: 7	
N-Me	ethyl-2-pyrrolidone:			
	tion coefficient: n- nol/water	:	log Pow: -0,46 Method: OECD T	est Guideline 107
1-de	oxy-1-(methylamino)-D	-glu	citol 2-[2-methyl-	3-(perfluoromethyl)anilino]nicotinate:
	tion coefficient: n- nol/water	:	log Pow: 1,34	
Partit	c acid: tion coefficient: n- nol/water	:	log Pow: -1,72	
Mobi	ility in soil			
<u>Com</u>	ponents:			
Florf	enicol:			
	bution among environ- al compartments	:	Koc: 52 Method: FDA 3.0	8
1-de	oxy-1-(methylamino)-D	-glu	citol 2-[2-methyl-	3-(perfluoromethyl)anilino]nicotinate:
	bution among environ- al compartments	:	log Koc: 1,92	
	r adverse effects ata available			



Version 2.0	Revision Date: 28.09.2024		S Number: 46423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022				
SECTION	13. DISPOSAL CONSI	DERA	TIONS					
Waste	Disposal methodsWaste from residues: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.							
SECTION	14. TRANSPORT INFO	ORMA	TION					
Intern	national Regulations							
-	TDG umber er shipping name	:	UN 3082 ENVIRONMEN ⁻ N.O.S. (Florfenicol)	ALLY HAZARDOUS SUBSTANCE, LIQUID,				
Label	ng group	: 9 : 1 : 9	(1 101101100)) 9 11 9 10					
UN/IE	-DGR O No. er shipping name	:	UN 3082 Environmentally (Florfenicol)	hazardous substance, liquid, n.o.s.				
Label Packi aircra Packi	ng group s ng instruction (cargo	: 9 : : 9	(Horrenicol) 9 II Viscellaneous 964 964					
UN n	i-Code umber er shipping name	:	N.O.S.	ALLY HAZARDOUS SUBSTANCE, LIQUID,				
Label EmS	ng group s	: (: : ((Florfenicol) 9 II 9 F-A, S-F yes					
	sport in bulk according			POL 73/78 and the IBC Code				
	estic regulation							
	r umber er shipping name	:	UN 3082 ENVIRONMEN [⊤] N.O.S. (Florfenicol)	ALLY HAZARDOUS SUBSTANCE, LIQUID,				



Version 2.0	Revision Date: 28.09.2024		DS Number: 846423-00004	Date of last issue: 30.09.2023 Date of first issue: 06.09.2022
Labels	ng group s d Identification Number	:	9 III 9 90	
Specia	al precautions for use	r		
				r informational purposes only, and solely ial as it is described within this Safety Data

based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)	:	Not applicable
Brazil. List of chemicals controlled by the Federal Police	:	Not applicable

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
BR BEI	:	Brazil. NR7. Parameters for Biological Control of Occupational
		Exposure to Some Chemical Agents

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	28.09.2024	10846423-00004	Date of first issue: 06.09.2022

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8