according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
2.0	2024/09/28	10846426-00005	Date of first issue: 2022/09/06

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Florfenicol / Flunixin Injection Formulation			
Manufacturer or supplier's de Company	etai :	i ls MSD			
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331			
Telephone	:	+1-908-740-4000			
Emergency telephone number	:	86-571-87268110			
E-mail address	:	EHSDATASTEWARD@msd.com			
Recommended use of the chemical and restrictions on use					
Recommended use Restrictions on use	:	Veterinary product Not applicable			

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	:	liquid
Colour	:	light yellow
		Straw-coloured
Odour	:	No data available
respiratory irritation. May dama	age	Causes skin irritation. Causes serious eye irritation. May cause the unborn child. Suspected of damaging fertility. Causes ged or repeated exposure. Very toxic to aquatic life with long
GHS Classification		
Acute toxicity (Oral)	:	Category 4
Acute toxicity (Inhalation)	:	Category 4
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Reproductive toxicity	:	Category 1B
Specific target organ toxicity -	:	Category 3



according to GB/T 16483 and GB/T 17519

ersion 0	Revision Date: 2024/09/28	SDS Number: 10846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
single	e exposure		
	ific target organ toxicity - ated exposure	: Category 1	
Short hazai	e-term (acute) aquatic	: Category 1	
Long [.] hazai	-term (chronic) aquatic rd	: Category 1	
	label elements rd pictograms		!
Signa	al word	: Danger	v v
Haza	rd statements	H315 Causes s H319 Causes s H335 May cau H360Df May da fertility. H372 Causes o exposure.	Harmful if swallowed or if inhaled. skin irritation. serious eye irritation. se respiratory irritation. amage the unborn child. Suspected of damagir damage to organs through prolonged or repeat c to aquatic life with long lasting effects.
Preca	autionary statements	P202 Do not h and understood P260 Do not b P264 Wash sk P270 Do not e P271 Use only P273 Avoid rel	reathe mist or vapours. in thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. ease to the environment. otective gloves/ protective clothing/ eye protec-
		P301 + P312 + CENTER/ doct P302 + P352 II P304 + P340 + and keep comf doctor if you fe P305 + P351 +	• P338 IF IN EYES: Rinse cautiously with wate utes. Remove contact lenses, if present and

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

	sue: 2024/04/06 sue: 2022/09/06
--	------------------------------------

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Harmful if swallowed. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May damage the unborn child. Suspected of damaging fertility. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Florfenicol	73231-34-2	>= 30 -< 50
N-Methyl-2-pyrrolidone	872-50-4	>= 20 -< 30
1-deoxy-1-(methylamino)-D-glucitol 2-[2- methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	>= 2.5 -< 3
Citric acid	77-92-9	>= 1 -< 10

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately.
		When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration.

according to GB/T 16483 and GB/T 17519



Versior 2.0	Revision Date: 2024/09/28	SDS Number: 10846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06				
In case of skin contact		Get medical attu In case of conta for at least 15 m and shoes. Get medical attu	Get medical attention.				
In	case of eye contact	 Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of contact, immediately flush eyes with plenty of wath for at least 15 minutes. If easy to do, remove contact lens, if worn. 					
lfs	swallowed	: If swallowed, D Get medical atte Rinse mouth the	Get medical attention. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.				
an	ost important symptoms d effects, both acute and layed	 Never give anything by mouth to an unconscious perso Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May damage the unborn child. Suspected of damaging ty. Causes damage to organs through prolonged or repeated 					
	otection of first-aiders	: First Aid respon and use the rec when the poten	exposure. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).				
	otes to physician	. Treat symptom	atically and supportively.				
Su	iitable extinguishing media	: Water spray Alcohol-resistar Carbon dioxide Dry chemical					
	nsuitable extinguishing edia	: None known.					
	ecific hazards during fire- hting	: Exposure to cor	mbustion products may be a hazard to health.				
Ha uc	azardous combustion prod- ts	: Carbon oxides Fluorine compo Nitrogen oxides					
Sr od	ecific extinguishing meth- s	cumstances and Use water spray Remove undam so. Evacuate area.	ng measures that are appropriate to local cir- d the surrounding environment. y to cool unopened containers. haged containers from fire area if it is safe to do				
		4 / 26					

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28	-	OS Number: 846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06	
	al protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.	
6. ACCIDE	NTAL RELEASE MEAS	SUF	RES		
Personal precautions, protec- tive equipment and emer- gency procedures		:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).		
Enviro	onmental precautions	:	Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages	
Methods and materials for containment and cleaning up		:	For large spills, pr ment to keep mat be pumped, store Clean up remaining bent. Local or national posal of this mate employed in the c mine which regula Sections 13 and	t absorbent material. rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. Ing materials from spill with suitable absor- regulations may apply to releases and dis- trial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. I5 of this SDS provide information regarding ational requirements.	

Handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling		Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes.
		Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Keep container tightly closed.
		Already sensitised individuals, and those susceptible

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

Version 2.0	Revision Date: 2024/09/28		DS Number: 846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
	bidance of contact	:	should consult the tory irritants or se Do not eat, drink	es, chronic or recurrent respiratory disease, eir physician regarding working with respira- nsitisers. or smoke when using this product. ent spills, waste and minimize release to the
Conditions for safe storage		:	Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place.	
Materials to avoid		:	Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents	
Pac	kaging material	:	Unsuitable materi	al: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m3 (OEB 2)	Internal
1-deoxy-1-(methylamino)-D- glucitol 2-[2-methyl-3- (perfluorome- thyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	400 µg/100 cm ²	Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility

according to GB/T 16483 and GB/T 17519




rsion)	Revision Date: 2024/09/28	SDS Number: 10846426-000	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
		protect pro Containme are require the compou tainment de	operated in accordance with GMP principles to ducts, workers, and the environment. Int technologies suitable for controlling compound d to control at source and to prevent migration o und to uncontrolled areas (e.g., open-face con- evices). Den handling.
Perso	onal protective equip	ment	
Respi Fil ⁱ Eye/fa	ratory protection ter type ace protection	 If adequate sure asses ommended Combined Wear safet If the work mists or ae Wear a fac potential fo aerosols. Work unifor 	local exhaust ventilation is not available or expo sment demonstrates exposures outside the rec- guidelines, use respiratory protection. particulates and organic vapour type y glasses with side shields or goggles. environment or activity involves dusty conditions rosols, wear the appropriate goggles. eshield or other full face protection if there is a r direct contact to the face with dusts, mists, or rm or laboratory coat.
		task being posable su Use approp	body garments should be used based upon the performed (e.g., sleevelets, apron, gauntlets, dis its) to avoid exposed skin surfaces. briate degowning techniques to remove potential ed clothing.
Hand	protection		
Ma	aterial	: Chemical-r	esistant gloves
-	marks ne measures	: If exposure eye flushing ing place. When using Wash conta The effectiv engineering appropriate industrial h	ouble gloving. to chemical is likely during typical use, provide g systems and safety showers close to the work- g do not eat, drink or smoke. aminated clothing before re-use. ve operation of a facility should include review of g controls, proper personal protective equipment e degowning and decontamination procedures, ygiene monitoring, medical surveillance and the inistrative controls.

Appearance	:	liquid
Colour	:	light yellow
		Straw-coloured
Odour	:	No data available

according to GB/T 16483 and GB/T 17519



Ver 2.0	sion	Revision Date: 2024/09/28		S Number: 346426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
	Odour	Threshold	:	No data available	9
	рН		:	No data available	9
	Melting	point/freezing point	:	No data available	9
	Initial b range	oiling point and boiling	:	No data available	9
	Flash p	point	:	No data available	9
	Evapor	ation rate	:	No data available	9
	Flamm	ability (solid, gas)	:	Not applicable	
	Flamm	ability (liquids)	:	No data available	9
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapour	- pressure	:	No data available)
	Relativ	e vapour density	:	No data available)
	Relativ	e density	:	No data available	9
	Density	/	:	No data available	9
	Solubili Wat	ity(ies) er solubility	:	No data available	9
		n coefficient: n-	:	Not applicable	
	octanol Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	llar weight	:	No data available	9
	Particle	e characteristics			





Version 2.0	Revision Date: 2024/09/28	-	0S Number: 846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
Partic	le size	:	Not applicable	
10. STABI	LITY AND REACTIVITY	1		
Possi tions Condi Incom	tical stability bility of hazardous reac- tions to avoid patible materials dous decomposition	:	Stable under nor Can react with so None known. Oxidizing agents	rong oxidizing agents.
11. TOXIC	OLOGICAL INFORMAT		N	
Expos	sure routes	:	Inhalation Skin contact Ingestion Eye contact	
	e toxicity ful if swallowed or if inha	led.		
Produ	<u>uct:</u>			
Acute	oral toxicity	:	Acute toxicity est Method: Calculat	mate: 1,435 mg/kg on method
Acute	inhalation toxicity	:	Acute toxicity esti Exposure time: 4 Test atmosphere Method: Calculat	h dust/mist
<u>Com</u>	oonents:			
Florfe	enicol:			
Acute	oral toxicity	:	LD50 (Rat): > 2,0	00 mg/kg
			LD50 (Mouse): >	2,000 mg/kg
			LD50 (Dog): > 1,2	280 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): > 0.2 Exposure time: 4	
Acute	dermal toxicity	:	Remarks: No data	a available
	toxicity (other routes of histration)	:	LD50 (Rat): 1,913 Application Route	
			LD50 (Mouse): 10 Application Route	

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

VersionRevision Date:SDS Number:Date of last issue: 20242.02024/09/2810846426-00005Date of first issue: 2022	
--	--

	1		
_	N-Methyl-2-pyrrolidone:		
	Acute oral toxicity	:	LD50 (Rat): 4,150 mg/kg
	Acute inhalation toxicity	:	LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
	Acute dermal toxicity	:	LD50 (Rat): > 5,000 mg/kg
-	- 1-deoxy-1-(methylamino)-D-	alu	citol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:
	Acute oral toxicity	:	
			LD50 (Mouse): 176 - 249 mg/kg
			LD50 (Guinea pig): 488.3 mg/kg
			LD50 (Monkey): 300 mg/kg
	Acute inhalation toxicity	:	LC50 (Rat): < 0.52 mg/l Exposure time: 4 h Test atmosphere: dust/mist
	Acute toxicity (other routes of administration)	:	LD50 (Rat): 59.4 - 185.3 mg/kg Application Route: Intraperitoneal
			LD50 (Mouse): 164 - 363 mg/kg Application Route: Intraperitoneal
-	Citric acid:		
	Acute oral toxicity	:	LD50 (Mouse): 5,400 mg/kg
	Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
	Skin corrosion/irritation Causes skin irritation.		
	Components:		
	Florfenicol:		
I	Species		Rabbit
	Result	:	No skin irritation

N-Methyl-2-pyrrolidone:





ersion 0	Revision Date: 2024/09/28	SDS Number: 10846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
Resu	lt	: Skin irritation	
1-dec Speci		D-glucitol 2-[2-methyl : Rabbit	-3-(perfluoromethyl)anilino]nicotinate:
Resu		: Mild skin irritatio	n
Citric	acid:		
Speci		: Rabbit	deline 404
Metho Resu		: OECD Test Guid : No skin irritation	
	us eye damage/eye i		
	es serious eye irritation		
	ponents:		
Speci	enicol:	: Rabbit	
Resu		: Mild eye irritation	ı
N-Me	thyl-2-pyrrolidone:		
Speci	ies	: Rabbit	
Resu	It	: Irritation to eyes	, reversing within 21 days
			-3-(perfluoromethyl)anilino]nicotinate:
Speci Resu	ies It	: Rabbit : Irreversible effect	ts on the eve
	acid:	Debbit	
Speci Resu		: Rabbit : Irritation to eves	, reversing within 21 days
Metho		: OECD Test Guid	
Resp	iratory or skin sensit	sation	
Claim	sensitisation		
SKIN	oonontoution		
-	lassified based on ava	able information.	
Not cl Resp	lassified based on ava iratory sensitisation		
Not cl Resp Not cl	lassified based on ava		
Not cl Resp Not cl <u>Com</u>	lassified based on ava iratory sensitisation lassified based on ava ponents:		
Not cl Resp Not cl <u>Com</u>	lassified based on ava iratory sensitisation lassified based on ava ponents: enicol:		st
Not cl Resp Not cl <u>Com</u>	lassified based on ava iratory sensitisation lassified based on ava ponents: enicol: Type ies	able information.	st

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
2.0	2024/09/28	10846426-00005	Date of first issue: 2022/09/06

N-Methyl-2-pyrrolidone:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Test Type Exposure routes Species Method Result Remarks	: Based on data from similar materials

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type Exposure routes Species Assessment Result	 Maximisation Test Dermal Guinea pig Does not cause skin sensitisation. negative
Result	. negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative
	Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative
N-Methyl-2-pyrrolidone:	

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Method: OECD Test Guideline 471
	Result: negative

according to GB/T 16483 and GB/T 17519



rsion	Revision Date: 2024/09/28	SDS Number:Date of last issue: 2024/04/0610846426-00005Date of first issue: 2022/09/06	
		Test Type: In vitro mammalian cell gene mutation tes Method: OECD Test Guideline 476 Result: negative	st
		Test Type: DNA damage and repair, unscheduled DN thesis in mammalian cells (in vitro) Result: negative	NA sy
Geno	toxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative	t (in v
		Test Type: Mutagenicity (in vivo mammalian bone-ma cytogenetic test, chromosomal analysis) Species: Hamster Application Route: Ingestion Method: OECD Test Guideline 475 Result: negative	arrow
1-dec	oxy-1-(methylamino)	D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotin	ate:
Geno	toxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative	
		Test Type: in vitro assay Test system: mouse lymphoma cells Result: positive	
		Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive	
		Test Type: in vitro assay Test system: Escherichia coli Result: positive	
		: Test Type: Micronucleus test	
Geno	toxicity in vivo	Application Route: Oral Result: negative	
Germ	toxicity in vivo cell mutagenicity - ssment	Species: Mouse Application Route: Oral	s a ge
Germ Asses Citric	cell mutagenicity -	Species: Mouse Application Route: Oral Result: negative : Weight of evidence does not support classification as	-

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

Version 2.0	Revision Date: 2024/09/28	SDS Num 10846426		Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
Geno	toxicity in vivo	Result Test T Result : Test T cytoge Specie Applic	:: positive ype: Bacte :: negative ype: Mutag	o micronucleus test rial reverse mutation assay (AMES) genicity (in vivo mammalian bone-marrow chromosomal analysis) e: Ingestion
Not c	nogenicity lassified based on avai	lable informa	ation.	
	oonents:			
Speci Applio Expos Resu	cation Route sure time	: 2 Year : negati		
Expos Resu	cation Route sure time	: 2 Year : negati	lavage) rs	
N-Me	thyl-2-pyrrolidone:			
Speci Applio	es cation Route sure time	: Rat : Ingest : 2 Year : negati	rs	
Speci Applic Expos Resu	cation Route sure time	: Rat : inhala : 2 Yea : negati		r)
Speci Applic Expos LOAE Resul	es cation Route sure time EL It ot Organs	: Rat : oral (fe : 104 w : 2 mg/ł : negati : Gastro	eed) kg body we ve pintestinal ti	-

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

VersionRevision Date:SDS Number:Date of last issue: 2024/04/062.02024/09/2810846426-00005Date of first issue: 2022/09/06	
--	--

Species Application Route Exposure time NOAEL Result Target Organs Remarks	: Mouse
Application Route	: oral (feed)
Exposure time	: 97 w
NÓAEL	: 0.6 mg/kg body weight
Result	: negative
Target Organs	: Gastrointestinal tract
Remarks	: Significant toxicity observed in testing

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:

Florfenicol:		
Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: LOAEL: 12 mg/kg body weight Result: decreased pup survival, reduced lactation
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: No teratogenic effects, Fetotoxicity Remarks: The effects were seen only at maternally toxic dos- es.
		Test Type: Embryo-foetal development Species: Mouse Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity
Reproductive toxicity - As- sessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.
N-Methyl-2-pyrrolidone:		
Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

Version 2.0	Revision Date: 2024/09/28	SDS Number: 10846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
		Result: positive Test Type: Fertil Species: Rat Application Rout Result: positive	Test Guideline 414 ity/early embryonic development te: inhalation (vapour) ryo-foetal development te: Ingestion
Repr sessi	oductive toxicity - As- ment	: Clear evidence of animal experime	of adverse effects on development, based on ents.
1-de	oxy-1-(methylamino)-D	-glucitol 2-[2-methyl	-3-(perfluoromethyl)anilino]nicotinate:
Effec	ts on fertility	Species: Rat Application Rout General Toxicity Symptoms: No f	 Parent: LOAEL: 1 - 1.5 mg/kg body weight oetal abnormalities ts on fertility and early embryonic develop-
Effec	ts on foetal develop-	Embryo-foetal to Result: Embryot spring were dete Test Type: Emb Species: Rabbit Application Rout General Toxicity Embryo-foetal to Result: Embryot	te: Oral Maternal: LOAEL: 2 mg/kg body weight oxicity: NOAEL: 2 mg/kg body weight oxic effects and adverse effects on the off- ected only at high maternally toxic doses ryo-foetal development
	c acid: Its on foetal develop-	: Test Type: One- Species: Rat Application Rout Result: negative	

STOT - single exposure

May cause respiratory irritation.

SAFETY DATA SHEET according to GB/T 16483 and GB/T 17519





ersion .0	Revision Date: 2024/09/28	SDS Number: 10846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
<u>Com</u>	oonents:		
N-Me	thyl-2-pyrrolidone:		
Asses	ssment	: May cause resp	iratory irritation.
			-3-(perfluoromethyl)anilino]nicotinate:
Asses	ssment	: May cause resp	iratory irritation.
	acid:		
Asses	ssment	: May cause resp	iratory irritation.
STOT	- repeated exposure	e	
	0 0	through prolonged or re	epeated exposure.
	oonents:		
	enicol: et Organs	Liver Drein Ter	tis Crinel and Diagd collibladder
	a Undans	. Liver, Drain, res	stis, Spinal cord, Blood, gallbladder
-	ssment		e to organs through prolonged or repeated
-	-		to organs through prolonged or repeated
Asses	ssment	: Causes damage exposure.	
Asses 1-dec Targe	ssment oxy-1-(methylamino) et Organs	 Causes damage exposure. D-glucitol 2-[2-methy] Gastrointestinal 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood
Asses 1-dec Targe	ssment oxy-1-(methylamino)·	 Causes damage exposure. D-glucitol 2-[2-methy] Gastrointestinal 	-3-(perfluoromethyl)anilino]nicotinate:
Asses 1-dec Targe Asses	ssment oxy-1-(methylamino) et Organs	 Causes damage exposure. D-glucitol 2-[2-methyle] Gastrointestinal Causes damage 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood
Asses 1-dec Targe Asses Repe	ssment oxy-1-(methylamino) et Organs ssment	 Causes damage exposure. D-glucitol 2-[2-methyle] Gastrointestinal Causes damage 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood
Asses 1-dec Targe Asses Repe <u>Comp</u>	essment (methylamino) et Organs essment ated dose toxicity	 Causes damage exposure. D-glucitol 2-[2-methyle] Gastrointestinal Causes damage 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci	essment oxy-1-(methylamino) - et Organs essment ated dose toxicity oonents: enicol: les	 Causes damage exposure. D-glucitol 2-[2-methylic Gastrointestinal Causes damage exposure. 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE	essment oxy-1-(methylamino) et Organs essment ated dose toxicity ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: ponents: pon	 Causes damage exposure. D-glucitol 2-[2-methyl : Gastrointestinal Causes damage exposure. Dog 3 mg/kg 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Expos	essment oxy-1-(methylamino) - et Organs essment ated dose toxicity oonents: enicol: les	 Causes damage exposure. D-glucitol 2-[2-methylic Gastrointestinal Causes damage exposure. 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Expos Targe	essment oxy-1-(methylamino) et Organs essment ated dose toxicity oonents: enicol: less EL sure time et Organs less	 Causes damage exposure. D-glucitol 2-[2-methylendown in the stimulation of the sti	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Speci NOAE	es essment et Organs essment ated dose toxicity ponents: enicol: ess EL sure time et Organs Ess EL	 Causes damage exposure. D-glucitol 2-[2-methyl : Gastrointestinal Causes damage exposure. 2 ang/kg 3 mg/kg 13 Weeks Liver, Testis, Br Mouse 200 mg/kg 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Expos Targe Speci NOAE	essment oxy-1-(methylamino) et Organs essment ated dose toxicity oonents: enicol: less EL sure time et Organs less	 Causes damage exposure. D-glucitol 2-[2-methylendown in the stimulation of the sti	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Expos Targe Speci NOAE	es Sure time et Organs	 Causes damage exposure. D-glucitol 2-[2-methyl : Gastrointestinal Causes damage exposure. 2 Dog 3 mg/kg 13 Weeks Liver, Testis, Br Mouse 200 mg/kg 13 Weeks 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Expos Targe Speci NOAE Expos Targe	es essment et Organs essment ated dose toxicity ponents: enicol: es EL sure time et Organs es EL sure time et Organs es EL sure time et Organs es EL sure time et Organs	 Causes damage exposure. D-glucitol 2-[2-methyl Gastrointestinal Causes damage exposure. Dog 3 mg/kg 13 Weeks Liver, Testis, Br Mouse 200 mg/kg 13 Weeks Liver, Testis Rat 30 mg/kg 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Expos Targe Speci NOAE Expos Targe	es essment et Organs essment ated dose toxicity ponents: enicol: ess EL sure time et Organs ess EL sure time et Organs ess EL sure time et Organs ess EL sure time et Organs	 Causes damage exposure. D-glucitol 2-[2-methyl Gastrointestinal Causes damage exposure. 2 Causes damage exposure. 3 mg/kg 13 Weeks Liver, Testis, Br Mouse 200 mg/kg 13 Weeks Liver, Testis Rat 30 mg/kg 13 Weeks 13 Weeks 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated
Asses 1-dec Targe Asses Repe <u>Comp</u> Florfe Speci NOAE Expos Targe Speci NOAE Expos Targe	es Sure time et Organs ssment ated dose toxicity ponents: enicol: es EL sure time et Organs es EL sure time et Organs	 Causes damage exposure. D-glucitol 2-[2-methyl Gastrointestinal Causes damage exposure. Dog 3 mg/kg 13 Weeks Liver, Testis, Br Mouse 200 mg/kg 13 Weeks Liver, Testis Rat 30 mg/kg 	-3-(perfluoromethyl)anilino]nicotinate: tract, Kidney, Blood to organs through prolonged or repeated

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28	SDS Number: 10846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
	EL sure time et Organs	: 12 mg/kg : 52 Weeks : Liver, gallbladd	er
	EL	: Rat : 1 mg/kg : 3 mg/kg : 52 Weeks : Testis	
N-Me	thyl-2-pyrrolidone:		
	EL EL cation Route sure time	: Rat, male : 169 mg/kg : 433 mg/kg : Ingestion : 90 Days : OECD Test Gu	ideline 408
	EL EL cation Route sure time	: Rat : 0.5 mg/l : 1 mg/l : inhalation (dust : 96 Days : OECD Test Gu	
	EL	: Rabbit : 826 mg/kg : 1,653 mg/kg : Skin contact : 20 Days	
1-dec	oxy-1-(methylamino)	D-glucitol 2-[2-methy	rl-3-(perfluoromethyl)anilino]nicotinate:
Spec NOAI LOAE Appli Expo	ies EL	: Rat : 2 mg/kg : < 4 mg/kg : Oral : 6 w : Gastrointestina	
Expo		: Rat : 1 mg/kg : Oral : 1 y : Gastrointestina	l tract, Kidney
Expo		: Monkey : 15 mg/kg : Oral : 90 d : Gastrointestina	l tract, Blood

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
2.0	2024/09/28	10846426-00005	Date of first issue: 2022/09/06

Species	: Rabbit
LOAEL	: 80 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Symptoms	: Severe irritation
Species	: Dog
LOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 9 d
Target Organs	: Gastrointestinal tract
Symptoms	: Vomiting

Citric acid:

Species NOAEL	:	Rat
NOAEL	:	4,000 mg/kg
LOAEL	:	8,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	10 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

N-Methyl-2-pyrrolidone:

Skin contact

ntact : Symptoms: Skin irritation

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Inhalation	:	Symptoms: respiratory tract irritation
Skin contact	:	Symptoms: Skin irritation
Eye contact	:	Symptoms: Severe irritation
Eye contact Ingestion		Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Florfenicol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h

according to GB/T 16483 and GB/T 17519



rsion)	Revision Date: 2024/09/28		0S Number: 846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
11			Method: FDA 4.1	1
	ty to daphnia and other c invertebrates	:	Exposure time: 4	nagna (Water flea)): > 330 mg/l 8 h est Guideline 202
Toxici [;] plants	ty to algae/aquatic	:	EC50 (Pseudokir mg/l Exposure time: 1 Method: FDA 4.0	
			NOEC (Pseudoki mg/l Exposure time: 1 Method: FDA 4.0	
			IC50 (Skeletonen Exposure time: 7 Method: ISO 102	
			NOEC (Skeletone Exposure time: 7 Method: ISO 102	
			Exposure time: 7	ba (gibbous duckweed)): 0.76 mg/l d est Guideline 221
			Exposure time: 7	bba (gibbous duckweed)): 0.39 mg/l d est Guideline 221
			Exposure time: 7	elliculosa (Freshwater diatom)): 61 mg/l 2 h est Guideline 201
			Exposure time: 7	pelliculosa (Freshwater diatom)): 19 mg/l 2 h est Guideline 201
			Exposure time: 7	flos-aquae): 0.066 mg/l 2 h est Guideline 201
			Exposure time: 7	a flos-aquae): 0.051 mg/l 2 h est Guideline 201
	ctor (Acute aquatic tox-	:	10	
icity) Toxici	ty to fish (Chronic tox-	:	NOEC (Pimephal	es promelas (fathead minnow)): 5.5 mg/l

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/28	-	9S Number: 846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
icity)			Exposure time: 3 Method: OECD	32 d Test Guideline 210
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2	magna (Water flea)): 1.5 mg/l 21 d Test Guideline 211
M-Fac toxicit	ctor (Chronic aquatic y)	:	10	
N-Met	thyl-2-pyrrolidone:			
	ty to fish	:	LC50 (Oncorhyr Exposure time: 9	nchus mykiss (rainbow trout)): > 500 mg/l 96 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time: 2 Method: DIN 38	
Toxici plants	ty to algae/aquatic	:	ErC50 (Desmod Exposure time: 7	esmus subspicatus (green algae)): 600.5 m 72 h
			EC10 (Desmode Exposure time: 7	esmus subspicatus (green algae)): 92.6 mg. 72 h
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2	magna (Water flea)): 12.5 mg/l 21 d Test Guideline 211
Toxici	ty to microorganisms	:	EC50: > 600 mg Exposure time: 3 Method: ISO 819	30 min
II 1-deo		ماب	cital 2-[2-mathyl	-3-(perfluoromethyl)anilino]nicotinate:
	ty to fish	giu :		macrochirus (Bluegill sunfish)): 28 mg/l 96 h
			LC50 (Oncorhyr Exposure time: 9 Method: FDA 4.	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time: 4 Method: FDA 4.0	
Toxici plants	ty to algae/aquatic	:	NOEC (Microcys Exposure time: Method: FDA 4.	
			NOEC (Selenas Exposure time:	trum capricornutum (green algae)): 96 mg/l 12 d

according to GB/T 16483 and GB/T 17519



Version 2.0	Revision Date: 2024/09/28		DS Number: 846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
Ш				
	acid:			
	ity to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): > 100 mg/l 5 h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 24	nagna (Water flea)): 1,535 mg/l 1 h
Persi	stence and degradabili	ity		
Com	ponents:			
N-Me	thyl-2-pyrrolidone:			
	egradability	:	Result: Readily bi Biodegradation: Exposure time: 28 Method: OECD T	73 %
1-dec	oxy-1-(methylamino)-D-	glu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:
Stabil	lity in water	:	Hydrolysis: 0 %(2	8 d)
II Citrio	acid:			
	egradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28 Method: OECD T	97 %
Bioad	ccumulative potential			
_	oonents:			
Partiti	enicol: ion coefficient: n- ol/water	:	log Pow: 0.373 pH: 7	
N-Me	thyl-2-pyrrolidone:			
Partit	ion coefficient: n- ol/water	:	log Pow: -0.46 Method: OECD T	est Guideline 107
1-dec	oxy-1-(methylamino)-D-	glu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:
Partit	ion coefficient: n- ol/water	-	log Pow: 1.34	
Citric	acid:			
	ion coefficient: n- ol/water	:	log Pow: -1.72	

according to GB/T 16483 and GB/T 17519



	evision Date: 24/09/28		OS Number: 846426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
Mobility in	n soil			
Compone	nts:			
Florfenico	d:			
	n among environ- npartments	:	Koc: 52 Method: FDA 3.08	3
1-deoxy-1	-(methylamino)-D-	glu	citol 2-[2-methyl-3	3-(perfluoromethyl)anilino]nicotinate:
Distribution mental con	n among environ- npartments	:	log Koc: 1.92	
	erse effects			
No data av	railable			
13. DISPOSAL	CONSIDERATION	IS		
Disposal r	nethods			
Waste fron		:	Do not dispose of	waste into sewer.
Contamina	ited packaging			ordance with local regulations. should be taken to an approved waste han-
	iner Preiseging	-	dling site for recyc	
14. TRANSPOR	RT INFORMATION			
Internation	nal Regulations			
UNRTDG	-			
UN numbe Proper shir	r oping name	÷	UN 3082 ENVIRONMENTA	ALLY HAZARDOUS SUBSTANCE, LIQUID,
	1 3 4		N.O.S. (Florfenicol)	,,
Class		:	9	
Packing gr Labels	oup	:	 9	
	ntally hazardous	:	no	
IATA-DGR	2			
UN/ID No.		:	UN 3082	
	oping name	:	(Florfenicol)	nazardous substance, liquid, n.o.s.
Class		÷	9 III	
Packing gr Labels	oup	:	Miscellaneous	
	struction (cargo	:	964	
	struction (passen-	:	964	
IMDG-Cod	le			



according to GB/T 16483 and GB/T 17519

Florfenicol / Flunixin Injection Formulation

Version 2.0	Revision Date: 2024/09/28		S Number: 346426-00005	Date of last issue: 2024/04/06 Date of first issue: 2022/09/06
UN nu		:	UN 3082	
Proper	shipping name	:	N.O.S. (Florfenicol)	FALLY HAZARDOUS SUBSTANCE, LIQUID,
Class		:	9	
Packin	ig group	:	111	
Labels		:	9	
EmS C	Code	:	F-A, S-F	
Marine	e pollutant	:	yes	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(Florfenicol)
Class	:	9
Packing group	:	
Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational D	Diseases
Regulations on Safety Management of Hazardous Ch	emicals
Catalogue of Hazardous Chemicals	: This product is not listed in the cata- logue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of de- termination.
Identification of Major Hazard Installations for Hazardous 18218)	Chemicals (GB : Not listed
Hazardous Chemicals for Priority Management under SAWS	: Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used Catalogue of Highly Toxic Chemicals : Not listed

according to GB/T 16483 and GB/T 17519



Florfenicol / Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
2.0	2024/09/28	10846426-00005	Date of first issue: 2022/09/06

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import : Not listed and Export

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	2024/09/28
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

(BEI)

Date format	:	yyyy/mm/dd
Full text of other abbreviation	ns	
ACGIH BEI	:	ACGIH - Biological Exposure Indices (

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



Florfenicol / Flunixin Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
2.0	2024/09/28	10846426-00005	Date of first issue: 2022/09/06

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN