according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fluazuron / Abamectin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number: +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Highly flammable liquids

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2A

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

single exposure

Category 3

Specific target organ toxicity - : Category 2 (Central nervous system)

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

repeated exposure

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H302 + H332 Harmful if swallowed or if inhaled.

H315 + H319 Causes skin irritation and serious eye irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H341 Suspected of causing genetic defects. H360D May damage the unborn child.

H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : ,

Prevention:

P203 Obtain, read and follow all safety instructions before use. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapours.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or with adequate ventilation.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.

Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water. P304 + P340 + P317 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Get medical help.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P318 IF exposed or concerned, get medical advice.

P333 + P317 If skin irritation or rash occurs: Get medical help.

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 30 - < 50
N-Methyl-2-pyrrolidone	872-50-4	>= 30 - < 50
Poly[oxy(methyl-1,2-ethanediyl)], α-(1-oxotetradecyl)-ω-(phenylmethoxy)-	642443-86-5	>= 20 - < 30
Fluazuron	86811-58-7	>= 2.5 - < 5
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	>= 1 - < 2.5
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0	>= 1 - < 2.5
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.1 - < 0.25

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed or if inhaled.

Causes skin irritation and serious eye irritation.

May cause an allergic skin reaction.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Suspected of causing genetic defects.
May damage the unborn child.

May admage the unborn orma.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition. Do not store with the following product types:

Materials to avoid : Do not store with the following product types

Self-reactive substances and mixtures
Organic peroxides

Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Fluazuron	86811-58-7	TWA	60 μg/m3 (OEB 3)	Internal
		Wipe limit	600 μg/ 100cm2	Internal
abamectin (combination of avermectin B1a and avermec- tin B1b) (ISO)	71751-41-2	TWA	15 μg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm ²	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-less

quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face contain-

ment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flam-

mable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 28 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Revision Date: SDS Number: Date of last issue: 06.07.2024 Version 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-Flammable liquid and vapour.

tions

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute toxicity estimate: 1,822 mg/kg Acute oral toxicity

Method: Calculation method

Acute toxicity estimate: 2.06 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute toxicity estimate: > 5,000 mg/kg Acute dermal toxicity

Method: Calculation method

Components:

Propan-2-ol:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity LC50 (Rat): > 25 mg/l

> Exposure time: 6 h Test atmosphere: vapour

LD50 (Rabbit): > 5,000 mg/kg Acute dermal toxicity

N-Methyl-2-pyrrolidone:

Acute oral toxicity LD50 (Rat): 4,150 mg/kg

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Poly[oxy(methyl-1,2-ethanediyl)], α -(1-oxotetradecyl)- ω -(phenylmethoxy)-:

Acute oral toxicity : LD50 (Rat): > 16,000 mg/kg

Fluazuron:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6.0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity : LD50 (Rat): 24 mg/kg

LD50 (Mouse): 10 mg/kg

LDLo (Monkey): 24 mg/kg

Symptoms: Dilatation of the pupil

Acute inhalation toxicity : LC50 (Rat): 0.023 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 330 mg/kg

LD50 (Rabbit): 2,000 mg/kg

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Acute oral toxicity : LD50 (Rat, male): > 2,959 - 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): >= 5.19 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 436

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

Assessment: The substance or mixture has no acute dermal

toxicity

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

Propan-2-ol:

Species : Rabbit

Result : No skin irritation

N-Methyl-2-pyrrolidone:

Result : Skin irritation

Poly[oxy(methyl-1,2-ethanediyl)], α -(1-oxotetradecyl)- ω -(phenylmethoxy)-:

Species : Rabbit

Result : Mild skin irritation

Fluazuron:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : No skin irritation

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propan-2-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

N-Methyl-2-pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Poly[oxy(methyl-1,2-ethanediyl)], α -(1-oxotetradecyl)- ω -(phenylmethoxy)-:

Species : Rabbit

Result : No eye irritation

Fluazuron:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Mild eye irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit

Result : Mild eye irritation

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 405

Result : No eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Propan-2-ol:

Test Type : Buehler Test Exposure routes : Skin contact

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

N-Methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Poly[oxy(methyl-1,2-ethanediyl)], α -(1-oxotetradecyl)- ω -(phenylmethoxy)-:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Result : negative

Fluazuron:

Exposure routes : Skin contact Species : Guinea pig Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximisation Test Exposure routes : Skin contact

Result : Not a skin sensitizer.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact
Species : Humans
Result : negative

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Hamster

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Poly[oxy(methyl-1,2-ethanediyl)], α -(1-oxotetradecyl)- ω -(phenylmethoxy)-:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Fluazuron:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

Species: Hamster Result: equivocal

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Test Type: Alkaline elution assay

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

Test Type: Micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Test Type: Transgenic rodent somatic cell gene mutation as-

say

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 488

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 104 weeks

Method : OECD Test Guideline 451

Result : negative

N-Methyl-2-pyrrolidone:

Species: RatApplication Route: IngestionExposure time: 2 YearsResult: negative

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years
Result : negative

Fluazuron:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative

Species : Mouse

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

Application Route : Ingestion Exposure time : 2 Years Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species: MouseApplication Route: OralExposure time: 93 weeksResult: negative

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Mouse
Application Route : Skin contact
Exposure time : 29 Months
Result : negative

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Propan-2-ol:

ment

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

: Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

ment Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (vapour)

Result: positive

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

Fluazuron:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility

Species: Rat, male Application Route: Oral Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Early Embryonic Development: NOAEL: 0.12 mg/kg body

weight

Result: Fetotoxicity

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Oral

General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight Developmental Toxicity: NOAEL: 0.2 mg/kg body weight

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

Result: Cleft palate

Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: LOAEL: 2 mg/kg body weight Result: Cleft palate, Teratogenic effects, Reduced embryonic

survival

Remarks: Adverse developmental effects were observed

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 1.6 mg/kg body weight

Result: Teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experi-

ments.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

STOT - repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Exposure routes Ingestion

Target Organs Central nervous system

: Causes damage to organs through prolonged or repeated Assessment

exposure.

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Exposure routes Ingestion Target Organs : nasal cavity

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Propan-2-ol:

Species : Rat NOAEL : 12.5 mg/l

: inhalation (vapour) Application Route

Exposure time 104 Weeks

N-Methyl-2-pyrrolidone:

Species : Rat, male NOAEL : 169 mg/kg : 433 mg/kg LOAEL : Ingestion Application Route : 90 Days Exposure time

Method **OECD Test Guideline 408**

Species Rat 0.5 mg/l NOAEL LOAEL 1 mg/l

Application Route Exposure time : inhalation (dust/mist/fume)

96 Days

Method **OECD Test Guideline 413**

Species Rabbit 826 mg/kg NOAEL : LOAEL : 1,653 mg/kg Application Route Skin contact Exposure time 20 Days

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Fluazuron:

Species : Rat
LOAEL : 240 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Target Organs : Liver, Thyroid, Pituitary gland

Species: RatNOAEL: 10 mg/kgLOAEL: 100 mg/kgApplication Route: Skin contactExposure time: 3 Weeks

Species : Dog
NOAEL : 7.5 mg/kg
LOAEL : 110 mg/kg
Application Route : Ingestion
Exposure time : 52 Weeks
Target Organs : Liver

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat

NOAEL : 1.5 mg/kg

Application Route : Oral

Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Mouse

NOAEL : 4.0 mg/kg

Application Route : Oral

Exposure time : 24 Months

Target Organs : Central nervous system

Symptoms : Tremors, ataxia

Species : Dog

NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks

Target Organs : Central nervous system
Symptoms : Tremors, weight loss
Remarks : mortality observed

Species: MonkeyNOAEL: 1.0 mg/kgApplication Route: OralExposure time: 14 Weeks

Target Organs : Central nervous system

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rat NOAEL : 5 mg/kg

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Revision Date: Version SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

LOAEL 50 mg/kg Application Route Ingestion Exposure time 90 Days

Method **OECD Test Guideline 408**

2,6-Di-tert-butyl-p-cresol:

Species Rat NOAEL 25 mg/kg Application Route : Ingestion Exposure time 22 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

N-Methyl-2-pyrrolidone:

Skin contact Symptoms: Skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Symptoms: May cause, Tremors, Diarrhoea, central nervous Ingestion

system effects, Salivation, tearing

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Propan-2-ol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

N-Methyl-2-pyrrolidone:

LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h

Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 600.5

Exposure time: 72 h

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Revision Date: Version SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l

Exposure time: 72 h

Toxicity to microorganisms EC50: > 600 mg/l

Exposure time: 30 min Method: ISO 8192

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 12.5 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Poly[oxy(methyl-1,2-ethanediyl)], α -(1-oxotetradecyl)- ω -(phenylmethoxy)-:

Toxicity to fish LC50: 540 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 221 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae/aquatic

plants

NOEC (Selenastrum capricornutum (fresh water algae)): 78

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Fluazuron:

LC50 (Cyprinus carpio (Carp)): > 9.1 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia sp. (water flea)): 0.0006 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Raphidocelis subcapitata (freshwater green alga)):

27.9 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

icity)

1,000

M-Factor (Chronic aquatic

toxicity)

: 1,000

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l

Exposure time: 96 h

LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l

Exposure time: 96 h

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Revision Date: Version SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

LC50 (Cyprinus carpio (Carp)): 42 µg/l

Exposure time: 96 h

LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Americamysis): 0.022 µg/l

Exposure time: 96 h

EC50 (Daphnia magna (Water flea)): 0.34 μg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

10,000

Toxicity to microorganisms EC50: > 1.000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.52 µg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.03 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

NOEC: 0.0035 µg/l Exposure time: 28 d

Species: Mysidopsis bahia (opossum shrimp)

M-Factor (Chronic aquatic

toxicity)

10,000

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 40 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)): >

110 ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 30

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (activated sludge): 409 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): >

0.24 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

: 1

Toxicity to microorganisms : EC50: > 10,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.053 mg/l

Exposure time: 30 d

Species: Oryzias latipes (Japanese medaka)

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.316 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

Persistence and degradability

Components:

Propan-2-ol:

Biodegradability : Result: rapidly degradable

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

BOD/COD : BOD: 1,19 (BOD5)

COD: 2,23 BOD/COD: 53 %

N-Methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 73 % Exposure time: 28 d

Method: OECD Test Guideline 301C

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water : Hydrolysis: 50 %(< 12 h)

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 71 % Exposure time: 28 d

Method: OECD Test Guideline 301B

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4.5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n- : log Pow: 0.05

octanol/water

N-Methyl-2-pyrrolidone:

Partition coefficient: n- : log Pow: -0.46

octanol/water Method: OECD Test Guideline 107

Fluazuron:

Partition coefficient: n- : log Pow: 5.1

octanol/water

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 52

Partition coefficient: n- : log Pow: 4

octanol/water

7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

Partition coefficient: n- : log Pow: 1.34

octanol/water Method: OECD Test Guideline 107

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-

octanol/water

: log Pow: 5.1

Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environ-

mental compartments

: log Koc: > 3.6

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Propan-2-ol)

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1993

Proper shipping name : Flammable liquid, n.o.s.

(Propan-2-ol)

Class : 3

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 8.0 28.09.2024 803735-00026 Date of first issue: 12.07.2016

Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo : 366

aircraft)

Packing instruction (passen: 355

ger aircraft)

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Propan-2-ol, Fluazuron, abamectin (combination of avermec-

tin B1a and avermectin B1b) (ISO))

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 28.09.2024

Further information

Sources of key data used to compile the Safety Data

compile the Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

according to the Globally Harmonized System



Fluazuron / Abamectin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 8.0
 28.09.2024
 803735-00026
 Date of first issue: 12.07.2016

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN