according to GB/T 16483 and GB/T 17519



# Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4624618-00014	Date of first issue: 2019/07/09

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	:	Fluazuron / Citronellal Formulation
Manufacturer or supplier's de Company	etai :	i <b>ls</b> MSD
Address	:	No. 485 Jing Tai Road Pu Tuo District - Shanghai - China 200331
Telephone	:	+1-908-740-4000
Emergency telephone number	:	86-571-87268110
E-mail address	:	EHSDATASTEWARD@msd.com
Recommended use of the ch	em	ical and restrictions on use
Recommended use Restrictions on use	:	Veterinary product Not applicable

#### 2. HAZARDS IDENTIFICATION

### Emergency Overview

Appearance Colour Odour	:	Aqueous solution yellow No data available				
Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. May damage the unborn child. Very toxic to aquatic life with long lasting effects.						
GHS Classification						
Flammable liquids	:	Category 3				
Skin corrosion/irritation	:	Category 2				
Serious eye damage/eye irri- tation	:	Category 2A				
Skin sensitisation	:	Category 1				
Reproductive toxicity	:	Category 1B				
Specific target organ toxicity - single exposure	:	Category 3				

according to GB/T 16483 and GB/T 17519



Version 5.0	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
	ort-term (acute) aquatic card	: Category 1	
	ng-term (chronic) aquatic card	: Category 1	
	S label elements zard pictograms		
Sig	nal word	: Danger	• • •
Ha	zard statements	H315 Causes H317 May cau H319 Causes H335 May cau H360D May da	ble liquid and vapour. skin irritation. ise an allergic skin reaction. serious eye irritation. ise respiratory irritation. amage the unborn child. ic to aquatic life with long lasting effects.
Pre	ecautionary statements	P202 Do not h and understoo P210 Keep aw No smoking. P233 Keep co P241 Use exp ment. P242 Use only P243 Take pre P261 Avoid br P264 Wash sk P271 Use only P272 Contami the workplace. P273 Avoid re	vay from heat/ sparks/ open flames/ hot surfaces. ntainer tightly closed. losion-proof electrical/ ventilating/ lighting equip- v non-sparking tools. ecautionary measures against static discharge. eathing mist or vapours. in thoroughly after handling. v outdoors or in a well-ventilated area. nated work clothing should not be allowed out of lease to the environment. otective gloves/ protective clothing/ eye protec-
		ly all contamin P304 + P340 - and keep com doctor if you fe P305 + P351 -	+ P338 IF IN EYES: Rinse cautiously with water nutes. Remove contact lenses, if present and

according to GB/T 16483 and GB/T 17519



## Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4624618-00014	Date of first issue: 2019/07/09

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Physical and chemical hazards

Flammable liquid and vapour.

#### **Health hazards**

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May damage the unborn child. May cause respiratory irritation.

#### Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

•

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Soya oil	8001-22-7	>= 30 -< 50
N-Methyl-2-pyrrolidone	872-50-4	>= 30 -< 50
Propan-2-ol	67-63-0	>= 1 -< 10
Butanone	78-93-3	>= 1 -< 10
6-Octenal, 3,7-dimethyl-	106-23-0	>= 2.5 -< 10
Fluazuron	86811-58-7	>= 2.5 -< 10
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.25 -< 1

#### 4. FIRST AID MEASURES

General advice

In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

according to GB/T 16483 and GB/T 17519



Version 5.0	Revision Date: 2024/09/28		24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09			
lf inha	aled	:	If inhaled, remove Get medical atten				
In case of skin contact		:	<ul> <li>In case of contact, immediately flush skin with plenty of for at least 15 minutes while removing contaminated clo and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>				
In cas	In case of eye contact		In case of contact for at least 15 min	t, immediately flush eyes with plenty of water nutes. ove contact lens, if worn.			
lf swa	allowed	:	If swallowed, DO Get medical atten	NOT induce vomiting.			
	important symptoms effects, both acute and red	:	Causes skin irrita May cause an alle Causes serious e May cause respira	tion. ergic skin reaction. ye irritation. atory irritation.			
Prote	ection of first-aiders	:	and use the recor	unborn child. ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).			
Notes	s to physician	:		cally and supportively.			
5. FIREFI	GHTING MEASURES						
Suita	Suitable extinguishing media		Water spray Alcohol-resistant Carbon dioxide (C Dry chemical				
Unsu media	itable extinguishing a	:	High volume wate	er jet			
Spec fightir	ific hazards during fire- ng	:	<ul> <li>Do not use a solid water stream as it may scatter and s fire.</li> <li>Flash back possible over considerable distance.</li> <li>Vapours may form explosive mixtures with air.</li> <li>Exposure to combustion products may be a hazard to h</li> </ul>				
Haza ucts	rdous combustion prod-	:	Carbon oxides Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds				
Spec ods	ific extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do			

according to GB/T 16483 and GB/T 17519



# Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 2024/09/28		24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09	
	al protective equipment fighters	:		e, wear self-contained breathing apparatus. tective equipment.	
6. ACCIDE	NTAL RELEASE MEAS	SUF	RES		
tive ec	nal precautions, protec- quipment and emer- procedures	:	Follow safe hand	es of ignition. tective equipment. ling advice (see section 7) and personal pro- t recommendations (see section 8).	
Environmental precautions		:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or or barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.		
	ds and materials for nment and cleaning up	:	Soak up with inel Suppress (knock spray jet. For large spills, p ment to keep ma be pumped, store Clean up remaini bent. Local or national posal of this mate employed in the o mine which regul Sections 13 and	Is should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- terial from spreading. If dyked material can a recovered material in appropriate container. Ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements.	

#### 7. HANDLING AND STORAGE

Handling		
Technical measures		e Engineering measures under EXPOSURE DNTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	ve Us	sufficient ventilation is unavailable, use with local exhaust ntilation. se explosion-proof electrical, ventilating and lighting equip- ent.
Advice on safe handling	Av Do	o not get on skin or clothing. oid breathing mist or vapours. o not swallow. o not get in eyes.

according to GB/T 16483 and GB/T 17519



# Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 2024/09/28	SDS Nu 462461	ımber: 8-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09		
	Avoidance of contact		<ul> <li>Wash skin thoroughly after handling.</li> <li>Handle in accordance with good industrial hygiene and safe practice, based on the results of the workplace exposure as sessment</li> <li>Non-sparking tools should be used.</li> <li>Keep container tightly closed.</li> <li>Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease should consult their physician regarding working with respiratory irritants or sensitisers.</li> <li>Keep away from heat, hot surfaces, sparks, open flames an other ignition sources. No smoking.</li> <li>Take precautionary measures against static discharges.</li> <li>Take care to prevent spills, waste and minimize release to t environment.</li> <li>Oxidizing agents</li> </ul>			
Co	orage nditions for safe storage terials to avoid	Stor Kee Stor Kee : Do Self Org Oxic Flar Pyro Self Pois	e locked up. p tightly close p in a cool, w e in accordar p away from not store with -reactive subs anic peroxide dizing agents nmable gases ophoric liquids ophoric solids -heating subs sonous gases	ell-ventilated place. nce with the particular national regulations. heat and sources of ignition. the following product types: stances and mixtures s s s s s s s s s s s s s		
Pa	ckaging material		losives uitable mater	ial: None known.		

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Propan-2-ol	67-63-0	PC-TWA	350 mg/m3	CN OEL
		PC-STEL	700 mg/m3	CN OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Butanone	78-93-3	PC-TWA	300 mg/m3	CN OEL
		PC-STEL	600 mg/m3	CN OEL
		TWA	75 ppm	ACGIH





## Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4624618-00014	Date of first issue: 2019/07/09

		STEL	150 ppm	ACGIH
Fluazuron	86811-58-7	TWA	60 µg/m3 (OEB 3)	Internal
		Wipe limit	600 µg/ 100cm2	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhal- able fraction	2 mg/m3	ACGIH
		and vapor)		

### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI
Butanone	78-93-3	methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

**Engineering measures** Use appropriate engineering controls and manufacturing : technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling. Use explosion-proof electrical, ventilating and lighting equipment. Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or expo-
		sure assessment demonstrates exposures outside the rec-
		ommended guidelines, use respiratory protection.
Filter type	:	Organic vapour type

according to GB/T 16483 and GB/T 17519



# Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Eye/f	ace protection	If the work e mists or aero Wear a face	glasses with side shields or goggles. nvironment or activity involves dusty conditions, osols, wear the appropriate goggles. shield or other full face protection if there is a direct contact to the face with dusts, mists, or
Skin	and body protection	: Work uniforr Additional bo task being p posable suit	n or laboratory coat. ody garments should be used based upon the erformed (e.g., sleevelets, apron, gauntlets, dis- s) to avoid exposed skin surfaces. iate degowning techniques to remove potentially d clothing
Hand	protection	contaminate	d clothing.
M	aterial	: Chemical-re	sistant gloves
Re	emarks		uble gloving. Take note that the product is flam-
Hygie	ene measures	: If exposure t eye flushing ing place. When using Contaminate workplace. Wash contat The effective engineering appropriate industrial hys	n may impact the selection of hand protection. to chemical is likely during typical use, provide systems and safety showers close to the work- do not eat, drink or smoke. ed work clothing should not be allowed out of the minated clothing before re-use. e operation of a facility should include review of controls, proper personal protective equipment, degowning and decontamination procedures, giene monitoring, medical surveillance and the histrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	-4 °C
Initial boiling point and boiling range	:	78 °C
Flash point	:	52 °C
Evaporation rate	:	No data available

according to GB/T 16483 and GB/T 17519



# Fluazuron / Citronellal Formulation

Versio 5.0	on Revision Date: 2024/09/28		S Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
F	lammability (solid, gas)	:	Not applicable	
F	lammability (liquids)	:	Not applicable	
	Ipper explosion limit / Upper ammability limit	:	No data available	9
	ower explosion limit / Lower ammability limit	:	No data available	9
V	apour pressure	:	No data available	9
F	elative vapour density	:	No data available	9
F	elative density	:	0.94 - 0.96	
C	Density	:	No data available	9
S	olubility(ies) Water solubility	:	practically insolu	ble

Solubility in other solvents	:	soluble Solvent: Ethanol
Partition coefficient: n- octanol/water	:	log Pow: -0.54
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	5.3 - 5.7 mm2/s ( 25 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

### 10. STABILITY AND REACTIVITY

:	Not classified as a reactivity hazard.
:	Stable under normal conditions.
:	Flammable liquid and vapour.
	Vapours may form explosive mixture with air.
	Can react with strong oxidizing agents.
	:

according to GB/T 16483 and GB/T 17519



s. sition products are known.
- 5,000 mg/kg hod
⊳ 5,000 mg/kg hod
nist deline 403
kg
kg
r
ng/kg
000 mg/kg I from similar materials

according to GB/T 16483 and GB/T 17519



Test atmosphere: vapour Method: OECD Test Guideline 436 Remarks: Based on data from similar materials         Acute dermal toxicity       :       LD50 (Rabbit): > 5,000 mg/kg         6-Octenal, 3,7-dimethyl::         Acute oral toxicity       :       LD50 (Rabbit): > 2,150 mg/kg         Acute dermal toxicity       :       LD50 (Rabbit): > 2,500 - 5,000 mg/kg         Fluzzuron:         Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 403       Acute dermal toxicity       :         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402       :       Acute oral toxicity         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402       :       Acute dermal toxicity         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402       :       Acute oral toxicity         Skin corrosion/irritation       :       Sessesment: The substance or mixture has no acute derma toxic	Version 5.0	Revision Date: 2024/09/28		DS Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Method: OECD Test Guideline 436 Remarks: Based on data from similar materials         Acute dermal toxicity       :       LD50 (Rabbit): > 5,000 mg/kg         6-Octenal, 3,7-dimethyl::       Acute oral toxicity       :       LD50 (Rat, female): 2,150 mg/kg         Acute dermal toxicity       :       LD50 (Rabbit): > 2,500 - 5,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg         Acute inhalation toxicity       :       LC50 (Rat): > 6,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 401       Acute dermal toxicity       :         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guidelin					
<ul> <li>6-Octenal, 3,7-dimethyl:</li> <li>Acute oral toxicity : LD50 (Rat, female): 2,150 mg/kg</li> <li>Acute dermal toxicity : LD50 (Rat): &gt; 2,500 - 5,000 mg/kg</li> <li>Fluzzuron:</li> <li>Acute oral toxicity : LD50 (Rat): &gt; 5,000 mg/kg</li> <li>Method: OECD Test Guideline 401</li> <li>Acute inhalation toxicity : LC50 (Rat): &gt; 6.0 mg/l</li> <li>Exposure time: 4 h</li> <li>Test atmosphere: dust/mist</li> <li>Method: OECD Test Guideline 403</li> <li>Acute dermal toxicity : LD50 (Rat): &gt; 2,000 mg/kg</li> <li>Method: OECD Test Guideline 403</li> <li>Acute dermal toxicity : LD50 (Rat): &gt; 2,000 mg/kg</li> <li>Method: OECD Test Guideline 402</li> <li>2,6-Di-tert-butyl-p-cresol:</li> <li>Acute oral toxicity : LD50 (Rat): &gt; 2,000 mg/kg</li> <li>Method: OECD Test Guideline 402</li> <li>2,6-Di-tert-butyl-p-cresol:</li> <li>Acute dermal toxicity : LD50 (Rat): &gt; 2,000 mg/kg</li> <li>Method: OECD Test Guideline 401</li> <li>Acute dermal toxicity : LD50 (Rat): &gt; 2,000 mg/kg</li> <li>Method: OECD Test Guideline 401</li> <li>Acute dermal toxicity : LD50 (Rat): &gt; 2,000 mg/kg</li> <li>Method: OECD Test Guideline 402</li> <li>Assessment: The substance or mixture has no acute derma toxicity</li> <li>Skin corrosion/irritation</li> <li>Components:</li> <li>N-Methyl-2-pyrolidone:</li> <li>Result : Skin irritation</li> <li>Propan-2-0I:</li> <li>Species : Rabbit</li> <li>Result : No skin irritation</li> <li>Butanone:</li> </ul>				Method: OECD	Test Guideline 436
Acute oral toxicity       :       LD50 (Rat, female): 2,150 mg/kg         Acute dermal toxicity       :       LD50 (Rabbit): > 2,500 - 5,000 mg/kg         Fluzzuron:       .       .         Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg         Acute inhalation toxicity       :       LC50 (Rat): > 6,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402       .         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 401       .       .         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 401       .       .         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402       .       .         Acute dermal toxicity       :       LD50 (Rat)	Acute	e dermal toxicity	:	LD50 (Rabbit): :	> 5,000 mg/kg
Acute dermal toxicity       : LD50 (Rabbit): > 2,500 - 5,000 mg/kg         Fluazuron:       Acute oral toxicity       : LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       : LC50 (Rat): > 6.0 mg/l         Exposure time: 4 h       Test atmosphere: dust/mist         Acute dermal toxicity       : LC50 (Rat): > 6.00 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 6.00 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 401         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402         Assessment: The substance or mixture has no acute derma toxicity         Skin corrosion/irritation         Causes skin irritation.         Components:         N-Methyl-2-pyrrolidone:         Result       : Skin irritation         Bpecies       : Rabbit         Result       : No skin irritation         Butanone:	6-Oct	tenal, 3,7-dimethyl-:			
Fluazuron:         Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401         Acute inhalation toxicity       :       LC50 (Rat): > 6.0 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402         2,6-Di-tert-butyl-p-cresol:       .         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg         Skin corrosion/irritation       Causes skin irritation.         Components:       :       N-Methyl-2-pyrrolidone:         Mesult       :       Skin irritation         Propan-2-oi:       :       Result       :         Species       :       Rabbit Result       :         Butanone:       :       No skin irritation </td <td>Acute</td> <td>e oral toxicity</td> <td>:</td> <td>LD50 (Rat, fema</td> <td>ale): 2,150 mg/kg</td>	Acute	e oral toxicity	:	LD50 (Rat, fema	ale): 2,150 mg/kg
Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401         Acute inhalation toxicity       :       LC50 (Rat): > 6.0 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 <b>2,6-Di-tert-butyl-p-cresol:</b> Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 402         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity         Skin corrosion/irritation Causes skin irritation.       Components:         N-Methyl-2-pyrrolidone:       :         Result       :         Species       :         Species       :         Butanone:       :	Acute	e dermal toxicity	:	LD50 (Rabbit):	> 2,500 - 5,000 mg/kg
Method: OECD Test Guideline 401         Acute inhalation toxicity       :       LC50 (Rat): > 6.0 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402         2,6-Di-tert-butyl-p-cresol:       .         Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401         Acute oral toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity         Skin corrosion/irritation Causes skin irritation.       .         Components:       .         N-Methyl-2-pyrrolidone:       .         Result       :       Skin irritation         Butanone:       .       No skin irritation	Fluaz	zuron:			
Exposure time: 4 h         Test atmosphere: dust/mist         Method: OECD Test Guideline 403         Acute dermal toxicity       :         LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402         2,6-Di-tert-butyl-p-cresol:         Acute oral toxicity       :         LD50 (Rat): > 6,000 mg/kg         Method: OECD Test Guideline 402         2,6-Di-tert-butyl-p-cresol:         Acute oral toxicity       :         LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 401         Acute dermal toxicity       :         LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402         Assessment: The substance or mixture has no acute derma toxicity         Skin corrosion/irritation         Causes skin irritation.         Components:         N-Methyl-2-pyrrolidone:         Result       :         Skin corrosion         Result       :         Skin irritation         Butanone:	Acute	e oral toxicity	:		
Method: OECD Test Guideline 402         2,6-Di-tert-butyl-p-cresol:         Acute oral toxicity       : LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity         Skin corrosion/irritation Causes skin irritation.       Components:         N-Methyl-2-pyrrolidone:       Nesult         Result       : Skin irritation         Species       : Rabbit Result         Butanone:       : No skin irritation	Acute	e inhalation toxicity	:	Exposure time: Test atmospher	4 h e: dust/mist
Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity         Skin corrosion/irritation Causes skin irritation.       Components:         N-Methyl-2-pyrrolidone:       Kin irritation         Result       :       Skin irritation         Propan-2-ol:       :       Species         Butanone:       :       No skin irritation	Acute	e dermal toxicity	:		
Acute oral toxicity       :       LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity         Skin corrosion/irritation Causes skin irritation.       Components:         N-Methyl-2-pyrrolidone:       Kin irritation         Result       :       Skin irritation         Propan-2-ol:       :       Species         Butanone:       :       No skin irritation	2,6-D	)i-tert-butyl-p-cresol:			
Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derma toxicity Skin corrosion/irritation Causes skin irritation. Components: N-Methyl-2-pyrrolidone: Result : Skin irritation Propan-2-ol: Species : Rabbit Result : No skin irritation Butanone:	Acute	e oral toxicity	:		
Causes skin irritation. Components: N-Methyl-2-pyrrolidone: Result : Skin irritation Propan-2-ol: Species : Rabbit Result : No skin irritation Butanone:	Acute	e dermal toxicity	:	Method: OECD Assessment: Th	Test Guideline 402
N-Methyl-2-pyrrolidone:         Result       :       Skin irritation         Propan-2-ol:         Species       :       Rabbit         Result       :       No skin irritation         Butanone:       :       :					
Result       : Skin irritation         Propan-2-ol:	Com	ponents:			
Propan-2-ol:         Species       : Rabbit         Result       : No skin irritation         Butanone:	N-Me	thyl-2-pyrrolidone:			
Species       : Rabbit         Result       : No skin irritation         Butanone:	Resu	lt	:	Skin irritation	
Result : No skin irritation Butanone:	Prop	an-2-ol:			
			:		1
Assessment : Repeated exposure may cause skin dryness or cracking.			:	Repeated expos	sure may cause skin dryness or cracking.

according to GB/T 16483 and GB/T 17519



ersion .0	Revision Date: 2024/09/28		DS Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09	
Speci		:	Rabbit		
Metho	od	:	OECD Test Gui		
Rema	rks	:	No skin irritation Based on data from similar materials		
6-Oct	enal, 3,7-dimethyl-:				
Speci Resul		:	Rabbit Skin irritation		
Fluaz	uron:				
Speci			Rabbit		
Metho		:	OECD Test Gui	deline 404	
Resul	t	:	No skin irritation		
	i-tert-butyl-p-cresol:	:			
Speci		:	Rabbit	deline 101	
Metho Resul		:	OECD Test Gui No skin irritation		
i tosui		•			
	us eye damage/eye			rom similar materials	
Serio Cause <u>Comp</u>	us eye damage/eye es serious eye irritatio ponents: thyl-2-pyrrolidone: es		i <b>on</b> Rabbit	rom similar materials	
Serio Cause <u>Comp</u> N-Met Specia Resul	us eye damage/eye es serious eye irritatio ponents: thyl-2-pyrrolidone: es		i <b>on</b> Rabbit		
Serio Cause <u>Comp</u> N-Met Specia Resul	us eye damage/eye es serious eye irritatio <u>ponents:</u> thyl-2-pyrrolidone: es t an-2-ol: es		i <b>on</b> Rabbit Irritation to eyes Rabbit		
Serio Cause <u>Comp</u> N-Met Speci Resul Propa	us eye damage/eye es serious eye irritatio <u>ponents:</u> thyl-2-pyrrolidone: es t an-2-ol: es t		i <b>on</b> Rabbit Irritation to eyes Rabbit	, reversing within 21 days	
Serio Cause Comp N-Met Specia Resul Propa Specia Resul Butar	us eye damage/eye es serious eye irritatio ponents: thyl-2-pyrrolidone: es t an-2-ol: es t none: es		Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit	, reversing within 21 days	
Serio Cause Comp N-Met Specia Resul Propa Specia Resul Butar Specia Resul	us eye damage/eye es serious eye irritatio ponents: thyl-2-pyrrolidone: es t an-2-ol: es t none: es t		Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit Irritation to eyes	, reversing within 21 days , reversing within 21 days	
Serio Cause Comp N-Met Specia Resul Propa Specia Resul Butar	us eye damage/eye es serious eye irritatio ponents: thyl-2-pyrrolidone: es t an-2-ol: es t none: es t		Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit	, reversing within 21 days , reversing within 21 days	
Serio Cause <u>Comp</u> N-Met Specia Resul Butar Specia Resul Metho 6-Oct	us eye damage/eye es serious eye irritatio <u>ponents:</u> thyl-2-pyrrolidone: es t an-2-ol: es t none: es t od enal, 3,7-dimethyl-:	on. : : : : :	Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit Irritation to eyes OECD Test Guid	, reversing within 21 days , reversing within 21 days	
Serio Cause Comp N-Met Specia Resul Propa Specia Resul Butar Specia Resul Metho	us eye damage/eye es serious eye irritatio <u>ponents:</u> thyl-2-pyrrolidone: es t an-2-ol: es t none: es t od enal, 3,7-dimethyl-: es	on. : : : : :	Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit Irritation to eyes OECD Test Guid Rabbit	, reversing within 21 days , reversing within 21 days	
Serio Cause Comp N-Met Specia Resul Butar Specia Resul Metho 6-Oct	us eye damage/eye es serious eye irritatio ponents: thyl-2-pyrrolidone: es t an-2-ol: es t none: es t od enal, 3,7-dimethyl-: es t	on. : : : : :	Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit Irritation to eyes OECD Test Guid Rabbit	, reversing within 21 days , reversing within 21 days , reversing within 21 days deline 405	
Serio Cause Comp N-Met Specia Resul Propa Specia Resul Butar Specia Resul Metho 6-Oct	us eye damage/eye es serious eye irritatio <u>ponents:</u> thyl-2-pyrrolidone: es t an-2-ol: es t none: es t bod enal, 3,7-dimethyl-: es t uron:	on. : : : : :	Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit Irritation to eyes OECD Test Guid Rabbit Irritation to eyes Rabbit Rabbit	, reversing within 21 days , reversing within 21 days , reversing within 21 days deline 405	
Serio Cause <u>Comp</u> N-Met Specia Resul Butar Specia Resul Metho 6-Oct Specia Resul Metho	us eye damage/eye es serious eye irritatio <u>ponents:</u> thyl-2-pyrrolidone: es t an-2-ol: es t none: es t od enal, 3,7-dimethyl-: es t uron: es t	on. : : : : :	Rabbit Irritation to eyes Rabbit Irritation to eyes Rabbit Irritation to eyes OECD Test Guid Rabbit Irritation to eyes	r, reversing within 21 days , reversing within 21 days , reversing within 21 days deline 405	

according to GB/T 16483 and GB/T 17519



## Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4624618-00014	Date of first issue: 2019/07/09

#### 2,6-Di-tert-butyl-p-cresol:

Species Result Method Remarks	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

#### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

### N-Methyl-2-pyrrolidone:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: negative
Test Type Exposure routes Species Method Result Remarks	: Based on data from similar materials

### Propan-2-ol:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Test Type Exposure routes Species Method Result	: negative

### Butanone:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

#### 6-Octenal, 3,7-dimethyl-:

Test Type Exposure routes Species Result	<ul> <li>Maximisation Test</li> <li>Skin contact</li> <li>Guinea pig</li> <li>positive</li> </ul>
Assessment	: Probability or evidence of skin sensitisation in humans

according to GB/T 16483 and GB/T 17519



Version 5.0	Revision Date: 2024/09/28		0S Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Fluaz Expos Speci Resul	sure routes es	: :	Skin contact Guinea pig negative	
2,6-Di	i-tert-butyl-p-cresol:			
Test	Гуре sure routes es	:	Human repeat ins Skin contact Humans negative	sult patch test (HRIPT)
	cell mutagenicity assified based on avail	able	information.	
<u>Comp</u>	oonents:			
	thyl-2-pyrrolidone:			
Geno	toxicity in vitro	:	Test Type: Bacte Method: OECD T Result: negative	rial reverse mutation assay (AMES) est Guideline 471
				o mammalian cell gene mutation test est Guideline 476
			Test Type: DNA o thesis in mamma Result: negative	damage and repair, unscheduled DNA syn- lian cells (in vitro)
Geno	toxicity in vivo	:	cytogenetic assay Species: Mouse Application Route	
			cytogenetic test, o Species: Hamste Application Route	
Propa	an-2-ol:			
Geno	toxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
			Test Type: In vitro Result: negative	o mammalian cell gene mutation test

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Geno	toxicity in vivo	cytogenetic a Species: Mo	use Route: Intraperitoneal injection
Butar	none.		
	toxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
		Test Type: Ir Result: nega	n vitro mammalian cell gene mutation test tive
		Test Type: C Result: nega	hromosome aberration test in vitro tive
			NA damage and repair, unscheduled DNA syn- nmalian cells (in vitro) tive
		Test Type: S (in vitro) Result: nega	accharomyces cerevisiae, gene mutation assay tive
Geno	toxicity in vivo	cytogenetic a Species: Mo	use Route: Intraperitoneal injection
	enal, 3,7-dimethyl-:		
	toxicity in vitro	: Test Type: B Result: nega	acterial reverse mutation assay (AMES) tive
			n vitro mammalian cell gene mutation test CD Test Guideline 476 tive
			n vitro micronucleus test CD Test Guideline 487 tive
Geno	toxicity in vivo	cytogenetic a Species: Mo Application F Result: nega	use Route: Ingestion

according to GB/T 16483 and GB/T 17519



Version 5.0	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Fluaz	uron:		
Geno	toxicity in vitro	Result: negativ	
		Test Type: DN Result: negativ	
		Test Type: In Result: negativ	vitro mammalian cell gene mutation test ve
Geno	toxicity in vivo	: Test Type: Cy Species: Ham Result: equivo	
2 6-D	i-tert-butyl-p-cresol:		
	toxicity in vitro	: Test Type: Ba Result: negativ	cterial reverse mutation assay (AMES) /e
		Test Type: In Result: negativ	vitro mammalian cell gene mutation test ve
		Test Type: Ch Result: negativ	romosome aberration test in vitro /e
Geno	toxicity in vivo		
	i <b>nogenicity</b> lassified based on avai	able information.	
Com	ponents:		
N-Me	thyl-2-pyrrolidone:		
Speci		: Rat	

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative
Species	: Rat
Application Route	: inhalation (vapour)
Exposure time	: 2 Years
Result	: negative
Propan-2-ol:	

Species Application Route	:	Rat
Application Route	:	inhalation (vapour)

according to GB/T 16483 and GB/T 17519



Version 5.0	Revision Date: 2024/09/28	-	OS Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Expos Metho Result		: :	104 weeks OECD Test Guide negative	eline 451
6-Octe	enal, 3,7-dimethyl-:			
Specie Applic	es ation Route ure time		Rat Ingestion 104 - 105 weeks negative Based on data fro	om similar materials
Specie Applica Expos Result Remai	ation Route ure time		Mouse Ingestion 104 - 105 weeks negative Based on data fro	om similar materials
Fluazo Specie Applica Expos Metho Result	es ation Route ure time d		Rat Ingestion 2 Years OECD Test Guide negative	eline 453
	ation Route ure time	:	Mouse Ingestion 2 Years negative	
Specie Applic	ation Route ure time		Rat Ingestion 22 Months negative	
-	ductive toxicity amage the unborn child	ł.		
<u>Comp</u>	onents:			
	<b>hyl-2-pyrrolidone:</b> s on fertility	:	Species: Rat Application Route	eneration reproduction toxicity study e: Ingestion est Guideline 416
Effects ment	s on foetal develop-	:	Test Type: Embry Species: Rat	vo-foetal development
			17 / 29	

according to GB/T 16483 and GB/T 17519



ersion )	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Repro	oductive toxicity - As-	Result: positive Test Type: Fert Species: Rat Application Rou Result: positive Test Type: Emt Species: Rabbi Application Rou Result: positive	Test Guideline 414 ility/early embryonic development ute: inhalation (vapour) pryo-foetal development t ute: Ingestion of adverse effects on development, based or
	an-2-ol:	<b>T T T</b>	
Effect	s on fertility	: Test Type: Two Species: Rat Application Rou Result: negative	•
Effect ment	s on foetal develop-	: Test Type: Emb Species: Rat Application Rou Result: negative	
Butar	none:		
Effect	s on fertility	Species: Rat Application Rou Result: negative	
Effect ment	s on foetal develop-	Species: Rat Application Rou	Test Guideline 414
6-Oct	enal, 3,7-dimethyl-:		
	s on fertility	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 443

according to GB/T 16483 and GB/T 17519



ersion .0	Revision Date: 2024/09/28		DS Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Effect ment	s on foetal develop-	:	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 443
Fluaz	uron:			
Effect	s on fertility	:	Test Type: Two Species: Rat Application Rou Result: negative	5
Effect ment	s on foetal develop-	:	Test Type: Emb Species: Rat Application Rou Result: negative	
			Species: Rabbit Application Rou	te: Ingestion Test Guideline 414
2,6-Di	i-tert-butyl-p-cresol:			
Effect	s on fertility	:	Test Type: Two Species: Rat Application Rou Result: negative	
Effect ment	s on foetal develop-	:	Test Type: Emb Species: Rat Application Rou Result: negative	
STOT	- single exposure			
	ause respiratory irritat	ion.		
Comp	oonents:			
N-Met	thyl-2-pyrrolidone:			
Asses	ssment	:	May cause resp	iratory irritation.
Pron	an-2-ol:			
Asses		:	May cause drov	vsiness or dizziness.
Dutor	ana.			
Butar Asses		:	May cause drov	vsiness or dizziness.
			19 / 29	

according to GB/T 16483 and GB/T 17519



ersion 0	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
	- repeated exposur		
Not cl	assified based on ava	ailable information.	
<u>Comp</u>	oonents:		
	-tert-butyl-p-cresol:		
Asses	sment	: No significant he tions of 100 mg	ealth effects observed in animals at concentr /kg bw or less.
Repea	ated dose toxicity		
Comp	oonents:		
Soya	oil:		
Speci		: Rat	
NOAE	L ation Route	: 4,000 mg/kg : Ingestion	
	sure time	: 90 h	
N-Met	thyl-2-pyrrolidone:		
Specie NOAE		: Rat, male	
LOAE		: 169 mg/kg : 433 mg/kg	
	ation Route	: Ingestion	
Expos Metho	sure time	: 90 Days : OECD Test Gui	deline 408
		. OLOD rest du	
Speci NOAE		: Rat	
LOAE		: 0.5 mg/l : 1 mg/l	
Applic	ation Route	: inhalation (dust/	′mist/fume)
Expos Metho	sure time	: 96 Days : OECD Test Gui	deline 413
Specie NOAE		: Rabbit	
LOAE		: 826 mg/kg : 1,653 mg/kg	
Applic	ation Route	: Skin contact	
Expos	sure time	: 20 Days	
	an-2-ol:	5.	
Specie NOAE		: Rat : 12.5 mg/l	
Applic	ation Route	: inhalation (vapo	ur)
Evnos	sure time	: 104 Weeks	

according to GB/T 16483 and GB/T 17519



## Fluazuron / Citronellal Formulation

ersion )	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Speci NOAE Applic Expos Metho	EL cation Route sure time	: Rat : 14.84 mg/l : inhalation (va : 90 Days : OECD Test G	
Speci LOAE Applic	L cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 14 Weeks : Based on dat	a from similar materials
Speci LOAE Applic Expos		: Rat : 240 mg/kg : Ingestion : 13 Weeks : Liver, Thyroid	l, Pituitary gland
	EL	: Rat : 10 mg/kg : 100 mg/kg : Skin contact : 3 Weeks	
Expos	EL	: Dog : 7.5 mg/kg : 110 mg/kg : Ingestion : 52 Weeks : Liver	
	i-tert-butyl-p-cresol:		
		: Rat : 25 mg/kg : Ingestion : 22 Months	

Not classified based on available information.

### **Components:**

### Butanone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

according to GB/T 16483 and GB/T 17519



## Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4624618-00014	Date of first issue: 2019/07/09

#### Experience with human exposure

#### Components:

N-Methyl-2-pyrrolidone:

Skin contact

: Symptoms: Skin irritation

#### 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### **Components:**

#### N-Methyl-2-pyrrolidone:

	N-Metry - 2-pyrronuone.		
	Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 24 h Method: DIN 38412
	Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l Exposure time: 72 h
			EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l Exposure time: 72 h
	Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 12.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
	Toxicity to microorganisms	:	EC50: > 600 mg/l Exposure time: 30 min Method: ISO 8192
-	Propan-2-ol:		
	Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
	Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
	Butanone:		
	Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 2,993 mg/l Exposure time: 96 h

according to GB/T 16483 and GB/T 17519



ersion )	Revision Date: 2024/09/28		9S Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
II			Method: OECE	7 Test Guideline 203
	ty to daphnia and other ic invertebrates	:	Exposure time:	a magna (Water flea)): 308 mg/l : 48 h ) Test Guideline 202
Toxici plants	ty to algae/aquatic	:	mg/l Exposure time:	okirchneriella subcapitata (green algae)): 2,029 : 96 h 9 Test Guideline 201
			mg/l Exposure time:	okirchneriella subcapitata (green algae)): 1,240 : 96 h ) Test Guideline 201
6-Oct	enal, 3,7-dimethyl-:			
	ty to fish	:	LC50 (Leucisco Exposure time: Method: DIN 3	
	ty to daphnia and other ic invertebrates	:	Exposure time:	a magna (Water flea)): 8.7 mg/l : 48 h ive 67/548/EEC, Annex V, C.2.
Toxici plants	ty to algae/aquatic	:	ErC50 (Desmo Exposure time:	desmus subspicatus (green algae)): 13.33 mg : 72 h
			EC10 (Desmoor Exposure times	desmus subspicatus (green algae)): 4.52 mg/l : 72 h
Toxici	ty to microorganisms	:	EC10 (Pseudo Exposure time:	monas putida): 650 mg/l : 30 min
Fluaz	uron:			
	ty to fish	:	LC50 (Cyprinu: Exposure time:	s carpio (Carp)): > 9.1 mg/l : 96 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time:	a sp. (water flea)): 0.0006 mg/l : 48 h
Toxici plants	ty to algae/aquatic	:	NOEC (Raphic 27.9 mg/l Exposure time:	locelis subcapitata (freshwater green alga)): : 72 h
	ctor (Acute aquatic tox-	:	1,000	
icity) M-Fac toxicit	ctor (Chronic aquatic y)	:	1,000	

according to GB/T 16483 and GB/T 17519



Version 5.0	Revision Date: 2024/09/28		0S Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
	i <b>-tert-butyl-p-cresol:</b> ty to fish	:	Exposure time: 96	o (zebra fish)): > 0.57 mg/l 5 h 67/548/EEC, Annex V, C.1.
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	nagna (Water flea)): 0.48 mg/l 3 h est Guideline 202
Toxici plants	ty to algae/aquatic	:	ErC50 (Pseudokin mg/l Exposure time: 72 Method: OECD T	
			NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD T	
	ctor (Acute aquatic tox-	:	1	
icity) Toxici icity)	ty to fish (Chronic tox-	:	NOEC (Oryzias la Exposure time: 30 Method: OECD T	
aquati ic toxi	ic invertebrates (Chron- city)		Exposure time: 27	nagna (Water flea)): 0.316 mg/l I d
M-Fac toxicit	ctor (Chronic aquatic v)	:	1	
	ty to microorganisms	:	EC50: > 10,000 n Exposure time: 3 Method: OECD T	ĥ
Persis	stence and degradabili	ity		
Comp	oonents:			
	t <b>hyl-2-pyrrolidone:</b> gradability	:	Result: Readily bi Biodegradation: Exposure time: 28 Method: OECD T	73 %
	an-2-ol:			
Biode	gradability	:	Result: rapidly de	gradable
BOD/0	COD	:	BOD: 1,19 (BOD COD: 2,23 BOD/COD: 53 %	5)


according to GB/T 16483 and GB/T 17519



# Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 2024/09/28		DS Number: 24618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Ш				
_	none:			
	egradability	:	Result: Readily I	biodegradable.
			Biodegradation: Exposure time: 2	
				Test Guideline 301D
6-Oc	tenal, 3,7-dimethyl-:			
Biode	egradability	:	Result: Readily I	
			Biodegradation: Exposure time: 2	
			Method: OECD	Test Guideline 301B
∎ 2,6-E	Di-tert-butyl-p-cresol:			
Biode	egradability	:		lily biodegradable.
			Biodegradation: Exposure time: 2	
			Method: OECD	Test Guideline 301C
Bioa	ccumulative potential			
Com	ponents:			
Soya	a oil:			
	tion coefficient: n-	:	log Pow: > 4	
octar	nol/water		Remarks: Calcu	lation
N-Me	ethyl-2-pyrrolidone:			
	tion coefficient: n-	:	log Pow: -0.46	
octar	nol/water		Metriod. OECD	Test Guideline 107
Prop	an-2-ol:			
	tion coefficient: n- nol/water	:	log Pow: 0.05	
••	none:			
	tion coefficient: n-	:	log Pow: 0.3	
	nol/water			
	tenal, 3,7-dimethyl-:	_	les Deux 0.00	
	tion coefficient: n- nol/water		log Pow: 3.62	
	zuron:			
octar	tion coefficient: n- nol/water	:	log Pow: 5.1	
2.6-0	Di-tert-butyl-p-cresol:			

2,6-Di-tert-butyl-p-cresol:






# Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Bioac	cumulation		inus carpio (Carp) on factor (BCF): 330 - 1,800
	ion coefficient: n- ol/water	: log Pow: 5.1	
	<b>lity in soil</b> ata available		
•	r <b>adverse effects</b> ata available		
3. DISPO	SAL CONSIDERATIO	ONS	
Dispo	osal methods		
Waste	e from residues		e of waste into sewer. accordance with local regulations.
Conta	aminated packaging	Empty contain dling site for re Empty contain Do not pressu pose such cor of ignition. The	ers should be taken to an approved waste han- ecycling or disposal. ers retain residue and can be dangerous. rize, cut, weld, braze, solder, drill, grind, or ex- tainers to heat, flame, sparks, or other sources by may explode and cause injury and/or death. e specified: Dispose of as unused product.

### International Regulations

<b>UNRTDG</b> UN number Proper shipping name	:	UN 1993 FLAMMABLE LIQUID, N.O.S. (Propan-2-ol, Butanone)
Class	:	3
Packing group	:	
Labels	:	3
Environmentally hazardous	:	no
IATA-DGR		
UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Propan-2-ol, Butanone)
Class	:	3
Packing group	:	111
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passen- ger aircraft)	:	355
IMDG-Code		
UN number	:	UN 1993





## Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 2024/09/28	SDS Number: 4624618-00014	Date of last issue: 2024/07/06 Date of first issue: 2019/07/09
Prop	per shipping name	: FLAMMABLE (Propan-2-ol,	LIQUID, N.O.S. Butanone, Fluazuron, 2,6-Di-tert-butyl-p-cresol)
Clas	S	: 3	
	king group	: 111	
Lab		: 3	
	SCode	: F-E, <u>S-E</u>	
Mar	ne pollutant	: yes	
Trai	nsport in bulk accordin	ig to Annex II of MA	ARPOL 73/78 and the IBC Code
Not	applicable for product as	s supplied.	
Nati	onal Regulations		

GB 6944/12268 UN number	:	
Proper shipping name		FLAMMABLE LIQUID, N.O.S. (Propan-2-ol, Butanone)
Class	:	3
Packing group	:	111
Labels	:	3
Marine pollutant	:	no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **15. REGULATORY INFORMATION**

National regulatory information Law on the Prevention and Control of Occupational	Diseases
Regulations on Safety Management of Hazardous C	Chemicals
Catalogue of Hazardous Chemicals	: Listed
Identification of Major Hazard Installations for Hazardov No. / Code Chemical name / Category W5.4 Flammable liquids Hazardous Chemicals for Priority Management under SAWS	Threshold quantity 5,000 t
Regulations on Labour Protection in Workplaces w	here Toxic Substances are Used
Catalogue of Highly Toxic Chemicals	: Not listed
Regulation of Environmental Management on the F and Export of Toxic Chemicals	irst Import of Chemicals and the Import
China Severely Restricted Toxic Chemicals for Import and Export	: Not listed

according to GB/T 16483 and GB/T 17519



## Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4624618-00014	Date of first issue: 2019/07/09

#### **Regulation on the Administration of Precursor Chemicals**

Catalogue and Classification of Precursor Chemicals : Not listed

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### **16. OTHER INFORMATION**

Revision Date	:	2024/09/28
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	yyyy/mm/dd	
Full text of other abbreviations			
ACGIH ACGIH BEI CN OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.	
	:	8-hour, time-weighted average Short-term exposure limit Permissible concentration - time weighted average Permissible concentration - short term exposure limit	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



## Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
5.0	2024/09/28	4624618-00014	Date of first issue: 2019/07/09

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN/EN