according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 28.09.2024		S Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
1. PRODU	ICT AND COMPANY		IFICATION	
Produ	uct name	:	Fluazuron / Cit	tronellal Formulation

Manufacturer or supplier's de Company	eta	IIS MSD
Company	·	MOD
Address	:	Briahnager - Off Pune Nagar Road Wagholi - Pune - India 412 207
Telephone	:	+1-908-740-4000
Emergency telephone number	:	+1-908-423-6000
E-mail address	:	EHSDATASTEWARD@msd.com
Recommended use of the ch	em	ical and restrictions on use
Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION


Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Highly flammable liquids

GHS Classification		
Flammable liquids	:	Category 3
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2A
Skin sensitisation	:	Category 1
Reproductive toxicity	:	Category 1B
Specific target organ toxicity - single exposure	:	Category 3
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements





Fluazuron / Citronellal Formulation

ersion 0	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
Hazai	d pictograms		
Signa	l word	: Danger	
Hazaı	rd statements	H315 + H319 (H317 May cau H335 May cau H360D May da	ble liquid and vapour. Causes skin irritation and serious eye irritation. se an allergic skin reaction. se respiratory irritation. Image the unborn child. c to aquatic life with long lasting effects.
Preca	utionary statements	P210 Keep aw and other igniti P261 Avoid bre P264 Wash ha P271 Use only P272 Contamin the workplace. P273 Avoid rel	ead and follow all safety instructions before us ay from heat, hot surfaces, sparks, open flame on sources. No smoking. eathing mist or vapours. nds thoroughly after handling. outdoors or with adequate ventilation. hated work clothing should not be allowed out ease to the environment. otective gloves/ protective clothing/ eye protec- action.
		ly all contamina P304 + P340 + and keep comf unwell. P305 + P351 + for several min easy to do. Co P318 IF expos P333 + P317 I P337 + P317 I	ed or concerned, get medical advice. f skin irritation or rash occurs: Get medical help f eye irritation persists: Get medical help. Take off contaminated clothing and wash it before
		Storage: P405 Store loc	
		Disposal:	of contents/ container to an approved waste

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

ersion)	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: Date of first issue	
Subst	tance / Mixture	: Mixture		
Com	ponents			
Chem	nical name		CAS-No.	Concentration (% w/w)
Soya	oil		8001-22-7	>= 30 - < 50
N-Me	thyl-2-pyrrolidone		872-50-4	>= 30 - < 50
Propa	an-2-ol		67-63-0	>= 5 - < 10
Butar	none		78-93-3	>= 5 - < 10
6-Oct	enal, 3,7-dimethyl-		106-23-0	>= 2.5 - < 5
Fluaz	uron		86811-58-7	>= 2.5 - < 5
2 6-D	i-tert-butyl-p-cresol		128-37-0	>= 0.25 - < 1

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	:	advice. If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation and serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-	:	Do not use a solid water stream as it may scatter and spread

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 28.09.2024		0S Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019	
fighti	ng		Vapours may form	ble over considerable distance. In explosive mixtures with air. Dustion products may be a hazard to health.	
Haza ucts	rdous combustion prod-	:	Carbon oxides Nitrogen oxides (I Chlorine compour Fluorine compour	nds	
Spec ods	Specific extinguishing meth- ods		Use extinguishing measures that are appropriate to local cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area.		
	ial protective equipment efighters	:	In the event of fire, wear self-contained breathing apparat Use personal protective equipment.		
6. ACCID	ENTAL RELEASE MEAS	SUF	RES		
tive e	onal precautions, protec- equipment and emer- y procedures	:	Follow safe handl	es of ignition. tective equipment. ing advice (see section 7) and personal pro- recommendations (see section 8).	
Envir	Environmental precautions		Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages	
	ods and materials for ainment and cleaning up	:	Suppress (knock spray jet. For large spills, present to keep mather be pumped, store Clean up remaining bent. Local or national of posal of this mather employed in the of mine which regular Sections 13 and 1	s should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- rrial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. Is of this SDS provide information regarding tional requirements.	

7. HANDLING AND STORAGE

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Versior 5.0	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019						
Te	chnical measures		ing measures under EXPOSURE PERSONAL PROTECTION section.						
Lo	cal/Total ventilation	: If sufficient ve ventilation.	 If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- 						
Ad	vice on safe handling	Avoid breathin Do not swallor Do not get in o Wash skin tho Handle in acc practice, base sessment Non-sparking Keep containe Already sensi to asthma, allo should consul tory irritants o Keep away fro other ignition	eyes. broughly after handling. ordance with good industrial hygiene and safety of on the results of the workplace exposure as- tools should be used. er tightly closed. tised individuals, and those susceptible ergies, chronic or recurrent respiratory disease, t their physician regarding working with respira-						
Cc	onditions for safe storage	Store locked u Keep tightly c Keep in a coo Store in accor	•						
Ma	aterials to avoid	: Do not store v Self-reactive s Organic perov Oxidizing age Flammable ga Pyrophoric liq Pyrophoric so	vith the following product types: substances and mixtures cides nts ases uids lids ubstances and mixtures						

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Value type	Control parame-	Basis
	(Form of	ters / Permissible	
	exposure)	concentration	
67-63-0	TWA	200 ppm	ACGIH
	STEL	400 ppm	ACGIH
78-93-3	TWA	200 ppm	IN OEL
	67-63-0	67-63-0 TWA STEL	(Form of exposure) ters / Permissible concentration 67-63-0 TWA 200 ppm STEL 400 ppm



according to the Globally Harmonized System

Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.20 Date of first issue: 09.07.20	

			STEL	300 ppm 885 mg/m3	IN OEL
			TWA	75 ppm	ACGIH
			STEL	150 ppm	ACGIH
Fluazu	iron	86811-58-7	TWA	60 µg/m3 (OEB 3)	Internal
			Wipe limit	600 µg/ 100cm2	Internal
2,6-Di-	tert-butyl-p-cresol	128-37-0	TWA (Inhal- able fraction and vapor)	2 mg/m3	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI
Butanone	78-93-3	methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

 Engineering measures
 Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.
 Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or expo-
		sure assessment demonstrates exposures outside the rec-
		ommended guidelines, use respiratory protection.
Filter type	:	Organic vapour type

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 28.09.2024		DS Number: 324625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019			
Hand	protection						
Ma	Material		: Chemical-resistant gloves				
Re	emarks	:		gloving. Take note that the product is flam-			
Eye p	Eye protection		 mable, which may impact the selection of hand protection. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 				
Skin and body protection		:	 Work uniform or laboratory coat. Additional body garments should be used based upon the ta being performed (e.g., sleevelets, apron, gauntlets, disposat suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. 				
Hygie	Hygiene measures : If fl V C W V T T e a ir		If exposure to chemical is likely during typical use, provide explanation of the state of the st				

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aqueous solution
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	-4 °C
Initial boiling point and boiling range	:	78 °C
Flash point	:	52 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 28.09.2024	-	S Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
- .				
Flam	mability (liquids)	:	Not applicable	
	er explosion limit / Upper nability limit	:	No data available	
	er explosion limit / Lower mability limit	:	No data available)
Vapo	our pressure	:	No data available)
Relat	tive vapour density	:	No data available)
Relat	tive density	:	0.94 - 0.96	
Dens	sity	:	No data available	9
	bility(ies) /ater solubility	:	practically insolu	ble
S	olubility in other solvents	:	soluble Solvent: Ethanol	
	tion coefficient: n- nol/water	:	log Pow: -0.54	
Auto	-ignition temperature	:	No data available)
Deco	omposition temperature	:	No data available)
Visco Vi	osity iscosity, kinematic	:	5.3 - 5.7 mm2/s (25 °C)
Explo	osive properties	:	Not explosive	
Oxidi	izing properties	:	The substance o	r mixture is not classified as oxidizing.
Mole	cular weight	:	No data available	9
	cle characteristics cle size	:	Not applicable	
10. STAB		(
	nical stability ibility of hazardous reac-	:	Stable under nor Flammable liquic Vapours may for	
Cond	ditions to avoid	:	Heat, flames and	sparks.

products

Conditions to avoid:Heat, flames and sparks.Incompatible materials:Oxidizing agentsHazardous decomposition:No hazardous decomposition products are known.

according to the Globally Harmonized System



Version 5.0	Revision Date: 28.09.2024		OS Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019	
11. TOXI	COLOGICAL INFORMAT		N		
	rmation on likely routes of osure	:	Inhalation Skin contact Ingestion Eye contact		
Acu	te toxicity				
Not	classified based on availa	ble	information.		
	duct:				
Acu	te oral toxicity	:	Acute toxicity es Method: Calcula	timate: > 5,000 mg/kg tion method	
Acu	te dermal toxicity	:	Acute toxicity es Method: Calcula	timate: > 5,000 mg/kg tion method	
<u>Con</u>	nponents:				
	ethyl-2-pyrrolidone:				
Acu	te oral toxicity	:	LD50 (Rat): 4,18	b0 mg/kg	
Acu	te inhalation toxicity	:	LC50 (Rat): > 5. Exposure time: 4 Test atmosphere Method: OECD	4 h	
Acu	te dermal toxicity	:	LD50 (Rat): > 5,	000 mg/kg	
Pro	pan-2-ol:				
Acu	te oral toxicity	:	LD50 (Rat): > 5,	000 mg/kg	
Acu	te inhalation toxicity	:	: LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour		
Acu	te dermal toxicity	:	LD50 (Rabbit): >	⊳ 5,000 mg/kg	
Buta	anone:				
Acu	te oral toxicity	:		000 - 5,000 mg/kg J on data from similar materials	
Acu	te inhalation toxicity	:		4 h	
Acu	te dermal toxicity	:	LD50 (Rabbit): >	⊳ 5,000 mg/kg	
	ctenal, 3,7-dimethyl-: te oral toxicity	:	LD50 (Rat, fema	ale): 2,150 mg/kg	

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

ersion D	Revision Date: 28.09.2024		9S Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019				
Acute	e dermal toxicity	:	LD50 (Rabbit): >	2,500 - 5,000 mg/kg				
Fluaz	uron:							
Acute	oral toxicity	:	LD50 (Rat): > 5,0 Method: OECD 1	000 mg/kg Fest Guideline 401				
Acute inhalation toxicity		:	 LC50 (Rat): > 6.0 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 					
Acute	e dermal toxicity	:	LD50 (Rat): > 2,0 Method: OECD T	000 mg/kg Fest Guideline 402				
2.6-D	i-tert-butyl-p-cresol:							
	oral toxicity	:	LD50 (Rat): > 6,0 Method: OECD 1	000 mg/kg Fest Guideline 401				
Acute	e dermal toxicity	:		000 mg/kg Fest Guideline 402 e substance or mixture has no acute derma				
-	corrosion/irritation es skin irritation.							
Comp	oonents:							
N-Me	thyl-2-pyrrolidone:							
Resul	• • • •	:	Skin irritation					
Propa	an-2-ol:							
Speci		:	Rabbit					
	es	:	Rabbit No skin irritation					
Speci	es It	:						
Speci Resul	es It	:	No skin irritation	ure may cause skin dryness or cracking.				
Speci Resul Butar Asses Speci Metho	es It ssment es		No skin irritation Repeated expose Rabbit OECD Test Guid					
Speci Resul Butar Asses	es It none: ssment es od		No skin irritation Repeated expose Rabbit OECD Test Guid No skin irritation					
Speci Resul Butar Asses Speci Metho Resul Rema	es It none: ssment es od It arks		No skin irritation Repeated expose Rabbit OECD Test Guid No skin irritation	leline 404				
Speci Resul Butar Asses Speci Metho Resul Rema	es It none: ssment es od It arks renal, 3,7-dimethyl-:		No skin irritation Repeated expose Rabbit OECD Test Guid No skin irritation	leline 404				

Fluazuron:

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
es d	: Rabbit : OECD Test G : No skin irritati	
- tert-butyl-p-cresol: es d	: Rabbit : OECD Test G : No skin irritati : Based on data	
onents:		
hyl-2-pyrrolidone:	5.11.2	
9S		es, reversing within 21 days
n-2-ol:		
es	: Rabbit : Irritation to ey	es, reversing within 21 days
one:		
es d	: Rabbit : OECD Test G : Irritation to ey	uideline 405 es, reversing within 21 days
enal, 3,7-dimethyl-:		
es	: Rabbit : Irritation to ey	es, reversing within 21 days
ıron:		
es d	: Rabbit : OECD Test G : Mild eye irrita	
-tert-butyl-p-cresol:		
es d rks	: Rabbit : OECD Test G : No eye irritatio : Based on data	
	28.09.2024 28.d -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: A -tert-butyl-p-cresol: -tert-butyl-p-	28.09.2024 4624625-00014 as : Rabbit d : OECD Test G as : Rabbit d : OECD Test G ass : Rabbit d : OECD Test G ass : Rabbit d : OECD Test G is eye damage/eye irritation serious eye irritation. s serious eye irritation. onents: hyl-2-pyrrolidone: : es : Rabbit es : Rabbit conents: : Irritation to ey n-2-ol: : : es : Rabbit d : OECD Test G dd : OECD Test G id : OECD Test G id : Irritation to ey enal, 3,7-dimethyl-: : Rabbit es : Rabbit d : OECD Test G idd : OECD Test G idd<

Skin sensitisation

May cause an allergic skin reaction.

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.07.20244624625-00014Date of first issue: 09.07.2019
-	viratory sensitisation lassified based on ava	ilable information.
Com	ponents:	
N-Me	thyl-2-pyrrolidone:	
Test	Type sure routes ies od It	 Local lymph node assay (LLNA) Skin contact Mouse OECD Test Guideline 429 negative Based on data from similar materials
Prop	an-2-ol:	
Test	Type sure routes ies od	 Buehler Test Skin contact Guinea pig OECD Test Guideline 406 negative
Buta	none:	
Test Expo Spec Meth Resu	sure routes ies od	 Buehler Test Skin contact Guinea pig OECD Test Guideline 406 negative
6-Oc	tenal, 3,7-dimethyl-:	
Test	Type sure routes ies	 Maximisation Test Skin contact Guinea pig positive
Asse	ssment	: Probability or evidence of skin sensitisation in humans
Elua	zuron:	
	sure routes ies	 Skin contact Guinea pig negative
2,6-D)i-tert-butyl-p-cresol:	
Test Expo Spec Resu	sure routes ies	 Human repeat insult patch test (HRIPT) Skin contact Humans negative
Germ	n cell mutagenicity	

Germ cell mutagenicity

Not classified based on available information.

according to the Globally Harmonized System



rsion)	Revision Date: 28.09.2024		umber: 25-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019		
-						
	oonents:					
	thyl-2-pyrrolidone: toxicity in vitro	Me		eterial reverse mutation assay (AMES) 0 Test Guideline 471 9		
		Me		itro mammalian cell gene mutation test) Test Guideline 476 e		
		the		A damage and repair, unscheduled DNA syn nalian cells (in vitro) e		
Genotoxicity in vivo		cyt Sp Ap Me	: Test Type: Mammalian erythrocyte micronucleus t cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative			
		cyt Sp Ap Me	ogenetic tes ecies: Hams plication Ro	ute: Ingestion) Test Guideline 475		
II Propa	an-2-ol:					
	toxicity in vitro		st Type: Bao sult: negativ	cterial reverse mutation assay (AMES) e		
			st Type: In v sult: negativ	itro mammalian cell gene mutation test e		
Geno	toxicity in vivo	cyt Sp Ap	ogenetic as ecies: Mous	e ute: Intraperitoneal injection		
Butar	none:					
Geno	toxicity in vitro		st Type: Bao sult: negativ	eterial reverse mutation assay (AMES)		
			st Type: In v sult: negativ	itro mammalian cell gene mutation test e		
			st Type: Chi sult: negativ	omosome aberration test in vitro e		

according to the Globally Harmonized System



ersion 0	Revision Date: 28.09.2024		0S Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
I			thesis in mamma Result: negative	alian cells (in vitro)
			Test Type: Sacc (in vitro) Result: negative	haromyces cerevisiae, gene mutation assay
Geno	otoxicity in vivo	:	cytogenetic assa Species: Mouse	malian erythrocyte micronucleus test (in vivo ay) e: Intraperitoneal injection
6-Oc	tenal, 3,7-dimethyl-:			
	otoxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
				ro mammalian cell gene mutation test Test Guideline 476
				o micronucleus test Test Guideline 487
Genc	otoxicity in vivo	:	cytogenetic assa Species: Mouse Application Rout Result: negative	
Fluaz	zuron:			
	otoxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
			Test Type: DNA Result: negative	Repair
			Test Type: In vite Result: negative	ro mammalian cell gene mutation test
Geno	otoxicity in vivo	:	Test Type: Cytog Species: Hamste Result: equivoca	er
2,6-D)i-tert-butyl-p-cresol:			
	otoxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
			Test Type: In vite Result: negative	ro mammalian cell gene mutation test

according to the Globally Harmonized System



Version 5.0	Revision Date: 28.09.2024		DS Number: 624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019	
			Test Type: Chro Result: negative	mosome aberration test in vitro	
Gen	Genotoxicity in vivo		: Test Type: Mutagenicity (in vivo mammalian bone-marro cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative		
	cinogenicity classified based on avai	lable	information.		
Com	<u>iponents:</u>				
N-M	ethyl-2-pyrrolidone:				
Spee	cies	:	Rat		
	ication Route	:	Ingestion		
Expo Resi	osure time	:	2 Years negative		
1.630	un	•	negative		
Spec		:	Rat		
	lication Route	:	inhalation (vapo 2 Years	ur)	
Resi		:	negative		
_					
	pan-2-ol:		Det		
Spec	cies lication Route	:	Rat inhalation (vapo	ur)	
	osure time	÷	104 weeks		
Meth		:	OECD Test Guid	deline 451	
Res	ult	:	negative		
6-00	ctenal, 3,7-dimethyl-:				
Spee	•	:	Rat		
	ication Route	:	Ingestion		
	osure time	:	104 - 105 weeks		
Resi Rem	harks	:	negative Based on data fi	rom similar materials	
		-			
Spee	cies	:	Mouse		
Appl	ication Route	:	Ingestion		
	osure time	:	104 - 105 weeks	3	
Resi	ult harks	:	negative Based on data fi	rom similar materials	
Kell		•	Dased on Uald II		
Elua					
Spec	zuron:		Rat		
	lication Route	•	Ingestion		
	osure time	:	2 Years		
			15 / 27		

according to the Globally Harmonized System



Version 5.0	Revision Date: 28.09.2024		Number: 625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
Meth Resu			DECD Test Guide egative	line 453
	cation Route sure time	: lı : 2	louse ngestion Years egative	
2,6-D)i-tert-butyl-p-cresol:			
Spec Appli Expo Resu	cation Route sure time	: lı : 2	Rat ngestion 2 Months egative	
-	oductive toxicity damage the unborn chil	d.		
	ponents:			
	thyl-2-pyrrolidone: ts on fertility	S A N	Species: Rat	eneration reproduction toxicity study : Ingestion est Guideline 416
Effec ment	ts on foetal develop-	S A N	Species: Rat	o-foetal development : Ingestion est Guideline 414
		S	Species: Rat	y/early embryonic development : inhalation (vapour)
		S	est Type: Embry pecies: Rabbit pplication Route Result: positive	o-foetal development : Ingestion
Repression	oductive toxicity - As- nent		Clear evidence of nimal experimen	adverse effects on development, based on ts.
Prop	an-2-ol:			
Effec	ts on fertility	S	est Type: Two-ge pecies: Rat application Route Result: negative	eneration reproduction toxicity study : Ingestion
Effec	ts on foetal develop-	: Т	est Type: Embry	o-foetal development

according to the Globally Harmonized System



/ersion 5.0	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
ment		Species: Rat Application Ro Result: negation	
Buta	none:		
Effec	ts on fertility	Species: Rat Application Ro Result: negation	
Effec ment	ts on foetal develop-	Species: Rat Application Ro	nbryo-foetal development oute: Inhalation D Test Guideline 414 ve
6-Oc	tenal, 3,7-dimethyl-:		
	ts on fertility	Species: Rat Application Ro Method: OECI Result: negati	D Test Guideline 443
Effec ment	ts on foetal develop-	Species: Rat Application Ro Method: OECI Result: negati	D Test Guideline 443
Fluaz	zuron:		
Effec	ts on fertility	: Test Type: Tw Species: Rat Application Ro Result: negati	
Effec ment	ts on foetal develop-	: Test Type: En Species: Rat Application Ro Result: negati	
		Species: Rabb Application Ro	oute: Ingestion D Test Guideline 414
11 2.6-D)i-tert-butyl-p-cresol:		
	ts on fertility	: Test Type: Tw	vo-generation reproduction toxicity study

according to the Globally Harmonized System



ersion .0	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
		Species: Ra Application Result: neg	Route: Ingestion
Effect ment	ts on foetal develop-	Species: R	Route: Ingestion
May o	- single exposure cause respiratory irrita	tion.	
<u>Com</u>	ponents:		
N-Me Asses	thyl-2-pyrrolidone: ssment	: May cause	respiratory irritation.
-	an-2-ol:		
Asses	ssment	: May cause	drowsiness or dizziness.
Buta			
Dula	none:		
Asses		: May cause	drowsiness or dizziness.
Asses STOT Not c	 repeated exposure lassified based on available 	9	drowsiness or dizziness.
Asses STOT Not c Com	Soment - repeated exposure lassified based on avainable conents:	9	drowsiness or dizziness.
Asses STOT Not c <u>Com</u> 2,6-D	 repeated exposure lassified based on available 	e ilable information. : No significa	drowsiness or dizziness. ant health effects observed in animals at concentra) mg/kg bw or less.
Asses STOT Not c Com 2,6-D Asses	ssment - repeated exposure lassified based on avain <u>ponents:</u> i-tert-butyl-p-cresol:	e ilable information. : No significa	ant health effects observed in animals at concentra
Asses STOT Not c 2,6-D Asses Repe	ssment - repeated exposure lassified based on avain <u>bonents:</u> i-tert-butyl-p-cresol: ssment	e ilable information. : No significa	ant health effects observed in animals at concentra
Asses STOT Not c 2,6-D Asses Repe <u>Com</u> Soya	 repeated exposure lassified based on avaination of the second seco	e ilable information. : No significa tions of 100	ant health effects observed in animals at concentra
Asses STOT Not c Com 2,6-D Asses Repe Com Soya Speci NOAE	 repeated exposure lassified based on avainable ponents: i-tert-butyl-p-cresol: ated dose toxicity ponents: oil: les L 	 ilable information. No significations of 100 Rat 4,000 mg/k 	ant health effects observed in animals at concentra) mg/kg bw or less.
Asses STOT Not c Com 2,6-D Asses Repe Com Soya Speci NOAE Applie	 repeated exposure lassified based on avaination of the second seco	e ilable information. : No significa tions of 100	ant health effects observed in animals at concentra) mg/kg bw or less.
Asses STOT Not c Com 2,6-D Asses Repe Com Soya Speci NOAE Applic Expos	 repeated exposure lassified based on avainable ponents: i-tert-butyl-p-cresol: ated dose toxicity ponents: oil: es EL cation Route 	 ilable information. No significations of 100 Rat 4,000 mg/k Ingestion 	ant health effects observed in animals at concentra) mg/kg bw or less.
Asses STOT Not c Com 2,6-D Asses Repe Com Soya Speci NOAE Applic Expose N-Me	 repeated exposure lassified based on avaination of the second seco	 ilable information. No significations of 100 Rat 4,000 mg/k Ingestion 90 h Rat, male 	ant health effects observed in animals at concentra) mg/kg bw or less.
Asses STOT Not c Com 2,6-D Asses Repe Com Soya Speci NOAE Applid Expos NOAE	ssment r - repeated exposure lassified based on avaination ponents: i-tert-butyl-p-cresol: ssment ated dose toxicity ponents: oil: less EL cation Route sure time thyl-2-pyrrolidone: EL EL	 ilable information. No significations of 100 Rat 4,000 mg/k Ingestion 90 h Rat, male 169 mg/kg 433 mg/kg 	ant health effects observed in animals at concentra) mg/kg bw or less. g
Asses STOT Not c Com 2,6-D Asses Repe Com Soya Speci NOAE Applie Expos NOAE Applie	 repeated exposure lassified based on avaination and the second second	 ilable information. No significations of 100 Rat 4,000 mg/k Ingestion 90 h Rat, male 169 mg/kg 433 mg/kg Ingestion 	ant health effects observed in animals at concentra) mg/kg bw or less. g
Asses STOT Not c Com 2,6-D Asses Repe Com Soya Speci NOAE Applie Expos NOAE Applie	 repeated exposure lassified based on avaination and the second second	 ilable information. No significations of 100 Rat 4,000 mg/k Ingestion 90 h Rat, male 169 mg/kg 433 mg/kg Ingestion 90 Days 	ant health effects observed in animals at concentra) mg/kg bw or less. g

according to the Globally Harmonized System



Version 5.0	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
Expos Metho Speci NOAE LOAE Applio	EL cation Route sure time od es EL EL cation Route	 0.5 mg/l 1 mg/l inhalation (dus 96 Days OECD Test Gu Rabbit 826 mg/kg 1,653 mg/kg Skin contact 	
Propa Speci NOAE Applic		: 20 Days : Rat : 12.5 mg/l : inhalation (vap : 104 Weeks	our)
	es EL cation Route sure time	: Rat : 14.84 mg/l : inhalation (vap : 90 Days : OECD Test Gu	
Speci LOAE Applic	EL cation Route sure time	: Rat : > 100 mg/kg : Ingestion : 14 Weeks : Based on data	from similar materials
Speci LOAE Applic Expos Targe	EL cation Route sure time et Organs	: Rat : 240 mg/kg : Ingestion : 13 Weeks : Liver, Thyroid,	Pituitary gland
	ΞL	: Rat : 10 mg/kg : 100 mg/kg : Skin contact : 3 Weeks	
Speci NOAE LOAE Applic	ΞL	: Dog : 7.5 mg/kg : 110 mg/kg : Ingestion	

according to the Globally Harmonized System



Version 5.0	Revision Date: 28.09.2024		DS Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
Expos Targe	sure time t Organs		52 Weeks Liver	
2.6-D	i-tert-butyl-p-cresol:			
Speci NOAE Applic	es		Rat 25 mg/kg Ingestion 22 Months	
-	ation toxicity assified based on availa	ıble	information.	
Comp	oonents:			
		ses	concern owing to t	the assumption that it causes a human aspi-
Expe	rience with human exp	osı	ıre	
<u>Com</u>	oonents:			
N-Me Skin d	thyl-2-pyrrolidone: contact	:	Symptoms: Skin i	rritation
12. ECOL	OGICAL INFORMATION	N		
Ecoto	oxicity			
Com	oonents:			
N-Me	thyl-2-pyrrolidone:			
Toxici	ity to fish	:	LC50 (Oncorhync Exposure time: 96	chus mykiss (rainbow trout)): > 500 mg/l 6 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia m Exposure time: 24 Method: DIN 384	
Toxici plants	ity to algae/aquatic	:	ErC50 (Desmode mg/l Exposure time: 72	esmus subspicatus (green algae)): 600.5 2 h
			EC10 (Desmode Exposure time: 72	smus subspicatus (green algae)): 92.6 mg/l 2 h
Toxici	ity to microorganisms	:	EC50: > 600 mg/l Exposure time: 30 Method: ISO 8192) min
	ity to daphnia and other ic invertebrates (Chron- icity)	:	Exposure time: 2'	1 d i magna (Water flea)

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

rsion)	Revision Date: 28.09.2024	-	OS Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
			Method: OECD T	est Guideline 211
	n -2-ol: ty to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 9,640 mg/l 6 h
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 24	nagna (Water flea)): > 10,000 mg/l 4 h
Toxicit	ty to microorganisms	:	EC50 (Pseudomo Exposure time: 10	onas putida): > 1,050 mg/l 6 h
II Butan	one:			
Toxici	ty to fish	:	Exposure time: 96	s promelas (fathead minnow)): 2,993 mg/l 6 h est Guideline 203
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD T	
Toxicit plants	ty to algae/aquatic	:	ErC50 (Pseudok mg/l Exposure time: 96 Method: OECD T	
			NOEC (Pseudok mg/l Exposure time: 96 Method: OECD T	
6-Octe	enal, 3,7-dimethyl-:			
Toxici	ty to fish	:	LC50 (Leuciscus Exposure time: 96 Method: DIN 384	
	ty to daphnia and other c invertebrates	:	Exposure time: 48	nagna (Water flea)): 8.7 mg/l 8 h e 67/548/EEC, Annex V, C.2.
Toxicit plants	ty to algae/aquatic	:	ErC50(Desmode mg/l Exposure time: 72	esmus subspicatus (green algae)): 13.33 2 h
				smus subspicatus (green algae)): 4.52 mg
Toxici	ty to microorganisms	:	EC10 (Pseudomo Exposure time: 30	pnas putida): 650 mg/l

Fluazuron:

according to the Globally Harmonized System




rsion	Revision Date: 28.09.2024		0S Number: 24625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
Toxici	ty to fish	:	LC50 (Cyprinus ca Exposure time: 96	arpio (Carp)): > 9.1 mg/l ò h
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia sr Exposure time: 48	o. (water flea)): 0.0006 mg/l 3 h
Toxicit plants	ty to algae/aquatic	:	NOEC(Raphidoo 27.9 mg/l Exposure time: 72	celis subcapitata (freshwater green alga)): 2 h
M-Fac icity)	tor (Acute aquatic tox-	:	1,000	
M-Fac toxicity	tor (Chronic aquatic y)	:	1,000	
2.6-Di	-tert-butyl-p-cresol:			
	ty to fish	:	Exposure time: 96	(zebra fish)): > 0.57 mg/l 5 h 67/548/EEC, Annex V, C.1.
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxicit plants	ty to algae/aquatic	:	ErC50 (Pseudoki 0.24 mg/l Exposure time: 72 Method: OECD Te	
			NOEC (Pseudoki mg/l Exposure time: 72 Method: OECD Te	
M-Fac icity)	etor (Acute aquatic tox-	:	1	
Toxici	ty to microorganisms	:	EC50: > 10,000 m Exposure time: 3 Method: OECD Te	ĥ
Toxicit icity)	ty to fish (Chronic tox-	:	NOEC: 0.053 mg/ Exposure time: 30 Species: Oryzias Method: OECD Te) d latipes (Japanese medaka)
	ty to daphnia and other c invertebrates (Chron- city)	:	NOEC: 0.316 mg/ Exposure time: 21 Species: Daphnia	
M-Fac toxicity	etor (Chronic aquatic y)	:	1	

according to the Globally Harmonized System



Version 5.0	Revision Date: 28.09.2024	SDS Number 4624625-000	
Persi	stence and degrada	bility	
<u>Com</u>	oonents:		
N-Me	thyl-2-pyrrolidone:		
Biode	egradability	Biodegra Exposure	eadily biodegradable. dation: 73 % e time: 28 d DECD Test Guideline 301C
Prop	an-2-ol:		
	gradability	: Result: ra	pidly degradable
BOD/	COD	: BOD: 1,1 COD: 2,2 BOD/CO	3
Buta	none:		
	egradability	Biodegra Exposure	eadily biodegradable. dation: 98 % time: 28 d DECD Test Guideline 301D
6-Oct	enal, 3,7-dimethyl-:		
	gradability	Biodegra Exposure	eadily biodegradable. dation: 83 % time: 28 d DECD Test Guideline 301B
2,6-D	i-tert-butyl-p-cresol:		
Biode	gradability	Biodegra Exposure	ot readily biodegradable. dation: 4.5 % time: 28 d DECD Test Guideline 301C
Bioad	cumulative potentia	I	
Com	oonents:		
Soya	oil:		
Partit	ion coefficient: n- ol/water	: log Pow: Remarks	> 4 : Calculation
N-Me	thyl-2-pyrrolidone:		
Partit	ion coefficient: n- ol/water	: log Pow: Method: (-0.46 DECD Test Guideline 107
Propa	an-2-ol:		
Partit	ion coefficient: n- ol/water	: log Pow:	0.05





Fluazuron / Citronellal Formulation

Version 5.0	Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
П			
	none:		
	tion coefficient: n- nol/water	: log Pow: 0.3	
6-Oc	tenal, 3,7-dimethyl-:		
	tion coefficient: n- nol/water	: log Pow: 3.62	2
Flua	zuron:		
	tion coefficient: n- nol/water	: log Pow: 5.1	
1 2,6-D)i-tert-butyl-p-cresol:		
Bioad	ccumulation		rinus carpio (Carp) tion factor (BCF): 330 - 1,800
	tion coefficient: n- nol/water	: log Pow: 5.1	
Mobi	lity in soil		
	ata available		
	r adverse effects ata available		
13. DISPO	DSAL CONSIDERATIO	ONS	
Disp	osal methods		
•	e from residues		se of waste into sewer. accordance with local regulations.
Conta	aminated packaging		ners should be taken to an approved waste han-

	Dispose of in accordance with local regulations.
packaging	: Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
	Empty containers retain residue and can be dangerous.
	Do not pressurize, cut, weld, braze, solder, drill, grind, or ex-
	pose such containers to heat, flame, sparks, or other sources
	of ignition. They may explode and cause injury and/or death.
	If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Propan-2-ol, Butanone)
Class	:	3
Packing group	:	III
Labels	:	3

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Versio 5.0	on Revision Date: 28.09.2024	SDS Number: 4624625-00014	Date of last issue: 06.07.2024 Date of first issue: 09.07.2019
E	Environmentally hazardous	: no	
L F L F a F F	ATA-DGR JN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	 UN 1993 Flammable liqui (Propan-2-ol, B) 3 III Flammable Liqui 366 355 	utanone)
L F L E	MDG-Code JN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	 UN 1993 FLAMMABLE LI (Propan-2-ol, But) 3 III 3 F-E, <u>S-E</u> yes 	QUID, N.O.S. utanone, Fluazuron, 2,6-Di-tert-butyl-p-cresol)

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	: not dete	rmined
DSL	: not dete	rmined
IECSC	: not dete	rmined

16. OTHER INFORMATION

Revision Date	:	28.09.2024
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	4624625-00014	Date of first issue: 09.07.2019

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy			
Full text of other abbreviations					
ACGIH ACGIH BEI IN OEL		USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) India. Permissible levels of certain chemical substances in work environment.			
ACGIH / TWA ACGIH / STEL IN OEL / TWA IN OEL / STEL	:	8-hour, time-weighted average Short-term exposure limit Time-Weighted Average Concentration (TWA) (8 hrs.) Short-term exposure Limit STEL (15 min)			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

according to the Globally Harmonized System



Fluazuron / Citronellal Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
5.0	28.09.2024	4624625-00014	Date of first issue: 09.07.2019

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN