

**Fluazuron / Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Fluazuron / Fipronil Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000

Emergency telephone number : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system, Kidney)

Short-term (acute) aquatic hazard : Category 1





Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Hazard pictograms :    

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H360D May damage the unborn child.  
H373 May cause damage to organs (Central nervous system, Kidney) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-Butoxyethoxy)ethanol	112-34-5	>= 60 -<= 100
N-Methyl-2-pyrrolidone	872-50-4	>= 10 -< 20
Ethanol#	64-17-5	>= 10 -< 30
Fluazuron	86811-58-7	>= 2.5 -< 10
Fipronil (ISO)	120068-37-3	>= 1 -< 2.5
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.025 -< 0.25
tert-Butyl-4-methoxyphenol	25013-16-5	>= 0.025 -< 0.25

# Voluntarily-disclosed substance

**4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and	:	Causes skin irritation. Causes serious eye irritation.

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

delayed		May cause respiratory irritation. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. There may be delayed neurological effects, including brain oedema. Must not be confused with organophosphorous compounds!
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire-fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Chlorine compounds Fluorine compounds Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water.

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

## Fluazuron / Fipronil Formulation

Version 6.1      Revision Date: 2023/09/30      SDS Number: 557849-00017      Date of last issue: 2023/04/04  
 Date of first issue: 2016/03/15

Materials to avoid : Keep away from heat and sources of ignition.  
 : Do not store with the following product types:  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Oxidizing agents  
 Flammable gases  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Poisonous gases  
 Explosives

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-(2-Butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Ethanol	64-17-5	PSD	1,000 ppm	ID OEL
Further information: Confirmed animal carcinogen.				
		STEL	1,000 ppm	ACGIH
Fluazuron	86811-58-7	TWA	60 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	600 µg/ 100cm <sup>2</sup>	Internal
Fipronil (ISO)	120068-37-3	TWA	2 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	20 µg/100 cm <sup>2</sup>	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH

## Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
- Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Colour : light yellow
- Odour : solvent-like
- Odour Threshold : No data available

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	32 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**10. STABILITY AND REACTIVITY**



## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****2-(2-Butoxyethoxy)ethanol:**

Acute oral toxicity : LD50 (Mouse): 2,410 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg

**N-Methyl-2-pyrrolidone:**

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Ethanol:**

**Fluazuron / Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

**Fluazuron:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6.0 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Fipronil (ISO):**

Acute oral toxicity : LD50 (Rat): 92 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.36 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 354 mg/kg

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**tert-Butyl-4-methoxyphenol:**

Acute oral toxicity : LD50 (Rabbit): 2,100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Causes skin irritation.

## Fluazuron / Fipronil Formulation

Version 6.1      Revision Date: 2023/09/30      SDS Number: 557849-00017      Date of last issue: 2023/04/04  
Date of first issue: 2016/03/15

---

**Components:****2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

**N-Methyl-2-pyrrolidone:**

Result : Skin irritation

**Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Fluazuron:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Fipronil (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**tert-Butyl-4-methoxyphenol:**

Species : Rabbit  
Result : Skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

## Fluazuron / Fipronil Formulation

Version 6.1      Revision Date: 2023/09/30      SDS Number: 557849-00017      Date of last issue: 2023/04/04  
Date of first issue: 2016/03/15

---

**Ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Fluazuron:**

Species : Rabbit  
Result : Mild eye irritation  
Method : OECD Test Guideline 405

**Fipronil (ISO):**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**tert-Butyl-4-methoxyphenol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**N-Methyl-2-pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Result : negative  
 Remarks : Based on data from similar materials

**Ethanol:**

Test Type : Local lymph node assay (LLNA)  
 Exposure routes : Skin contact  
 Species : Mouse  
 Result : negative

**Fluazuron:**

Exposure routes : Skin contact  
 Species : Guinea pig  
 Result : negative

**Fipronil (ISO):**

Test Type : Buehler Test  
 Exposure routes : Skin contact  
 Species : Guinea pig  
 Method : OECD Test Guideline 406  
 Result : negative

**2,6-Di-tert-butyl-p-cresol:**

Test Type : Human repeat insult patch test (HRIPT)  
 Exposure routes : Skin contact  
 Species : Humans  
 Result : negative

**tert-Butyl-4-methoxyphenol:**

Test Type : Human repeat insult patch test (HRIPT)  
 Exposure routes : Skin contact  
 Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

**N-Methyl-2-pyrrolidone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Hamster

Application Route: Ingestion

Method: OECD Test Guideline 475

Result: negative

**Ethanol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Application Route: Ingestion  
Result: equivocal

**Fluazuron:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair

Result: negative

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

- Genotoxicity in vivo : Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Hamster  
Result: equivocal
- Fipronil (ISO):**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative
- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative
- Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative
- 2,6-Di-tert-butyl-p-cresol:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative
- Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

**tert-Butyl-4-methoxyphenol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****N-Methyl-2-pyrrolidone:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 2 Years  
Result : negative

**Fluazuron:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Fipronil (ISO):**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 78 weeks  
Method : Directive 67/548/EEC, Annex V, B.32.  
Result : negative



## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 104 weeks  
 Method : Directive 67/548/EEC, Annex, B.33  
 Result : positive  
 Remarks : The mechanism or mode of action is not relevant in humans.

**2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 22 Months  
 Result : negative

**tert-Butyl-4-methoxyphenol:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 104 weeks  
 Result : positive

Species : Hamster, male  
 Application Route : Ingestion  
 Exposure time : 24 weeks  
 Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Reproductive toxicity**

May damage the unborn child.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 415  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**N-Methyl-2-pyrrolidone:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 416  
 Result: negative

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: positive
- Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: positive
- Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Result: positive
- Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.
- Ethanol:**
- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative
- Fluazuron:**
- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative
- Fipronil (ISO):**
- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative

**2,6-Di-tert-butyl-p-cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

**tert-Butyl-4-methoxyphenol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

May cause respiratory irritation.

**Components:****N-Methyl-2-pyrrolidone:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Central nervous system, Kidney) through prolonged or repeated exposure.

**Components:****Fipronil (ISO):**

Exposure routes : Ingestion  
 Target Organs : Central nervous system, Kidney  
 Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

### 2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

#### 2-(2-Butoxyethoxy)ethanol:

Species : Rat  
 NOAEL : 250 mg/kg  
 LOAEL : 1,000 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Method : OECD Test Guideline 408

Species : Rat  
 NOAEL :  $\geq 0.094$  mg/l  
 Application Route : inhalation (vapour)  
 Exposure time : 90 Days  
 Method : OECD Test Guideline 413

Species : Rat  
 NOAEL :  $\geq 2,000$  mg/kg  
 Application Route : Skin contact  
 Exposure time : 90 Days

#### N-Methyl-2-pyrrolidone:

Species : Rat, male  
 NOAEL : 169 mg/kg  
 LOAEL : 433 mg/kg  
 Application Route : Ingestion  
 Exposure time : 90 Days  
 Method : OECD Test Guideline 408

Species : Rat  
 NOAEL : 0.5 mg/l  
 LOAEL : 1 mg/l  
 Application Route : inhalation (dust/mist/fume)  
 Exposure time : 96 Days  
 Method : OECD Test Guideline 413

Species : Rabbit  
 NOAEL : 826 mg/kg  
 LOAEL : 1,653 mg/kg  
 Application Route : Skin contact  
 Exposure time : 20 Days

#### Ethanol:

Species : Rat

**Fluazuron / Fipronil Formulation**

Version 6.1      Revision Date: 2023/09/30      SDS Number: 557849-00017      Date of last issue: 2023/04/04  
Date of first issue: 2016/03/15

---

NOAEL : 1,280 mg/kg  
LOAEL : 3,156 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Fluazuron:**

Species : Rat  
LOAEL : 240 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Target Organs : Liver, Thyroid, Pituitary gland

Species : Rat  
NOAEL : 10 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Skin contact  
Exposure time : 3 Weeks

Species : Dog  
NOAEL : 7.5 mg/kg  
LOAEL : 110 mg/kg  
Application Route : Ingestion  
Exposure time : 52 Weeks  
Target Organs : Liver

**Fipronil (ISO):**

Species : Rabbit  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Skin contact  
Exposure time : 21 Days  
Method : OECD Test Guideline 410

Species : Rat, male  
NOAEL : 0.059 mg/kg  
LOAEL : 0.019 mg/kg  
Application Route : Ingestion  
Exposure time : 89 Weeks  
Method : Directive 67/548/EEC, Annex, B.33

**2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Ingestion  
Exposure time : 22 Months

**tert-Butyl-4-methoxyphenol:**

Species : Rat  
NOAEL : 50 mg/kg

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

LOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 8 Months

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****N-Methyl-2-pyrrolidone:**

Skin contact : Symptoms: Skin irritation

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****2-(2-Butoxyethoxy)ethanol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
plants : Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): >= 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10: > 1,995 mg/l  
Exposure time: 30 min

**N-Methyl-2-pyrrolidone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
aquatic invertebrates : Exposure time: 24 h  
Method: DIN 38412

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l  
plants : Exposure time: 72 h

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 600 mg/l  
Exposure time: 30 min  
Method: ISO 8192

**Ethanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): > 1,000 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 9 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): 6,500 mg/l  
Exposure time: 16 h

**Fluazuron:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 9.1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia sp. (water flea)): 0.0006 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Raphidocelis subcapitata (freshwater green alga)): 27.9 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1,000

M-Factor (Chronic aquatic toxicity) : 1,000

**Fipronil (ISO):**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.2 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 µg/l

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

aquatic invertebrates		Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 68 µg/l Exposure time: 96 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l Exposure time: 96 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 µg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): 0.0077 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10,000
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h
<b>2,6-Di-tert-butyl-p-cresol:</b>		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 0.57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.316 mg/l Exposure time: 21 d



## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

M-Factor (Chronic aquatic toxicity) : 1  
 Toxicity to microorganisms : EC50: > 10,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

**tert-Butyl-4-methoxyphenol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.56 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.3 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

**Persistence and degradability****Components:****2-(2-Butoxyethoxy)ethanol:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 85 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301C

**N-Methyl-2-pyrrolidone:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 73 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301C

**Ethanol:**

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 84 %  
 Exposure time: 20 d

**Fipronil (ISO):**

Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: 47 %

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

Exposure time: 28 d  
Method: OECD Test Guideline 301B

**2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Bioaccumulative potential****Components:****2-(2-Butoxyethoxy)ethanol:**

Partition coefficient: n-octanol/water : log Pow: 1

**N-Methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.46  
Method: OECD Test Guideline 107

**Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

**Fluazuron:**

Partition coefficient: n-octanol/water : log Pow: 5.1

**Fipronil (ISO):**

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)  
Bioconcentration factor (BCF): 321

Partition coefficient: n-octanol/water : log Pow: 4

**2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: *Cyprinus carpio* (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

**tert-Butyl-4-methoxyphenol:**

Bioaccumulation : Species: *Oryzias latipes* (Orange-red killifish)  
Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-octanol/water : log Pow: 2.82  
Method: OECD Test Guideline 117

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 1170
Proper shipping name	:	ETHANOL SOLUTION
Class	:	3
Packing group	:	III
Labels	:	3
Environmentally hazardous	:	no

**IATA-DGR**

UN/ID No.	:	UN 1170
Proper shipping name	:	Ethanol solution
Class	:	3
Packing group	:	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355

**IMDG-Code**

UN number	:	UN 1170
Proper shipping name	:	ETHANOL SOLUTION (Fluazuron, Fipronil (ISO))
Class	:	3
Packing group	:	III
Labels	:	3
EmS Code	:	F-E, S-D
Marine pollutant	:	yes

**Fluazuron / Fipronil Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Ethanol

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION**

Revision Date : 2023/09/30

---

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
 ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average  
 ACGIH / STEL : Short-term exposure limit  
 ID OEL / PSD : Short term exposure limit

AiIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

## Fluazuron / Fipronil Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.1	2023/09/30	557849-00017	Date of first issue: 2016/03/15

---

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN