

Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Fluazuron / Fipronil Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Flammable liquids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

single exposure

Category 3

Specific target organ toxicity - :

repeated exposure

Category 2 (Central nervous system, Kidney)

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Hazard pictograms :









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H360D May damage the unborn child.

H373 May cause damage to organs (Central nervous system,

Kidney) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

P391 Collect spillage.



Fluazuron / Fipronil Formulation

Revision Date: SDS Number: Date of last issue: 2024/04/06 Version 557852-00019 14.0 2024/09/28 Date of first issue: 2016/03/15

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

lines of the emergency as-

sumed

Important symptoms and out- : Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
2-(2-Butoxyethoxy)ethanol	112-34-5	66.05	2-422, 7-97
N-Methyl-2-pyrrolidone	872-50-4	15	5-113
Ethanol#	64-17-5	>= 10 - < 20	2-202
Fluazuron	86811-58-7	>= 2.5 - < 10	-
Fipronil (ISO)	120068-37-3	1.25	-
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.1 - < 1	3-540, 9-1805
tert-Butyl-4-methoxyphenol	25013-16-5	>= 0.1 - < 1	3-608, 9-1199

[#] Voluntarily-disclosed substance

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Causes skin irritation.
Causes serious eye irritation.

May cause respiratory irritation.
May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

There may be delayed neurological effects, including brain

oedema.

Must not be confused with organophosphorous compounds! First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Protection of first-aiders

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx)

Chlorine compounds Fluorine compounds Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.
Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used.



Fluazuron / Fipronil Formulation

Revision Date: SDS Number: Date of last issue: 2024/04/06 Version 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease. should consult their physician regarding working with respira-

tory irritants or sensitisers.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Hygiene measures

Oxidizing agents

If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid Do not store with the following product types:

> Oxidizing solids Oxidizing liquids

Packaging material Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
2-(2-Butoxyethoxy)ethanol	112-34-5	8h-OEL-M	60 mg/m3	JP ISHL OEL 577-2(2)
		TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
N-Methyl-2-pyrrolidone	872-50-4	OEL-M	1 ppm 4 mg/m3	JP OEL JSOH



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

	Further inform	Further information: Skin absorption		
Ethanol	64-17-5	STEL	1,000 ppm	ACGIH
Fluazuron	86811-58-7	TWA	60 μg/m3 (OEB 3)	Internal
		Wipe limit	600 µg/ 100cm2	Internal
Fipronil (ISO)	120068-37-3	TWA	2 μg/m3 (OEB 4)	Internal
	Further inform	Further information: Skin		
		Wipe limit	20 μg/100 cm2	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	8h-OEL-M	10 mg/m3	JP ISHL OEL 577-2(2)
		TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Target sub- stance	Biological specimen	Sam- pling time	Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flam-

mable, which may impact the selection of hand protection.



Fluazuron / Fipronil Formulation

SDS Number: Date of last issue: 2024/04/06 Version **Revision Date:** 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Impermeable protective gloves

Eve protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

> Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

Colour light yellow

Odour solvent-like

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling

point and boiling range

No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) Not applicable

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- : No data available

per flammability limit

Lower explosion limit / Lower flammability limit No data available

Flash point 32 °C

Decomposition temperature No data available

No data available pН

Evaporation rate No data available

No data available Auto-ignition temperature

Viscosity

Viscosity, kinematic No data available



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Density and / or relative density

Relative density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition : I

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

: Inhalation Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

2-(2-Butoxyethoxy)ethanol:

Acute oral toxicity : LD50 (Mouse): 2,410 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg

N-Methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

Fluazuron:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6.0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Fipronil (ISO):



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Acute oral toxicity : LD50 (Rat): 92 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.36 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 354 mg/kg

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

tert-Butyl-4-methoxyphenol:

Acute oral toxicity : LD50 (Rabbit): 2,100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

2-(2-Butoxyethoxy)ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

N-Methyl-2-pyrrolidone:

Result : Skin irritation

Ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Fluazuron:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Fipronil (ISO):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Species : Rabbit Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-(2-Butoxyethoxy)ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

N-Methyl-2-pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Fluazuron:

Species : Rabbit

Result : Mild eye irritation

Method : OECD Test Guideline 405

Fipronil (ISO):

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Result : No eye irritation



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

N-Methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Ethanol:

Test Type : Mouse ear swelling test (MEST)

Exposure routes : Skin contact Species : Mouse Result : negative

Fluazuron:

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Fipronil (ISO):

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406



Fluazuron / Fipronil Formulation

Date of last issue: 2024/04/06 Version Revision Date: SDS Number: 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Result : negative

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Species : Humans Result : negative

tert-Butyl-4-methoxyphenol:

Test Type Human repeat insult patch test (HRIPT)

Skin contact Exposure routes Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethanol:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Species: Mouse



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Application Route: Ingestion

Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Hamster

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Ingestion

Result: negative

Fluazuron:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Hamster Result: equivocal

Fipronil (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

tert-Butyl-4-methoxyphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Carcinogenicity

Not classified based on available information.

Components:

N-Methyl-2-pyrrolidone:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years
Result : negative

Fluazuron:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative

Species : Mouse
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Fipronil (ISO):

Species : Mouse
Application Route : Ingestion
Exposure time : 78 weeks

Method : Directive 67/548/EEC, Annex V, B.32.

Result : negative

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks

Method : Directive 67/548/EEC, Annex, B.33

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

tert-Butyl-4-methoxyphenol:

Species : Rat



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Application Route : Ingestion
Exposure time : 104 weeks
Result : positive

Species : Hamster, male
Application Route : Ingestion
Exposure time : 24 weeks
Result : positive

Carcinogenicity - Assess-

ment

: Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

May damage the unborn child.

Components:

2-(2-Butoxyethoxy)ethanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 415

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (vapour)

Result: positive

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Reproductive toxicity - As-

sessment

: Clear evidence of adverse effects on development, based on

animal experiments.

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion

Result: negative

Fluazuron:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Method: OECD Test Guideline 414

Result: negative

Fipronil (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

tert-Butyl-4-methoxyphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT - single exposure

May cause respiratory irritation.

Components:

N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs (Central nervous system, Kidney) through prolonged or repeated exposure.

Components:

Fipronil (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system, Kidney

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

2-(2-Butoxyethoxy)ethanol:

Species: RatNOAEL: 250 mg/kgLOAEL: 1,000 mg/kgApplication Route: Ingestion

Exposure time : 90 Days

Method : OECD Test Guideline 408



Fluazuron / Fipronil Formulation

Revision Date: SDS Number: Date of last issue: 2024/04/06 Version 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Species Rat

NOAEL >= 0.094 mg/lApplication Route Exposure time : inhalation (vapour)

: 90 Davs

Method : OECD Test Guideline 413

Species Rat

NOAEL >= 2,000 mg/kgApplication Route Skin contact Exposure time 90 Days

N-Methyl-2-pyrrolidone:

Species Rat, male NOAEL 169 mg/kg LOAEL 433 mg/kg Application Route Ingestion Exposure time 90 Days

Method **OECD Test Guideline 408**

Species Rat NOAEL 0.5 mg/l LOAEL 1 mg/l

Application Route inhalation (dust/mist/fume)

Exposure time 96 Davs

Method **OECD Test Guideline 413**

: Rabbit Species NOAEL : 826 mg/kg : 1,653 mg/kg LOAEL Application Route : Skin contact Exposure time 20 Days

Ethanol:

Species Rat

NOAEL 1,730 mg/kg LOAEL 3,200 mg/kg : Ingestion Application Route Exposure time 90 Days

Fluazuron:

: Rat Species : 240 mg/kg LOAEL Application Route : Ingestion : 13 Weeks Exposure time

Target Organs Liver, Thyroid, Pituitary gland

Species Rat NOAEL 10 mg/kg LOAEL 100 mg/kg



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Application Route : Skin contact Exposure time : 3 Weeks

Species : Dog
NOAEL : 7.5 mg/kg
LOAEL : 110 mg/kg
Application Route : Ingestion
Exposure time : 52 Weeks
Target Organs : Liver

Fipronil (ISO):

Species: RabbitNOAEL: 5 mg/kgLOAEL: 10 mg/kgApplication Route: Skin contactExposure time: 21 Days

Method : OECD Test Guideline 410

Species : Rat, male

NOAEL : 0.059 mg/kg

LOAEL : 0.019 mg/kg

Application Route : Ingestion

Exposure time : 89 Weeks

Method : Directive 67/548/EEC, Annex, B.33

2,6-Di-tert-butyl-p-cresol:

Species : Rat

NOAEL : 25 mg/kg

Application Route : Ingestion

Exposure time : 22 Months

tert-Butyl-4-methoxyphenol:

Species : Rat

NOAEL : 50 mg/kg

LOAEL : 250 mg/kg

Application Route : Ingestion

Exposure time : 8 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

N-Methyl-2-pyrrolidone:

Skin contact : Symptoms: Skin irritation



Fluazuron / Fipronil Formulation

Date of last issue: 2024/04/06 Version **Revision Date:** SDS Number: 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-(2-Butoxyethoxy)ethanol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): >= 100

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

EC10: > 1,995 mg/lToxicity to microorganisms

Exposure time: 30 min

N-Methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l

Exposure time: 72 h

Toxicity to daphnia and other : aguatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 12.5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: > 600 mg/l

> Exposure time: 30 min Method: ISO 8192

Ethanol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l

Exposure time: 100 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l

Exposure time: 4 h

Fluazuron:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 9.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia sp. (water flea)): 0.0006 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Raphidocelis subcapitata (freshwater green alga)):

27.9 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

,

1,000

1,000

M-Factor (Chronic aquatic toxicity)

...,

Fipronil (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.2 μg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 μg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 68 μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1,000



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0077 µg/l

μg/l

Exposure time: 35 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

on- Exposure time: 28 d

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

10,000

EC50: > 1,000 mg/l Exposure time: 3 h

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

city

: 1

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l

Exposure time: 30 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.316 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

: 1

Toxicity to microorganisms

: EC50: > 10,000 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

tert-Butyl-4-methoxyphenol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.56 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203



Fluazuron / Fipronil Formulation

SDS Number: Date of last issue: 2024/04/06 Version **Revision Date:** 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.3 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Components:

2-(2-Butoxyethoxy)ethanol:

Biodegradability Result: Readily biodegradable.

Biodegradation: 85 % Exposure time: 28 d

Method: OECD Test Guideline 301C

N-Methyl-2-pyrrolidone:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 73 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Ethanol:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 84 % Exposure time: 20 d

Fipronil (ISO):

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 47 % Exposure time: 28 d

Method: OECD Test Guideline 301B

2,6-Di-tert-butyl-p-cresol:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 4.5 % Exposure time: 28 d

Method: OECD Test Guideline 301C



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Bioaccumulative potential

Components:

2-(2-Butoxyethoxy)ethanol:

Partition coefficient: n-

: log Pow: 1

octanol/water

N-Methyl-2-pyrrolidone:

Partition coefficient: n- : log Pow: -0.46

octanol/water Method: OECD Test Guideline 107

Ethanol:

Partition coefficient: n-

octanol/water

: log Pow: -0.35

Fluazuron:

Partition coefficient: n-

octanol/water

log Pow: 5.1

Fipronil (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 321

Partition coefficient: n-

octanol/water

log Pow: 4

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-

octanol/water

log Pow: 5.1

tert-Butyl-4-methoxyphenol:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)

Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-

octanol/water

: log Pow: 2.82

Method: OECD Test Guideline 117

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available



Fluazuron / Fipronil Formulation

Date of last issue: 2024/04/06 Version **Revision Date:** SDS Number: 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Empty containers should be taken to an approved waste han-Contaminated packaging

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 1170

Proper shipping name **ETHANOL SOLUTION**

Class 3 Packing group Ш Labels 3 Environmentally hazardous no

IATA-DGR

UN/ID No. UN 1170

Proper shipping name Ethanol solution

Class 3 Packing group Ш

Flammable Liquids Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-355

ger aircraft)

IMDG-Code

UN 1170 UN number

ETHANOL SOLUTION Proper shipping name (Fluazuron, Fipronil (ISO))

3

366

Class Packing group Ш Labels 3 **EmS Code** F-E, S-D Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 127

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Group 4, Type 2 petroleums, Water insoluble liquid, (1000 litre), Hazardous rank III

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
2-(2-Butoxyethoxy)ethan-1-ol	276
N-Methyl-2-pyrrolidone	136
2,6-Di-tert-butyl-4-methylphenol	64

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Diethylene glycol monobutyl ether	>=60 - <70	-
N-Methyl-2-pyrrolidone	>=10 - <20	-
Ethanol	>=10 - <20	-
5-Amino-1-[2,6-dichloro-4- (trifluoromethyl)phenyl]-3-cyano-4- [(trifluoromethyl)sulfinyl]pyrazole	>=1 - <10	From April 1st, 2025
2,6-Di-tert-butyl-4-cresol	>=0.1 - <1	-
Butyl hydroxyanisole	>=0.1 - <1	From April 1st, 2025



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Diethylene glycol monobutyl ether	-
N-Methyl-2-pyrrolidone	-
Ethanol	-
5-Amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-3-cyano-4-	From April 1st, 2025
[(trifluoromethyl)sulfinyl]pyrazole	

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Chemical name	
N-methyl-2-pyrrolidone	

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

Poisonous and Deleterious Substances Control Law

Deleterious substance

2 0.010040 040100	
Chemical name	Cabinet Order Number
Preparations containing 5-amino-1-(2,6-dichloro-4-trifluoromethyl-	32
phenyl)-3-cyano-4-trifluoromethyl sulfinyl pyrazole	

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
Diethylene glycol monobutyl ether	627	66
N-Methyl-2-pyrrolidone	746	15
5-Amino-1-[2,6-dichloro-4-	22	1.3
(trifluoromethyl)phenyl]-3-cyano-		
4[(trifluoromethyl)sulfinyl]pyrazole		

High Pressure Gas Safety Act

Not applicable



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Explosive Control Law

Not applicable

Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Y)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to : compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

JP ISHL OEL 577-2(2) : Concentration standard (Value set by the Minister of Health,

Labour and Welfare stipulated under the Ministerial Ordinance



Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 14.0 2024/09/28 557852-00019 Date of first issue: 2016/03/15

Article 577-2(2))

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recom-

mendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

JP ISHL OEL 577-2(2) / 8h- : 8-hour Occupational Exposure Limit-Mean

OEL-M

JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN