

# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

**Section 1: Identification** 

Product name : Fluazuron / Fipronil Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908

Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800

CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### Section 2: Hazard identification

**GHS Classification** 

Flammable liquids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2

Carcinogenicity : Category 2

Reproductive toxicity : Category 1

Specific target organ toxicity -

single exposure

Category 3

Specific target organ toxicity - :

repeated exposure

Category 2

Category 1

Hazardous to the aquatic

environment - acute hazard

Hazardous to the aquatic

environment - chronic hazard

Category 1



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

#### **GHS** label elements

Hazard pictograms









Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H360D May damage the unborn child.

H373 May cause damage to organs through prolonged or re-

peated exposure.

H410 Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

#### Prevention:

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention

P391 Collect spillage.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.



## Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

#### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-Butoxyethoxy)ethanol	112-34-5	>= 50 -< 70
N-Methyl-2-pyrrolidone	872-50-4	>= 10 -< 20
Ethanol#	64-17-5	>= 10 -< 20
Fluazuron	86811-58-7	>= 2.5 -< 10
Fipronil (ISO)	120068-37-3	>= 1 -< 2.5
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.1 -< 0.25
tert-Butyl-4-methoxyphenol	25013-16-5	>= 0.1 -< 0.25

<sup>#</sup> Voluntarily-disclosed substance

## Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

: Causes skin irritation.

and effects, both acute and delayed

Causes serious eye irritation.

May cause respiratory irritation.

Suspected of causing cancer

Suspected of causing cancer. May damage the unborn child.

May cause damage to organs through prolonged or repeated



# Fluazuron / Fipronil Formulation

Date of last issue: 06.04.2024 Version Revision Date: SDS Number: 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

exposure.

There may be delayed neurological effects, including brain

Must not be confused with organophosphorous compounds! First Aid responders should pay attention to self-protection.

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

Section 5: Fire-fighting measures

Protection of first-aiders

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds Sulphur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code 2Y

Section 6: Accidental release measures

Personal precautions, protec- : tive equipment and emer-

gency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

Prevent spreading over a wide area (e.g. by containment or oil

barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

## Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used.

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

Materials to avoid



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition. Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides

Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases

Explosives

#### Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-(2-Butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
N-Methyl-2-pyrrolidone	872-50-4	WES-TWA	10 ppm 40 mg/m3	NZ OEL
	Further information: Skin absorption			
		WES-STEL	20 ppm 80 mg/m3	NZ OEL
	Further information: Skin absorption			
Ethanol	64-17-5	WES-TWA	200 ppm 380 mg/m3	NZ OEL
	Further information: Ototoxin			
		WES-STEL	800 ppm 1,520 mg/m3	NZ OEL
	Further information: Ototoxin			
		STEL	1,000 ppm	ACGIH
Fluazuron	86811-58-7	TWA	60 μg/m3 (OEB 3)	Internal
		Wipe limit	600 μg/ 100cm2	Internal



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

Fipronil (ISO)	120068-37-3	TWA	2 μg/m3 (OEB 4)	Internal	
	Further inform	Further information: Skin			
		Wipe limit	20 μg/100 cm2	Internal	
2,6-Di-tert-butyl-p-cresol	128-37-0	WES-TWA	10 mg/m3	NZ OEL	
	Further information: Skin sensitiser				
		TWA (Inhal-	2 mg/m3	ACGIH	
		able fraction			
		and vapor)			

### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy- N-methyl-2- pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

**Engineering measures** 

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices). Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection

: Combined particulates and organic vapour type

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flam-

mable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### Section 9: Physical and chemical properties

Appearance : liquid

Colour : light yellow

Odour : solvent-like

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 32 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Auto-ignition temperature : No data available

No data available



# Fluazuron / Fipronil Formulation

SDS Number: Date of last issue: 06.04.2024 Version **Revision Date:** 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size No data available

Section 10: Stability and reactivity

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions.

Possibility of hazardous reac-Flammable liquid and vapour.

tions Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

Heat, flames and sparks. Conditions to avoid

Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

**Section 11: Toxicological information** 

Exposure routes Inhalation

> Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 2,000 mg/kg Acute oral toxicity

Method: Calculation method

Acute toxicity estimate: > 5 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

**Components:** 

2-(2-Butoxyethoxy)ethanol:

Acute oral toxicity : LD50 (Mouse): 2,410 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg

N-Methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Ethanol:** 

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

Fluazuron:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6.0 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Fipronil (ISO):

Acute oral toxicity : LD50 (Rat): 92 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.36 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 354 mg/kg

2,6-Di-tert-butyl-p-cresol:



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

tert-Butyl-4-methoxyphenol:

Acute oral toxicity : LD50 (Rabbit): 2,100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

2-(2-Butoxyethoxy)ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Mild skin irritation

N-Methyl-2-pyrrolidone:

Result : Skin irritation

**Ethanol:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Fluazuron:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Fipronil (ISO):

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 404



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

Result : No skin irritation

Remarks : Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Species : Rabbit Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

2-(2-Butoxyethoxy)ethanol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

N-Methyl-2-pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

**Ethanol:** 

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Fluazuron:

Species : Rabbit

Result : Mild eye irritation

Method : OECD Test Guideline 405

Fipronil (ISO):

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Result : No eve irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days Remarks : Based on data from similar materials



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

#### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

### 2-(2-Butoxyethoxy)ethanol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### N-Methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

### **Ethanol:**

Test Type : Mouse ear swelling test (MEST)

Exposure routes : Skin contact Species : Mouse Result : negative

#### Fluazuron:

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

### Fipronil (ISO):

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

#### 2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Species : Humans Result : negative



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

tert-Butyl-4-methoxyphenol:

Test Type : Human repeat insult patch test (HRIPT)

Exposure routes : Skin contact Result : negative

**Chronic toxicity** 

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

2-(2-Butoxyethoxy)ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion

Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Hamster



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

> Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

**Ethanol:** 

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

**Application Route: Ingestion** 

Result: negative

Fluazuron:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA Repair

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay

Species: Hamster Result: equivocal

Fipronil (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 486

Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

tert-Butyl-4-methoxyphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Carcinogenicity

Suspected of causing cancer.

**Components:** 

N-Methyl-2-pyrrolidone:

Species : Rat



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 2 Years
Result : negative

Fluazuron:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years

Method : OECD Test Guideline 453

Result : negative

Species : Mouse
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Fipronil (ISO):

Species : Mouse
Application Route : Ingestion
Exposure time : 78 weeks

Method : Directive 67/548/EEC, Annex V, B.32.

Result : negative

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks

Method : Directive 67/548/EEC, Annex, B.33

Result : positive

Remarks : The mechanism or mode of action is not relevant in humans.

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

tert-Butyl-4-methoxyphenol:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : positive

Species : Hamster, male Application Route : Ingestion



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

Exposure time : 24 weeks Result : positive

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

May damage the unborn child.

Components:

2-(2-Butoxyethoxy)ethanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion
Method: OECD Test Guideline 415

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Method: OECD Test Guideline 416

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Test Type: Fertility/early embryonic development

Species: Rat

Application Route: inhalation (vapour)

Result: positive

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

**Ethanol:** 

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

Application Route: Ingestion

Result: negative

Fluazuron:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Fipronil (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

tert-Butyl-4-methoxyphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

Effects on foetal develop-

ment

Test Type: Fertility/early embryonic development

Species: Mouse

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

STOT - single exposure

May cause respiratory irritation.

**Components:** 

N-Methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

**Components:** 

2-(2-Butoxyethoxy)ethanol:

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Remarks : Based on national or regional regulation.

Fipronil (ISO):

Exposure routes : Ingestion

Target Organs : Central nervous system, Kidney

Assessment : Shown to produce significant health effects in animals at con-

centrations of 10 mg/kg bw or less.

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

2-(2-Butoxyethoxy)ethanol:

Species: RatNOAEL: 250 mg/kgLOAEL: 1,000 mg/kgApplication Route: Ingestion

Exposure time : 90 Days

Method : OECD Test Guideline 408

Species : Rat

NOAEL : >= 0.094 mg/l



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

Application Route : inhalation (vapour)

Exposure time : 90 Days

Method : OECD Test Guideline 413

Species : Rat

NOAEL : >= 2,000 mg/kg
Application Route : Skin contact
Exposure time : 90 Days

N-Methyl-2-pyrrolidone:

Species : Rat, male
NOAEL : 169 mg/kg
LOAEL : 433 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

Species : Rat NOAEL : 0.5 mg/l LOAEL : 1 mg/l

Application Route : inhalation (dust/mist/fume)

Exposure time : 96 Days

Method : OECD Test Guideline 413

Species : Rabbit
NOAEL : 826 mg/kg
LOAEL : 1,653 mg/kg
Application Route : Skin contact
Exposure time : 20 Days

**Ethanol:** 

Species : Rat

NOAEL : 1,730 mg/kg
LOAEL : 3,200 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Fluazuron:

Species : Rat
LOAEL : 240 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Target Organs : Liver, Thyroid, Pituitary gland

Species : Rat

NOAEL : 10 mg/kg

LOAEL : 100 mg/kg

Application Route : Skin contact

Exposure time : 3 Weeks



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

Species : Dog
NOAEL : 7.5 mg/kg
LOAEL : 110 mg/kg
Application Route : Ingestion
Exposure time : 52 Weeks
Target Organs : Liver

Fipronil (ISO):

Species : Rabbit
NOAEL : 5 mg/kg
LOAEL : 10 mg/kg
Application Route : Skin contact
Exposure time : 21 Days

Method : OECD Test Guideline 410

Species : Rat, male
NOAEL : 0.059 mg/kg
LOAEL : 0.019 mg/kg
Application Route : Ingestion
Exposure time : 89 Weeks

Method : Directive 67/548/EEC, Annex, B.33

2,6-Di-tert-butyl-p-cresol:

Species : Rat
NOAEL : 25 mg/kg
Application Route : Ingestion
Exposure time : 22 Months

tert-Butyl-4-methoxyphenol:

Species : Rat
NOAEL : 50 mg/kg
LOAEL : 250 mg/kg
Application Route : Ingestion
Exposure time : 8 Months

**Aspiration toxicity** 

Not classified based on available information.

**Experience with human exposure** 

Components:

N-Methyl-2-pyrrolidone:

Skin contact : Symptoms: Skin irritation



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

### **Section 12: Ecological information**

## **Ecotoxicity**

#### **Components:**

2-(2-Butoxyethoxy)ethanol:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): >= 100

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10: > 1,995 mg/l

Exposure time: 30 min

N-Methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h Method: DIN 38412

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l

Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 12.5 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: > 600 mg/l

Exposure time: 30 min Method: ISO 8192

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l



# Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l

Exposure time: 100 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to microorganisms

EC50 (Protozoa): 5,800 mg/l

Exposure time: 4 h

Fluazuron:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 9.1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia sp. (water flea)): 0.0006 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

: NOEC (Raphidocelis subcapitata (freshwater green alga)):

27.9 mg/l

Exposure time: 72 h

M-Factor (Acute aquatic tox-

icity)

1,000

M-Factor (Chronic aquatic

toxicity)

1,000

Fipronil (ISO):

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.2 μg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 μg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 68 μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1,000



## Fluazuron / Fipronil Formulation

Date of last issue: 06.04.2024 Version **Revision Date:** SDS Number: 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9

µg/l

Exposure time: 35 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Mysidopsis bahia (opossum shrimp)): 0.0077 µg/l

Exposure time: 28 d

M-Factor (Chronic aquatic

toxicity)

10,000

Toxicity to microorganisms

EC50: > 1,000 mg/lExposure time: 3 h

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 0.57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aguatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

1

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l

Exposure time: 30 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.316 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

EC50: > 10,000 mg/lExposure time: 3 h

Method: OECD Test Guideline 209

tert-Butyl-4-methoxyphenol:

Toxicity to fish LC50 (Danio rerio (zebra fish)): 1.56 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203



# Fluazuron / Fipronil Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2.3 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25

Exposure time: 72 h

Method: OECD Test Guideline 201

## Persistence and degradability

#### Components:

2-(2-Butoxyethoxy)ethanol:

Biodegradability Result: Readily biodegradable.

Biodegradation: 85 % Exposure time: 28 d

Method: OECD Test Guideline 301C

N-Methyl-2-pyrrolidone:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 73 % Exposure time: 28 d

Method: OECD Test Guideline 301C

**Ethanol:** 

Biodegradability Result: Readily biodegradable.

> Biodegradation: 84 % Exposure time: 20 d

Fipronil (ISO):

Biodegradability Result: Not readily biodegradable.

Biodegradation: 47 % Exposure time: 28 d

Method: OECD Test Guideline 301B

2,6-Di-tert-butyl-p-cresol:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 4.5 % Exposure time: 28 d

Method: OECD Test Guideline 301C



# Fluazuron / Fipronil Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

Bioaccumulative potential

**Components:** 

2-(2-Butoxyethoxy)ethanol:

Partition coefficient: n-

octanol/water

log Pow: 1

N-Methyl-2-pyrrolidone:

Partition coefficient: n-

log Pow: -0.46

octanol/water

Method: OECD Test Guideline 107

**Ethanol:** 

Partition coefficient: n-

octanol/water

log Pow: -0.35

Fluazuron:

Partition coefficient: n-

octanol/water

log Pow: 5.1

Fipronil (ISO):

Bioaccumulation

: Species: Lepomis macrochirus (Bluegill sunfish)

Bioconcentration factor (BCF): 321

Partition coefficient: n-

octanol/water

log Pow: 4

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-

octanol/water

log Pow: 5.1

tert-Butyl-4-methoxyphenol:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)

Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-

octanol/water

log Pow: 2.82

Method: OECD Test Guideline 117

Mobility in soil
No data available

Other adverse effects

No data available

**Section 13: Disposal considerations** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.



## Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

#### **Section 14: Transport information**

## **International Regulations**

**UNRTDG** 

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1170
Proper shipping name : Ethanol solution

Class : 3 Packing group : III

Labels : Flammable Liquids

366

Packing instruction (cargo

aircraft)

Packing instruction (passen: 355

ger aircraft)

**IMDG-Code** 

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

(Fluazuron, Fipronil (ISO))

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

**NZS 5433** 

UN number : UN 1170

Proper shipping name : ETHANOL SOLUTION

Class : 3
Packing group : III
Labels : 3
Hazchem Code : 2Y
Marine pollutant : no



# Fluazuron / Fipronil Formulation

Date of last issue: 06.04.2024 Version Revision Date: SDS Number: 9.1 28.09.2024 557856-00019 Date of first issue: 15.03.2016

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **Section 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard Tolerable Exposure Limits (TEL)

Chemical name	Environmental compartment	Reference concentration
2-Pyrrolidinone, 1-methyl-	Air	0.4 mg/m3
2-Pyrrolidinone, 1-methyl-	Drinking Water	0.375 mg/l
2-Pyrrolidinone, 1-methyl-	Skin/Surface Deposition	0.83 mg/m2

#### Environmental Exposure Limits (EEL)

Chemical name	Environmental compartment	Reference concentration
fipronil	Fresh water	78 ng/l
fipronil	Marine water	0.22 ng/l

#### **HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

## The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

### **Section 16: Other information**

**Revision Date** 28.09.2024

**Further information** 

Sheet

Sources of key data used to

compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format dd.mm.yyyy

Full text of other abbreviations

**ACGIH** USA. ACGIH Threshold Limit Values (TLV) **ACGIH BEI** ACGIH - Biological Exposure Indices (BEI)



## Fluazuron / Fipronil Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 9.1
 28.09.2024
 557856-00019
 Date of first issue: 15.03.2016

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospher-

ic Contaminants

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN