

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : Fluazuron / Fipronil Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : Veterinary productRecommended restrictions
on use : Not applicable**1.3 Details of the supplier of the safety data sheet**Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com**1.4 Emergency telephone number**

+1-908-423-6000





SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

| | |
|--|--|
| Flammable liquids, Category 3 | H226: Flammable liquid and vapour. |
| Skin irritation, Category 2 | H315: Causes skin irritation. |
| Eye irritation, Category 2 | H319: Causes serious eye irritation. |
| Reproductive toxicity, Category 1B | H360D: May damage the unborn child. |
| Specific target organ toxicity - single exposure, Category 3 | H335: May cause respiratory irritation. |
| Specific target organ toxicity - repeated exposure, Category 2 | H373: May cause damage to organs through prolonged or repeated exposure. |
| Short-term (acute) aquatic hazard, Category 1 | H400: Very toxic to aquatic life. |
| Long-term (chronic) aquatic hazard, Category 1 | H410: Very toxic to aquatic life with long lasting effects. |

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Fluazuron / Fipronil Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 557859-00020 Date of last issue: 28.09.2024
 Date of first issue: 15.03.2016

- Hazard pictograms :    
- Signal word : Danger
- Hazard statements : H226 Flammable liquid and vapour.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H360D May damage the unborn child.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.
 P391 Collect spillage.

Hazardous components which must be listed on the label:

N-Methyl-2-pyrrolidone
 Fipronil (ISO)

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---------------------------|---|--------------------|--------------------------|
| 2-(2-Butoxyethoxy)ethanol | 112-34-5 | Eye Irrit. 2; H319 | >= 50 - < 70 |

SAFETY DATA SHEET



Fluazuron / Fipronil Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 557859-00020 Date of last issue: 28.09.2024
 Date of first issue: 15.03.2016

| | | | |
|----------------------------|--|--|---------------------|
| | 203-961-6 603-096-00-8 | | |
| Ethanol# | 64-17-5 200-578-6 603-002-00-5 | Flam. Liq. 2; H225 Eye Irrit. 2; H319 | $\geq 10 - < 20$ |
| N-Methyl-2-pyrrolidone | 872-50-4 212-828-1 606-021-00-7 | Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 1B; H360D STOT SE 3; H335 | $\geq 10 - < 20$ |
| Fluazuron | 86811-58-7 | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000 | $\geq 2,5 - < 10$ |
| Fipronil (ISO) | 120068-37-3 424-610-5 608-055-00-8 | Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 STOT RE 1; H372 (Central nervous system, Kidney) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 10.000 | $\geq 1 - < 2,5$ |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 204-881-4 | Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 | $\geq 0,1 - < 0,25$ |
| tert-Butyl-4-methoxyphenol | 25013-16-5 246-563-8 | Skin Irrit. 2; H315 Eye Irrit. 2; H319 Carc. 2; H351 Repr. 2; H361d Aquatic Chronic 2; H411 | $\geq 0,1 - < 0,25$ |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

For explanation of abbreviations see section 16.

#: Voluntarily-disclosed substance

SECTION 4: First aid measures**4.1 Description of first aid measures**

- | | |
|----------------------------|--|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : If inhaled, remove to fresh air. Get medical attention. |
| In case of skin contact | : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. |
| If swallowed | : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|--|
| Risks | : There may be delayed neurological effects, including brain oedema. Must not be confused with organophosphorous compounds! Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May damage the unborn child. May cause damage to organs through prolonged or repeated exposure. |
|-------|--|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically and supportively. |
|-----------|---|

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

| | | |
|-------------------------|---|---|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equipment. |
| Advice on safe handling | : | Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.

Advice on common storage : Do not store with the following product types:

- Strong oxidizing agents
- Self-reactive substances and mixtures
- Organic peroxides
- Flammable solids
- Pyrophoric liquids
- Pyrophoric solids
- Self-heating substances and mixtures
- Substances and mixtures, which in contact with water, emit flammable gases
- Explosives
- Gases
- Very acutely toxic substances and mixtures

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|---|----------|-------------------------------|-----------------------------------|-------------|
| 2-(2-Butoxyethoxy)ethanol | 112-34-5 | TWA | 10 ppm 67,5 mg/m ³ | 2006/15/EC |
| | | STEL | 15 ppm 101,2 mg/m ³ | 2006/15/EC |
| Ethanol | 64-17-5 | OEL- RL STEL/C | 2.000 ppm | ZA OEL |
| Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents | | | | |
| N-Methyl-2-pyrrolidone | 872-50-4 | TWA | 10 ppm 40 mg/m ³ | 2009/161/EU |
| | | STEL | 20 ppm 80 mg/m ³ | 2009/161/EU |
| | | TWA | 10 ppm 40 mg/m ³ | 2004/37/EC |
| | | STEL | 20 ppm | 2004/37/EC |

Fluazuron / Fipronil Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 557859-00020 Date of last issue: 28.09.2024
 Date of first issue: 15.03.2016

| | | | | |
|----------------|---------------------------|------------|------------------|----------|
| | | | 80 mg/m3 | |
| Fluazuron | 86811-58-7 | TWA | 60 µg/m3 (OEB 3) | Internal |
| | | Wipe limit | 600 µg/ 100cm2 | Internal |
| Fipronil (ISO) | 120068-37-3 | TWA | 2 µg/m3 (OEB 4) | Internal |
| | Further information: Skin | | | |
| | | Wipe limit | 20 µg/100 cm2 | Internal |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------------------|-----------|-----------------|----------------------------|-------------------|
| N-Methyl-2-pyrrolidone | Workers | Inhalation | Long-term systemic effects | 14,4 mg/m3 |
| | Workers | Inhalation | Long-term local effects | 40 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 4,8 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 3,6 mg/m3 |
| | Consumers | Inhalation | Long-term local effects | 4,5 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 2,4 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 0,85 mg/kg bw/day |
| Ethanol | Workers | Inhalation | Long-term systemic effects | 380 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 267 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 114 mg/m3 |
| 2-(2-Butoxyethoxy)ethanol | Workers | Inhalation | Long-term systemic effects | 67,5 mg/m3 |
| | Workers | Inhalation | Long-term local effects | 67,5 mg/m3 |
| | Workers | Inhalation | Acute local effects | 101,2 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 83 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 40,5 mg/m3 |
| | Consumers | Inhalation | Long-term local effects | 40,5 mg/m3 |
| | Consumers | Inhalation | Acute local effects | 60,7 mg/m3 |
| 2,6-Di-tert-butyl-p-cresol | Consumers | Skin contact | Long-term systemic effects | 50 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 5 mg/kg bw/day |
| | Workers | Inhalation | Long-term systemic effects | 3,5 mg/m3 |
| | Workers | Dermal | Long-term systemic effects | 0,5 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 0,86 mg/m3 |

SAFETY DATA SHEET



Fluazuron / Fipronil Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 557859-00020 Date of last issue: 28.09.2024
Date of first issue: 15.03.2016

| | | | | |
|----------------------------|-----------|--------------|----------------------------|-------------------|
| | Consumers | Dermal | Long-term systemic effects | 0,25 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 0,25 mg/kg bw/day |
| tert-Butyl-4-methoxyphenol | Workers | Inhalation | Long-term systemic effects | 4,93 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 1,4 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 0,87 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 0,5 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 0,5 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name | Environmental Compartment | Value |
|----------------------------|----------------------------|-------------------------------|
| N-Methyl-2-pyrrolidone | Fresh water | 0,25 mg/l |
| | Freshwater - intermittent | 5 mg/l |
| | Marine water | 0,025 mg/l |
| | Sewage treatment plant | 10 mg/l |
| | Fresh water sediment | 1,09 mg/kg dry weight (d.w.) |
| | Marine sediment | 0,109 mg/kg dry weight (d.w.) |
| | Soil | 0,07 mg/kg dry weight (d.w.) |
| Ethanol | Fresh water | 0,96 mg/l |
| | Freshwater - intermittent | 2,75 mg/l |
| | Marine water | 0,79 mg/l |
| | Sewage treatment plant | 580 mg/l |
| | Fresh water sediment | 3,6 mg/kg dry weight (d.w.) |
| | Marine sediment | 2,9 mg/kg dry weight (d.w.) |
| | Soil | 0,63 mg/kg dry weight (d.w.) |
| | Oral (Secondary Poisoning) | 380 mg/kg food |
| 2-(2-Butoxyethoxy)ethanol | Fresh water | 1,1 mg/l |
| | Freshwater - intermittent | 11 mg/l |
| | Marine water | 0,11 mg/l |
| | Sewage treatment plant | 200 mg/l |
| | Fresh water sediment | 4,4 mg/kg dry weight (d.w.) |
| | Marine sediment | 0,44 mg/kg dry weight (d.w.) |
| | Soil | 0,32 mg/kg dry weight (d.w.) |
| | Secondary Poisoning | 56 mg/kg food |
| 2,6-Di-tert-butyl-p-cresol | Fresh water | 0,199 µg/l |
| | Intermittent use/release | 0,02 µg/l |
| | Marine water | 0,02 µg/l |
| | Sewage treatment plant | 0,17 mg/l |
| | Fresh water sediment | 0,0996 mg/kg dry |

Fluazuron / Fipronil Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 557859-00020 Date of last issue: 28.09.2024
 Date of first issue: 15.03.2016

| | | |
|----------------------------|-----------------------------|---------------------------------|
| | | weight (d.w.) |
| | Marine sediment | 0,00996 mg/kg dry weight (d.w.) |
| | Soil | 0,04769 mg/kg dry weight (d.w.) |
| | Oral (Secondary Poisoning) | 8,33 mg/kg food |
| tert-Butyl-4-methoxyphenol | Fresh water | 0,0124 mg/l |
| | Freshwater - intermittent | 0,0156 mg/l |
| | Marine water | 0,00124 mg/l |
| | Marine water - intermittent | 0,00156 mg/l |
| | Fresh water sediment | 1,78 mg/kg dry weight (d.w.) |
| | Marine sediment | 0,178 mg/kg dry weight (d.w.) |
| | Soil | 0,348 mg/kg dry weight (d.w.) |

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

- Eye/face protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
- Skin and body protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially contaminated clothing.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type (A-P)

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

| | | |
|--|---|--|
| Appearance | : | liquid |
| Colour | : | light yellow |
| Odour | : | solvent-like |
| Odour Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | 32 °C |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | Not applicable |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |
| Relative density | : | No data available |
| Solubility(ies) | | |
| Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |

9.2 Other information

| | | |
|------------------|---|-------------------|
| Molecular weight | : | No data available |
| Particle size | : | No data available |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:**2-(2-Butoxyethoxy)ethanol:**

Acute oral toxicity : LD50 (Mouse): 2.410 mg/kg

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Acute dermal toxicity : LD50 (Rabbit): 2.764 mg/kg

Ethanol:

Acute oral toxicity : LD50 (Rat): 10.470 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116,9 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15.800 mg/kg

N-Methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4.150 mg/kg
Method: OECD Test Guideline 401
Remarks: The test was conducted equivalent or similar to guideline

Acute inhalation toxicity : LC50 (Rat): > 5,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: The test was conducted according to guideline

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
Remarks: The test was conducted equivalent or similar to guideline

Fluazuron:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6,0 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402

Fipronil (ISO):

Acute oral toxicity : LD50 (Rat): 92 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,36 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 354 mg/kg

2,6-Di-tert-butyl-p-cresol:

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

tert-Butyl-4-methoxyphenol:

Acute oral toxicity : LD50 (Rabbit): 2.100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:**2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

N-Methyl-2-pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation
Remarks : The test was conducted equivalent or similar to guideline

Fluazuron:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Fipronil (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit
Method : OECD Test Guideline 404

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Result : No skin irritation
Remarks : Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Ethanol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

N-Methyl-2-pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days
Remarks : The test was conducted equivalent or similar to guideline

Fluazuron:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Mild eye irritation

Fipronil (ISO):

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Based on data from similar materials

tert-Butyl-4-methoxyphenol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Remarks : Based on data from similar materials

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**2-(2-Butoxyethoxy)ethanol:**

| | | |
|-----------------|---|-------------------|
| Test Type | : | Maximisation Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |

Ethanol:

| | | |
|-----------------|---|--------------------------------|
| Test Type | : | Mouse ear swelling test (MEST) |
| Exposure routes | : | Skin contact |
| Species | : | Mouse |
| Result | : | negative |

N-Methyl-2-pyrrolidone:

| | | |
|-----------------|---|--------------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Exposure routes | : | Skin contact |
| Species | : | Mouse |
| Method | : | OECD Test Guideline 429 |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

Fluazuron:

| | | |
|-----------------|---|--------------|
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Result | : | negative |

Fipronil (ISO):

| | | |
|-----------------|---|-------------------------|
| Test Type | : | Buehler Test |
| Exposure routes | : | Skin contact |
| Species | : | Guinea pig |
| Method | : | OECD Test Guideline 406 |
| Result | : | negative |

2,6-Di-tert-butyl-p-cresol:

| | | |
|-----------------|---|--|
| Test Type | : | Human repeat insult patch test (HRIPT) |
| Exposure routes | : | Skin contact |
| Species | : | Humans |
| Result | : | negative |

tert-Butyl-4-methoxyphenol:

| | | |
|-----------|---|--|
| Test Type | : | Human repeat insult patch test (HRIPT) |
|-----------|---|--|

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Exposure routes : Skin contact
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**2-(2-Butoxyethoxy)ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Result: negative

Ethanol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Ingestion
Result: negative

N-Methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: The test was conducted according to guideline

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: The test was conducted according to guideline

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Method: OECD Test Guideline 482
Result: negative
Remarks: The test was conducted equivalent or similar to guideline

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: The test was conducted according to guideline

Fluazuron:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA Repair
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Hamster
Result: equivocal

Fipronil (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Rat
Application Route: Ingestion
Result: negative

tert-Butyl-4-methoxyphenol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-
thesis in mammalian cells (in vitro)
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**N-Methyl-2-pyrrolidone:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Method : OECD Test Guideline 451
Result : negative
Remarks : The test was conducted according to guideline

Species : Rat
Application Route : Inhalation
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : negative
Remarks : The test was conducted equivalent or similar to guideline

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Fluazuron:

| | |
|-------------------|---------------------------|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 2 Years |
| Method | : OECD Test Guideline 453 |
| Result | : negative |

| | |
|-------------------|-------------|
| Species | : Mouse |
| Application Route | : Ingestion |
| Exposure time | : 2 Years |
| Result | : negative |

Fipronil (ISO):

| | |
|-------------------|--|
| Species | : Mouse |
| Application Route | : Ingestion |
| Exposure time | : 78 weeks |
| Method | : Directive 67/548/EEC, Annex V, B.32. |
| Result | : negative |

| | |
|-------------------|--|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 104 weeks |
| Method | : Directive 67/548/EEC, Annex, B.33 |
| Result | : positive |
| Remarks | : The mechanism or mode of action is not relevant in humans. |

2,6-Di-tert-butyl-p-cresol:

| | |
|-------------------|-------------|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 22 Months |
| Result | : negative |

tert-Butyl-4-methoxyphenol:

| | |
|-------------------|-------------|
| Species | : Rat |
| Application Route | : Ingestion |
| Exposure time | : 104 weeks |
| Result | : positive |

| | |
|-------------------|-----------------|
| Species | : Hamster, male |
| Application Route | : Ingestion |
| Exposure time | : 24 weeks |
| Result | : positive |

| | |
|------------------------------|---|
| Carcinogenicity - Assessment | : Limited evidence of carcinogenicity in animal studies |
|------------------------------|---|

Reproductive toxicity

May damage the unborn child.

Components:**2-(2-Butoxyethoxy)ethanol:**

| | |
|----------------------|---|
| Effects on fertility | : Test Type: One-generation reproduction toxicity study |
|----------------------|---|

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 415
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Mouse
 Application Route: Ingestion
 Result: negative

N-Methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 416
 Result: negative
 Remarks: The test was conducted according to guideline

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 414
 Result: positive
 Remarks: The test was conducted according to guideline

Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: inhalation (vapour)
 Method: OECD Test Guideline 414
 Result: positive
 Remarks: The test was conducted equivalent or similar to guideline

Test Type: Embryo-foetal development
 Species: Rabbit
 Application Route: Ingestion
 Method: OECD Test Guideline 414
 Result: positive
 Remarks: The test was conducted equivalent or similar to guideline

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Fluazuron:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

Fipronil (ISO):

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

tert-Butyl-4-methoxyphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

STOT - single exposure

May cause respiratory irritation.

Components:**N-Methyl-2-pyrrolidone:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:**Fipronil (ISO):**

| | |
|-----------------|--|
| Exposure routes | : Ingestion |
| Target Organs | : Central nervous system, Kidney |
| Assessment | : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less. |

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity**Components:****2-(2-Butoxyethoxy)ethanol:**

| | |
|-------------------|---------------------------|
| Species | : Rat |
| NOAEL | : 250 mg/kg |
| LOAEL | : 1.000 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 90 Days |
| Method | : OECD Test Guideline 408 |

| | |
|-------------------|---------------------------|
| Species | : Rat |
| NOAEL | : $\geq 0,094$ mg/l |
| Application Route | : inhalation (vapour) |
| Exposure time | : 90 Days |
| Method | : OECD Test Guideline 413 |

| | |
|-------------------|----------------------|
| Species | : Rat |
| NOAEL | : ≥ 2.000 mg/kg |
| Application Route | : Skin contact |
| Exposure time | : 90 Days |

Ethanol:

| | |
|-------------------|---------------|
| Species | : Rat |
| NOAEL | : 1.730 mg/kg |
| LOAEL | : 3.200 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 90 Days |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

N-Methyl-2-pyrrolidone:

| | |
|-------------------|---|
| Species | : Rat, male |
| NOAEL | : 169 mg/kg |
| LOAEL | : 433 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 90 Days |
| Method | : OECD Test Guideline 408 |
| Remarks | : The test was conducted according to guideline |

| | |
|-------------------|---|
| Species | : Rat |
| NOAEL | : 0,5 mg/l |
| LOAEL | : 1 mg/l |
| Application Route | : inhalation (dust/mist/fume) |
| Exposure time | : 96 Days |
| Method | : OECD Test Guideline 413 |
| Remarks | : The test was conducted according to guideline |

| | |
|-------------------|---|
| Species | : Rabbit, male |
| NOAEL | : 826 mg/kg |
| LOAEL | : 1.653 mg/kg |
| Application Route | : Skin contact |
| Exposure time | : 20 Days |
| Method | : OECD Test Guideline 410 |
| Remarks | : The test was conducted equivalent or similar to guideline |

Fluazuron:

| | |
|-------------------|-----------------------------------|
| Species | : Rat |
| LOAEL | : 240 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 13 Weeks |
| Target Organs | : Liver, Thyroid, Pituitary gland |

| | |
|-------------------|----------------|
| Species | : Rat |
| NOAEL | : 10 mg/kg |
| LOAEL | : 100 mg/kg |
| Application Route | : Skin contact |
| Exposure time | : 3 Weeks |

| | |
|-------------------|-------------|
| Species | : Dog |
| NOAEL | : 7,5 mg/kg |
| LOAEL | : 110 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 52 Weeks |
| Target Organs | : Liver |

Fipronil (ISO):

| | |
|-------------------|---------------------------|
| Species | : Rabbit |
| NOAEL | : 5 mg/kg |
| LOAEL | : 10 mg/kg |
| Application Route | : Skin contact |
| Exposure time | : 21 Days |
| Method | : OECD Test Guideline 410 |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

| | |
|-------------------|-------------------------------------|
| Species | : Rat, male |
| NOAEL | : 0,059 mg/kg |
| LOAEL | : 0,019 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 89 Weeks |
| Method | : Directive 67/548/EEC, Annex, B.33 |

2,6-Di-tert-butyl-p-cresol:

| | |
|-------------------|-------------|
| Species | : Rat |
| NOAEL | : 25 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 22 Months |

tert-Butyl-4-methoxyphenol:

| | |
|-------------------|-------------|
| Species | : Rat |
| NOAEL | : 50 mg/kg |
| LOAEL | : 250 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 8 Months |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****N-Methyl-2-pyrrolidone:**

| | |
|--------------|-----------------------------|
| Skin contact | : Symptoms: Skin irritation |
|--------------|-----------------------------|

SECTION 12: Ecological information**12.1 Toxicity****Components:****2-(2-Butoxyethoxy)ethanol:**

| | |
|---|---|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.300 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 |
| | NOEC (Desmodesmus subspicatus (green algae)): >= 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Toxicity to microorganisms : EC10 : > 1.995 mg/l
Exposure time: 30 min

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14.200 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Protozoa): 5.800 mg/l
Exposure time: 4 h

Toxicity to fish (Chronic toxicity) : NOEC: >= 79 mg/l
Exposure time: 100 d
Species: Oryzias latipes (Japanese medaka)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9,6 mg/l
Exposure time: 9 d
Species: Daphnia magna (Water flea)

N-Methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 24 h
Method: DIN 38412
Remarks: The test was conducted according to guideline

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 600,5 mg/l
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 92,6 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (activated sludge): > 600 mg/l
Exposure time: 30 min
Method: ISO 8192
Remarks: The test was conducted according to guideline

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 12,5 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: The test was conducted according to guideline

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Fluazuron:

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 9,1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia sp. (water flea)): 0,0006 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : NOEC (Raphidocelis subcapitata (freshwater green alga)): 27,9 mg/l
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 1.000
- M-Factor (Chronic aquatic toxicity) : 1.000

Fipronil (ISO):

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 85,2 µg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Mysidopsis bahia (opossum shrimp)): 0,14 µg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 68 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
- NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1.000
- Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 2,9 µg/l
Exposure time: 35 d
Species: Cyprinodon variegatus (sheepshead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0077 µg/l
Exposure time: 28 d
Species: Mysidopsis bahia (opossum shrimp)
- M-Factor (Chronic aquatic toxicity) : 10.000

2,6-Di-tert-butyl-p-cresol:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,57 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,48 mg/l

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

| | | |
|--|---|---|
| aquatic invertebrates | : | Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to microorganisms | : | EC50 : > 10.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |
| Toxicity to fish (Chronic toxicity) | : | NOEC: 0,053 mg/l Exposure time: 30 d Species: Oryzias latipes (Japanese medaka) Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,316 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) |
| M-Factor (Chronic aquatic toxicity) | : | 1 |
| tert-Butyl-4-methoxyphenol: | | |
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): 1,56 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 2,3 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,25 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

12.2 Persistence and degradability

Components:**2-(2-Butoxyethoxy)ethanol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 85 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

Ethanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

N-Methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 73 %
Exposure time: 28 d
Method: OECD Test Guideline 301C
Remarks: The test was conducted according to guideline

Fipronil (ISO):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 47 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 4,5 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Components:**2-(2-Butoxyethoxy)ethanol:**

Partition coefficient: n-octanol/water : log Pow: 1

Ethanol:

Partition coefficient: n-octanol/water : log Pow: -0,35

N-Methyl-2-pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0,46
Method: OECD Test Guideline 107
Remarks: The test was conducted according to guideline

Fluazuron:

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Partition coefficient: n-octanol/water : log Pow: 5,1

Fipronil (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 321

Partition coefficient: n-octanol/water : log Pow: 4

2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 330 - 1.800

Partition coefficient: n-octanol/water : log Pow: 5,1

tert-Butyl-4-methoxyphenol:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)
Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-octanol/water : log Pow: 2,82
Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : Dispose of in accordance with local regulations.
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Do not dispose of waste into sewer.

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

| | |
|------|-----------|
| ADN | : UN 1170 |
| ADR | : UN 1170 |
| RID | : UN 1170 |
| IMDG | : UN 1170 |
| IATA | : UN 1170 |

14.2 UN proper shipping name

| | |
|------|---|
| ADN | : ETHANOL SOLUTION |
| ADR | : ETHANOL SOLUTION |
| RID | : ETHANOL SOLUTION |
| IMDG | : ETHANOL SOLUTION (Fluazuron, Fipronil (ISO)) |
| IATA | : Ethanol solution |

14.3 Transport hazard class(es)

| | Class | Subsidiary risks |
|------|-------|------------------|
| ADN | : 3 | |
| ADR | : 3 | |
| RID | : 3 | |
| IMDG | : 3 | |
| IATA | : 3 | |

14.4 Packing group

| | |
|------------------------------|---------|
| ADN | |
| Packing group | : III |
| Classification Code | : F1 |
| Hazard Identification Number | : 30 |
| Labels | : 3 |
| ADR | |
| Packing group | : III |
| Classification Code | : F1 |
| Hazard Identification Number | : 30 |
| Labels | : 3 |
| Tunnel restriction code | : (D/E) |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

RID

| | |
|------------------------------|-------|
| Packing group | : III |
| Classification Code | : F1 |
| Hazard Identification Number | : 30 |
| Labels | : 3 |

IMDG

| | |
|---------------|------------|
| Packing group | : III |
| Labels | : 3 |
| EmS Code | : F-E, S-D |

IATA (Cargo)

| | |
|--------------------------------------|---------------------|
| Packing instruction (cargo aircraft) | : 366 |
| Packing instruction (LQ) | : Y344 |
| Packing group | : III |
| Labels | : Flammable Liquids |

IATA (Passenger)

| | |
|--|---------------------|
| Packing instruction (passenger aircraft) | : 355 |
| Packing instruction (LQ) | : Y344 |
| Packing group | : III |
| Labels | : Flammable Liquids |

14.5 Environmental hazards**ADN**

| | |
|---------------------------|-------|
| Environmentally hazardous | : yes |
|---------------------------|-------|

ADR

| | |
|---------------------------|-------|
| Environmentally hazardous | : yes |
|---------------------------|-------|

RID

| | |
|---------------------------|-------|
| Environmentally hazardous | : yes |
|---------------------------|-------|

IMDG

| | |
|------------------|-------|
| Marine pollutant | : yes |
|------------------|-------|

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

| | |
|---------|---|
| Remarks | : Not applicable for product as supplied. |
|---------|---|

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The components of this product are reported in the following inventories:

| | |
|------|------------------|
| AICS | : not determined |
|------|------------------|

| | |
|-----|------------------|
| DSL | : not determined |
|-----|------------------|

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

| | |
|-------|---|
| H225 | : Highly flammable liquid and vapour. |
| H301 | : Toxic if swallowed. |
| H311 | : Toxic in contact with skin. |
| H315 | : Causes skin irritation. |
| H319 | : Causes serious eye irritation. |
| H330 | : Fatal if inhaled. |
| H335 | : May cause respiratory irritation. |
| H351 | : Suspected of causing cancer. |
| H360D | : May damage the unborn child. |
| H361d | : Suspected of damaging the unborn child. |
| H372 | : Causes damage to organs through prolonged or repeated exposure. |
| H400 | : Very toxic to aquatic life. |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H411 | : Toxic to aquatic life with long lasting effects. |

Full text of other abbreviations

| | |
|-------------------|--|
| Acute Tox. | : Acute toxicity |
| Aquatic Acute | : Short-term (acute) aquatic hazard |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Carc. | : Carcinogenicity |
| Eye Irrit. | : Eye irritation |
| Flam. Liq. | : Flammable liquids |
| Repr. | : Reproductive toxicity |
| Skin Irrit. | : Skin irritation |
| STOT RE | : Specific target organ toxicity - repeated exposure |
| STOT SE | : Specific target organ toxicity - single exposure |
| 2004/37/EC | : Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III |
| 2006/15/EC | : Europe. Indicative occupational exposure limit values |
| 2009/161/EU | : Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC |
| ZA OEL | : South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits |
| 2004/37/EC / STEL | : Short term exposure limit |
| 2004/37/EC / TWA | : Long term exposure limit |
| 2006/15/EC / TWA | : Limit Value - eight hours |
| 2006/15/EC / STEL | : Short term exposure limit |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

| | | |
|-------------------------|---|---|
| 2009/161/EU / TWA | : | Limit Value - eight hours |
| 2009/161/EU / STEL | : | Short term exposure limit |
| ZA OEL / OEL- RL STEL/C | : | Occupational Exposure Limit Restricted limit - Short term occupational exposure limits / ceiling limits |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

| | |
|-----------------|-------|
| Flam. Liq. 3 | H226 |
| Skin Irrit. 2 | H315 |
| Eye Irrit. 2 | H319 |
| Repr. 1B | H360D |
| STOT SE 3 | H335 |
| STOT RE 2 | H373 |
| Aquatic Acute 1 | H400 |

Classification procedure:

| |
|-------------------------------------|
| Based on product data or assessment |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

Fluazuron / Fipronil Formulation

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 28.09.2024 |
| 8.1 | 14.04.2025 | 557859-00020 | Date of first issue: 15.03.2016 |

Aquatic Chronic 1

H410

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN