According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Flumethrin (2%) Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Acute toxicity, Category 3

Acute toxicity, Category 2

Skin irritation, Category 2

Five irritation Category 2

H301: Toxic if swallowed.

H310: Fatal in contact with skin.

H315: Causes skin irritation.

H319: Causes serious eve irritation.

Eye irritation, Category 2

Reproductive toxicity, Category 1B

Specific target organ toxicity - single ex
H319: Causes serious eye irritation.

H360D: May damage the unborn child.

H371: May cause damage to organs.

posure, Category 2

Specific target organ toxicity - repeated

exposure, Category 2

Aspiration hazard, Category 1

H373: May cause damage to organs through pro-

longed or repeated exposure.

H304: May be fatal if swallowed and enters air-

ways.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Hazard pictograms :







Signal word : Danger

Hazard statements : H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H310 Fatal in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H360D May damage the unborn child

H360D May damage the unborn child. H371 May cause damage to organs.

H373 May cause damage to organs through prolonged

or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER/ doctor. Rinse mouth.

P302 + P352 + P310 IF ON SKIN: Wash with plenty of wa-

ter. Immediately call a POISON CENTER/ doctor.

P391 Collect spillage.

Hazardous components which must be listed on the label:

Paraffin oil

Xylene

Flumethrin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 06.04.2024
 10225282-00007
 Date of first issue: 12.11.2021

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Paraffin oil	8012-95-1 232-384-2	Asp. Tox. 1; H304 Aquatic Chronic 4; H413	>= 50 - < 70
Xylene	1330-20-7 215-535-7 601-022-00-9	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 STOT RE 2; H373 (Auditory system) Asp. Tox. 1; H304 Aquatic Chronic 3; H412	>= 10 - < 20
Flumethrin	69770-45-2 274-110-4	Acute Tox. 2; H300 Acute Tox. 1; H310 Eye Irrit. 2; H319 Repr. 1B; H360D STOT SE 1; H370 STOT RE 1; H372 Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	>= 2.5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 06.04.2024 10225282-00007 Date of first issue: 12.11.2021 5.0

> Get medical attention immediately. Wash clothing before reuse. Destroy contaminated shoes.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks Toxic if swallowed.

May be fatal if swallowed and enters airways.

Fatal in contact with skin. Causes skin irritation. Causes serious eve irritation. May damage the unborn child. May cause damage to organs.

May cause damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- :

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- : Carbon oxides

ucts

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Only trained personnel should re-enter the area.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable liquids Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases

Explosives

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 06.04.2024
 10225282-00007
 Date of first issue: 12.11.2021

Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Xylene	1330-20-7	TWA	50 ppm	GB EH40
			220 mg/m3	
	Further inform	nation: Can be absor	bed through the skin. The as	signed sub-
	stances are th	nose for which there	are concerns that dermal abs	sorption will
	lead to syster	nic toxicity.		
		STEL	100 ppm	GB EH40
			441 mg/m3	
	Further inform	nation: Can be absor	bed through the skin. The as	signed sub-
	stances are th	stances are those for which there are concerns that dermal absorption will		
	lead to syster	lead to systemic toxicity.		
		TWA	50 ppm	2000/39/EC
			221 mg/m3	
	Further information: Identifies the possibility of significant uptake through the			e through the
	skin, Indicative			
		STEL	100 ppm	2000/39/EC
			442 mg/m3	
	Further inform	Further information: Identifies the possibility of significant uptake through the		
	skin, Indicativ	skin, Indicative		
Flumethrin	69770-45-2	TWA	45 μg/m3 (OEB 3)	Internal
	Further inform	Further information: Skin		
		Wipe limit	450 μg/100 cm ²	Internal

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Xylene	1330-20-7	methyl hippuric acid: 650 Millimo- les per mole creat- inine (Urine)	After shift	GB EH40 BAT

Derived No Effect Level (DNEL):

	- (
Substance name	End Use	Exposure routes	Potential health effects	Value
Xylene	Workers	Inhalation	Long-term systemic effects	221 mg/m3
	Workers	Inhalation	Acute systemic effects	442 mg/m3

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 06.04.2024
 10225282-00007
 Date of first issue: 12.11.2021

	Workers	Inhalation	Long-term local ef- fects	221 mg/m3
	Workers	Inhalation	Acute local effects	442 mg/m3
	Workers	Skin contact	Long-term systemic effects	212 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	65.3 mg/m3
	Consumers	Inhalation	Acute systemic ef- fects	260 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	65.3 mg/m3
	Consumers	Inhalation	Acute local effects	260 mg/m3
	Consumers	Skin contact	Long-term systemic effects	125 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12.5 mg/kg bw/day
Glycerides, mixed decanoyl and octanoyl	Workers	Inhalation	Long-term systemic effects	177.79 mg/m3
,	Workers	Skin contact	Long-term systemic effects	25.21 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	43.84 mg/m3
	Consumers	Skin contact	Long-term systemic effects	12.61 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	12.61 mg/kg bw/day
Paraffin oil	Workers	Inhalation	Long-term systemic effects	5 mg/m3
	Workers	Inhalation	Short-term exposure	5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	5 mg/m3
	Workers	Inhalation	Acute local effects	5 mg/m3

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Xylene	Fresh water	0.327 mg/l
	Intermittent use/release	0.327 mg/l
	Marine water	0.327 mg/l
	Sewage treatment plant	6.58 mg/l
	Fresh water sediment	12.46 mg/kg dry weight (d.w.)
	Marine sediment	12.46 mg/kg dry weight (d.w.)
	Soil	2.31 mg/kg dry weight (d.w.)
Glycerides, mixed decanoyl and octanoyl	Oral (Secondary Poisoning)	0.03 mg/kg food

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 06.04.2024
 10225282-00007
 Date of first issue: 12.11.2021

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid
Colour : light brown
Odour : odourized

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

Flammability (solid, gas) May form explosive dust-air mixture during processing, han-

dling or other means.

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

flammability limit

Vapour pressure No data available

No data available Relative vapour density

Relative density No data available

0.750 - 0.950 g/cm³ Density

Solubility(ies)

Water solubility Partition coefficient: n-

octanol/water

No data available

Not applicable

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) Not applicable

Molecular weight No data available

Particle size Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions May form explosive dust-air mixture during processing, han-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of:

exposure

: Inhalation Skin contact

> Ingestion Eye contact

Acute toxicity

Toxic if swallowed.

Fatal in contact with skin.

Product:

Acute oral toxicity : Acute toxicity estimate: 187.52 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 183.33 mg/kg

Method: Calculation method

Components:

Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Xylene:

Acute oral toxicity : LD50 (Rat): 3,523 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l

Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement

Remarks: Based on national or regional regulation.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Flumethrin:

Acute oral toxicity : LD50 (Rat): > 20 mg/kg

LD50 (Mouse): > 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,934 mg/l

Acute dermal toxicity : LD50 (Rat): > 5 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Paraffin oil:

Species : Rabbit

Result : No skin irritation

Xylene:

Species : Rabbit Result : Skin irritation

Flumethrin:

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Paraffin oil:

Species : Rabbit

Result : No eye irritation

Xylene:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Flumethrin:

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Xylene:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Skin contact

Result: negative

Flumethrin:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Result: equivocal

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: positive

Remarks: Not classified due to inconclusive data.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: in vitro micronucleus test

Test system: Mouse Result: negative

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Xylene:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Flumethrin:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 0.5 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

Reproductive toxicity

May damage the unborn child.

Components:

Xylene:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Flumethrin:

Effects on foetal develop-

Test Type: Development

ment

Species: Rat

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

Application Route: Oral

Developmental Toxicity: NOAEL: 0.36 mg/kg body weight Result: Maternal toxicity observed., Reduced offspring weight

gain, foetal abnormalities

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 0.5 mg/kg body weight Result: Maternal toxicity observed., Skeletal malformations,

Reduced foetal weight

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 1.7 mg/kg body weight

Result: No teratogenic potential

Reproductive toxicity - As-

sessment

May damage the unborn child.

STOT - single exposure

May cause damage to organs.

Components:

Xylene:

Assessment : May cause respiratory irritation.

Flumethrin:

Exposure routes : Oral

Assessment : Causes damage to organs.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Xylene:

Exposure routes : inhalation (vapour)
Target Organs : Auditory system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.2 to 1 mg/l/6h/d.

Flumethrin:

Exposure routes : Oral

Assessment : Causes damage to organs through prolonged or repeated

exposure.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

Repeated dose toxicity

Components:

Paraffin oil:

Species Rat, female LOAEL 161 mg/kg Application Route Ingestion Exposure time 90 Days

Xylene:

Species Rat

LOAEL Application Route Exposure time > 0.2 - 1 mg/linhalation (vapour)

13 Weeks

Remarks Based on data from similar materials

Rat

Species
LOAEL
Application Route 150 mg/kg : Ingestion Exposure time 90 Days

Flumethrin:

Species
NOAEL
Application Route
Exposure time Rat 0.7 mg/kg Oral 13 Weeks

: digestive system, Skin

Symptoms decrease in appetite, Skin disorders

Species Dog

NOAEL : 0.88 mg/kg NOAEL Application Route : Oral Exposure time : 13 Weeks

Target Organs digestive system, Hair, Skin

Symptoms decrease in appetite, Skin disorders

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 06.04.2024 10225282-00007 Date of first issue: 12.11.2021 5.0

SECTION 12: Ecological information

12.1 Toxicity

Components:

Paraffin oil:

Toxicity to fish LL50 (Scophthalmus maximus (turbot)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aguatic

plants

EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Xvlene:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): 10 mg/l

Exposure time: 72 h

NOEC: > 100 mg/l Toxicity to microorganisms

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC: > 0.1 - < 1 mg/l

Exposure time: 35 d

Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other: aquatic invertebrates (Chron-

EL10: > 1 - 10 mg/lExposure time: 21 d

17 / 24

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

ic toxicity) Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Flumethrin:

Toxicity to fish (Chronic tox- : NOEC: 0.046 mg/l

icity) Exposure time: 144 h

Species: Danio rerio (zebra fish)

Species. Danio reno (Zebra fisti)

M-Factor (Chronic aquatic :

toxicity)

12.2 Persistence and degradability

Components:

Xylene:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 70 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Paraffin oil:

Partition coefficient: n- : log Pow: > 4

octanol/water Remarks: Calculation

Xylene:

Partition coefficient: n- : log Pow: 3.16

octanol/water Remarks: Calculation

Flumethrin:

Partition coefficient: n- : log Pow: 6.2

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 2810
ADR : UN 2810
RID : UN 2810
IMDG : UN 2810
IATA : UN 2810

14.2 UN proper shipping name

ADN : TOXIC LIQUID, ORGANIC, N.O.S.

(Flumethrin)

ADR : TOXIC LIQUID, ORGANIC, N.O.S.

(Flumethrin)

RID : TOXIC LIQUID, ORGANIC, N.O.S.

(Flumethrin)

IMDG : TOXIC LIQUID, ORGANIC, N.O.S.

(Flumethrin)

IATA : Toxic liquid, organic, n.o.s.

(Flumethrin)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 6.1

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
5.0	06.04.2024	10225282-00007	Date of first issue: 12.11.2021

 ADR
 : 6.1

 RID
 : 6.1

 IMDG
 : 6.1

 IATA
 : 6.1

14.4 Packing group

ADN

Packing group : II
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1

ADR

Packing group : II
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1
Tunnel restriction code : (D/E)

RID

Packing group : II
Classification Code : T1
Hazard Identification Number : 60
Labels : 6.1

IMDG

Packing group : II Labels : 6.1 EmS Code : F-A, S-A

IATA (Cargo)

Packing instruction (cargo : 662

aircraft)

Packing instruction (LQ) : Y641
Packing group : II
Labels : Toxic

IATA (Passenger)

Packing instruction (passen- : 654

ger aircraft)

Packing instruction (LQ) : Y641
Packing group : II
Labels : Toxic

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 06.04.2024
 10225282-00007
 Date of first issue: 12.11.2021

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained : Not applicable Regulation (EU) 2019/1021 as amended for Great Brit-

nin)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Quantity 1 Quantity 2

H2 ACUTE TOXIC 50 t 200 t

E2 ENVIRONMENTAL 200 t 500 t

HAZARDS

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 5.0 06.04.2024 10225282-00007 Date of first issue: 12.11.2021

relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H226 : Flammable liquid and vapour.

H300 : Fatal if swallowed.

H304 : May be fatal if swallowed and enters airways.

H310 : Fatal in contact with skin.
H312 : Harmful in contact with skin.
H315 : Causes skin irritation.

H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation. H360D : May damage the unborn child.

H370 : Causes damage to organs if swallowed.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H410 : Very toxic to aquatic life with long lasting effects.
 H412 : Harmful to aquatic life with long lasting effects.
 H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 5.0
 06.04.2024
 10225282-00007
 Date of first issue: 12.11.2021

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 BAT : UK. Biological monitoring guidance values

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sheet

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agentic better the surgery and search results are surgery and search results and European Chemicals Agentic better the surgery and search results are surgery and search results and European Chemicals Agentic better the surgery and search results are surgery as a surgery as a surgery and search results are surgery as a surge

cy, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Acute Tox. 3 H301 Calculation method
Acute Tox. 2 H310 Calculation method
Skin Irrit. 2 H315 Calculation method

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Flumethrin (2%) Formulation

Version 5.0	Revision Date: 06.04.2024	SDS Number: 10225282-00007	Date of last issue: 30.09.2023 Date of first issue: 12.11.2021	
Eye I	rrit. 2	H319	Calculation method	
Repr.	. 1B	H360D	Calculation method	
STO	Γ SE 2	H371	Calculation method	
STO	Γ RE 2	H373	Calculation method	
Asp.	Tox. 1	H304	Calculation method	
Aqua	tic Chronic 2	H411	Calculation method	

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN