according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

SECTION 1. IDENTIFICATION

Product name : Flumethrin (2%) Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Combustible dust

Acute toxicity (Oral) : Category 3

Acute toxicity (Dermal) : Category 2

Skin irritation : Category 2

Eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity

- single exposure (Oral)

Category 1

Specific target organ toxicity:

- repeated exposure (Oral)

Category 1

. . ,

Specific target organ toxicity

Category 2 (Auditory system)

- repeated exposure

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms





Signal Word : Danger

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Hazard Statements : If small particles are generated during further processing, han-

dling or by other means, may form combustible dust concentra-

tions in air.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H310 Fatal in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation. H360D May damage the unborn child.

H370 Causes damage to organs if swallowed.

H372 Causes damage to organs through prolonged or repeated

exposure if swallowed.

H373 May cause damage to organs (Auditory system) through

prolonged or repeated exposure.

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapors.

P262 Do not get in eyes, on skin, or on clothing.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection

and face protection.

Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a

POISON CENTER. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P307 + P311 IF exposed: Call a doctor.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical attention.

P337 + P313 If eye irritation persists: Get medical attention.

P352 + P310 Wash with plenty of soap and water. Immediately

call a POISON CENTER.

P361 + P364 Take off immediately all contaminated clothing and

wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Paraffin oil	8012-95-1	>= 50 - < 70
Xylene	1330-20-7	>= 10 - < 20
Flumethrin	69770-45-2	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention immediately. Wash clothing before reuse. Destroy contaminated shoes.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

Toxic if swallowed.

May be fatal if swallowed and enters airways.

delayed

Fatal in contact with skin.
Causes skin irritation.
Causes serious eye irritation

Causes serious eye irritation. May damage the unborn child.

Causes damage to organs if swallowed.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

May cause damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas.

Only trained personnel should re-enter the area.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable liquids Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Paraffin oil	8012-95-1	TWA (Inhalable particulate matter)	5 mg/m³	ACGIH
		TWA (Mist)	5 mg/m³	OSHA Z-1
		TWA (Mist)	5 mg/m³	NIOSH REL
		ST (Mist)	10 mg/m ³	NIOSH REL

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Xylene	1330-20-7	TWA	100 ppm 435 mg/m³	OSHA Z-1	
		TWA	20 ppm	ACGIH	
Flumethrin	69770-45-2	TWA	45 μg/m3 (OEB 3)	Internal	
	Further information: Skin				
		Wipe limit	450 µg/100 cm ²	Internal	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Xylene	1330-20-7	Methylhippu ric acids	Urine	End of shift (As soon as possible after exposure ceases)	1.5 g/g creatinine	ACGIH BEI

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light brown

Odor : odorized

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing,

handling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 10225133-00006 Date of first issue: 11/12/2021 1.5

Not applicable

Relative density No data available

Density 0.750 - 0.950 g/cm³

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

No data available Autoignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Stable under normal conditions. Chemical stability

Possibility of hazardous reac-

tions

May form explosive dust-air mixture during processing,

handling or other means.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Avoid dust formation.

Incompatible materials

Oxidizing agents

Hazardous decomposition

No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Toxic if swallowed. Fatal in contact with skin.

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Product:

Acute oral toxicity : Acute toxicity estimate: 186.2 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 200 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 185.64 mg/kg

Method: Calculation method

Components:

Paraffin oil:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Xylene:

Acute oral toxicity : LD50 (Rat): 3,523 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat): 27.571 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 4,200 mg/kg

Flumethrin:

Acute oral toxicity : LD50 (Rat): > 20 mg/kg

LD50 (Mouse): > 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,934 mg/l

Acute dermal toxicity : LD50 (Rat): > 5 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Components:

Paraffin oil:

Species : Rabbit

Result : No skin irritation

Xylene:

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Species : Rabbit Result : Skin irritation

Flumethrin:

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Paraffin oil:

Species : Rabbit

Result : No eye irritation

Xylene:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Flumethrin:

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Xylene:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: In vitro mammalian cell gene mutation test

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Skin contact

Result: negative

Flumethrin:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Result: equivocal

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells

Result: positive

Remarks: Not classified due to inconclusive data.

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: in vitro micronucleus test

Test system: Mouse Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Xylene:

Species : Rat
Application Route : Ingestion
Exposure time : 103 weeks
Result : negative

Flumethrin:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 0.5 mg/kg body weight

Result : negative

Carcinogenicity - Assess-

ment

Weight of evidence does not support classification as a car-

cinogen

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.

Components:

Xylene:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapor)

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: inhalation (vapor)

Result: negative

Flumethrin:

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 0.36 mg/kg body weight Result: Maternal toxicity observed., Reduced offspring weight

gain., Fetal abnormalities.

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 0.5 mg/kg body weight Result: Maternal toxicity observed., Skeletal malformations.,

Reduced fetal weight.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 1.7 mg/kg body weight

Result: No teratogenic potential.

Reproductive toxicity - As-

sessment

May damage the unborn child.

STOT-single exposure

Causes damage to organs if swallowed.

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Components:

Xylene:

Assessment : May cause respiratory irritation.

Flumethrin:

Routes of exposure : Oral

Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs (Auditory system) through prolonged or repeated exposure.

Components:

Xylene:

Routes of exposure : inhalation (vapor)
Target Organs : Auditory system

Assessment : Shown to produce significant health effects in animals at con-

centrations of >0.2 to 1 mg/l/6h/d.

Flumethrin:

Routes of exposure : Oral

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Paraffin oil:

Species : Rat, female LOAEL : 161 mg/kg Application Route : Ingestion Exposure time : 90 Days

Xylene:

Species : Rat

LOAEL : > 0.2 - 1 mg/l
Application Route : inhalation (vapor)

Exposure time : 13 Weeks

Remarks : Based on data from similar materials

Species : Rat
LOAEL : 150 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Flumethrin:

Species : Rat

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

NOAEL : 0.7 mg/kg Application Route : Oral Exposure time : 13 Weeks

Target Organs : digestive system, Skin

Symptoms : decrease in appetite, Skin disorders

Species : Dog NOAEL : 0.88

NOAEL : 0.88 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Target Organs : digestive system, Hair, Skin

Symptoms : decrease in appetite, Skin disorders

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Paraffin oil:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Paraffin oil:

Toxicity to fish : LL50 (Scophthalmus maximus (turbot)): > 100 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Acartia tonsa (Calanoid copepod)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Skeletonema costatum (marine diatom)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

NOELR (Skeletonema costatum (marine diatom)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 09/30/2023 10225133-00006 Date of first issue: 11/12/2021 1.5

Xylene:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 13.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 24 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Skeletonema costatum (marine diatom)): 10 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): > 0.1 - < 1 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EL10 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 21 d Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms NOEC: > 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Flumethrin:

Toxicity to fish (Chronic tox-

icity)

NOEC (Danio rerio (zebra fish)): 0.046 mg/l

Exposure time: 144 h

Persistence and degradability

Components:

Xvlene:

Biodegradability Result: Readily biodegradable.

> Biodegradation: > 70 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Paraffin oil:

Partition coefficient: nlog Pow: > 4

Remarks: Calculation octanol/water

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Xylene:

Partition coefficient: n- : log Pow: 3.16

octanol/water Remarks: Calculation

Flumethrin:

Partition coefficient: n-

octanol/water

log Pow: 6.2

Mobility in soil
No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 2810

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

(Flumethrin)

Class : 6.1
Packing group : II
Labels : 6.1
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 2810

Proper shipping name : Toxic liquid, organic, n.o.s.

(Flumethrin)

Class : 6.1
Packing group : II
Labels : Toxic
Packing instruction (cargo : 662

aircraft)

Packing instruction (passen: 654

ger aircraft)

IMDG-Code

UN number : UN 2810

Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.

(Flumethrin)

Class : 6.1 Packing group : II

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Labels : 6.1 EmS Code : F-A, S-A Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 2810

Proper shipping name : Toxic, liquids, organic, n.o.s.

(Flumethrin)

Class : 6.1
Packing group : II
Labels : TOXIC
ERG Code : 153

Marine pollutant : yes(Flumethrin)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Xylene	1330-20-7	100	750

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Combustible dust

Acute toxicity (any route of exposure)

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Xylene 1330-20-7 >= 10 - < 20 %

US State Regulations

Pennsylvania Right To Know

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

Paraffin oil 8012-95-1 Glycerides, mixed decanoyl and octanoyl 73398-61-5 Xylene 1330-20-7

California List of Hazardous Substances

Paraffin oil 8012-95-1 Xylene 1330-20-7

California Permissible Exposure Limits for Chemical Contaminants

Paraffin oil 8012-95-1 Xylene 1330-20-7

The ingredients of this product are reported in the following inventories:

AICS : not determined


DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:

HEALTH	*	4	
FLAMMABILITY		3	
PHYSICAL HAZARD			

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded

at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Compile the Material Safety Data Sheet

Revision Date : 09/30/2023

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to the OSHA Hazard Communication Standard



Flumethrin (2%) Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 1.5 09/30/2023 10225133-00006 Date of first issue: 11/12/2021

US / Z8