

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Flunixin Liquid (with Alcohol) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 2

Serious eye damage : Category 1

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 1 (Gastrointestinal tract, Kidney, Blood)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.
 H302 Harmful if swallowed.
 H318 Causes serious eye damage.
 H330 Fatal if inhaled.
 H360FD May damage fertility. May damage the unborn child.
 H372 Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
 P201 Obtain special instructions before use.
 P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
2-Pyrrolidone	616-45-5	Eye irritation, Category 2B Reproductive toxicity, Category 1B	>= 30 -< 50
Benzyl alcohol	100-51-6	Acute toxicity (Oral), Category 4 Acute toxicity (Inhalation), Category 4 Eye irritation, Category 2A	>= 20 -< 30
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	Acute toxicity (Oral), Category 3 Acute toxicity (Inhalation), Category 2 Serious eye damage,	>= 10 -< 20

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

		Category 1 Specific target organ toxicity - single exposure, Category 3 Specific target organ toxicity - repeated exposure (Gastrointestinal tract, Kidney, Blood), Category 1 Short-term (acute) aquatic hazard, Category 2 Long-term (chronic) aquatic hazard, Category 2	
L-Menthol	2216-51-5	Acute toxicity (Inhalation), Category 5 Skin irritation, Category 2 Eye irritation, Category 2B Short-term (acute) aquatic hazard, Category 3	>= 10 -< 20
Propan-2-ol	67-63-0	Flammable liquids, Category 2 Eye irritation, Category 2A Specific target organ toxicity - single exposure, Category 3	>= 5 -< 10

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 If not breathing, give artificial respiration.
 If breathing is difficult, give oxygen.
 Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

If swallowed	:	If easy to do, remove contact lens, if worn. Get medical attention immediately. If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes serious eye damage. Fatal if inhaled. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Fluorine compounds Nitrogen oxides (NO _x)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Remove all sources of ignition. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapors/mists with a water spray jet.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures,

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

- industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
 Store locked up.
 Keep tightly closed.
 Keep in a cool, well-ventilated place.
 Store in accordance with the particular national regulations.
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents
 Self-reactive substances and mixtures
 Organic peroxides
 Flammable liquids
 Flammable solids
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures which in contact with water emit flammable gases
 Explosives
 Gases
 Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m ³ (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	400 µg/100 cm ²	Internal
Propan-2-ol	67-63-0	LT	310 ppm 765 mg/m ³	BR OEL
	Further information: Absorption through the skin, Degree of harmfulness: medium			
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of workday at end of work-week	40 mg/l	BR BEI
		Acetone	Urine	End of	40 mg/l	ACGIH

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

				shift at end of work- week		BEI
--	--	--	--	-------------------------------------	--	-----

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.
 Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
 Filter type : Combined particulates and organic vapor type
 Hand protection
 Material : Chemical-resistant gloves
 Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
 Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
 Skin and body protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
 Color : yellow
 Odor : mint-like
 Odor Threshold : No data available
 pH : 8,0

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Melting point/freezing point : < -20 °C

Initial boiling point and boiling range : No data available

Flash point : 43,33 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1,05 g/cm³

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Flammable liquid and vapor.
Vapors may form explosive mixture with air.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.
Fatal if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 306,94 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0,301 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**2-Pyrrolidone:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1.620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

LD50 (Mouse): 176 - 249 mg/kg

LD50 (Guinea pig): 488,3 mg/kg

LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0,52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59,4 - 185,3 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 164 - 363 mg/kg
Application Route: Intraperitoneal

L-Menthol:

Acute inhalation toxicity : LC50 (Rat): 5,289 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l
Exposure time: 6 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Mild skin irritation

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

L-Menthol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Propan-2-ol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**2-Pyrrolidone:**

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Irreversible effects on the eye

L-Menthol:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days
Method : OECD Test Guideline 405

Propan-2-ol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:**2-Pyrrolidone:**

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

Species : Mouse
 Method : OECD Test Guideline 429
 Result : negative
 Remarks : Based on data from similar materials

Benzyl alcohol:

Test Type : Maximization Test
 Routes of exposure : Skin contact
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type : Maximization Test
 Routes of exposure : Dermal
 Species : Guinea pig
 Assessment : Does not cause skin sensitization.
 Result : negative

L-Menthol:

Test Type : Local lymph node assay (LLNA)
 Routes of exposure : Skin contact
 Species : Mouse
 Method : OECD Test Guideline 429
 Result : negative

Propan-2-ol:

Test Type : Buehler Test
 Routes of exposure : Skin contact
 Species : Guinea pig
 Method : OECD Test Guideline 406
 Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Method: OECD Test Guideline 476
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Result: negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: in vitro test
 Test system: mouse lymphoma cells
 Result: positive

Test Type: Chromosomal aberration
 Test system: Chinese hamster ovary cells
 Result: positive

Test Type: in vitro test
 Test system: Escherichia coli
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Application Route: Oral
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
 Result: negative
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
 cytogenetic assay)
 Species: Mouse
 Application Route: Intraperitoneal injection
 Method: OECD Test Guideline 474
 Result: negative
 Remarks: Based on data from similar materials

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

Propan-2-ol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	18 month(s)
Result	:	negative
Remarks	:	Based on data from similar materials

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	:	Rat
Application Route	:	oral (feed)
Exposure time	:	104 w
LOAEL	:	2 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing

Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	97 w
NOAEL	:	0,6 mg/kg body weight
Result	:	negative
Target Organs	:	Gastrointestinal tract
Remarks	:	Significant toxicity observed in testing

L-Menthol:

Species	:	Mouse
Application Route	:	Ingestion

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

Exposure time : 103 weeks
 Method : OECD Test Guideline 453
 Result : negative
 Remarks : Based on data from similar materials

Propan-2-ol:

Species : Rat
 Application Route : inhalation (vapor)
 Exposure time : 104 weeks
 Method : OECD Test Guideline 451
 Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: positive
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
 Species: Rat
 Application Route: Ingestion
 Result: negative
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Mouse
 Application Route: Ingestion
 Result: negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Oral
 General Toxicity Parent: LOAEL: 1 - 1,5 mg/kg body weight
 Symptoms: No fetal abnormalities.

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 General Toxicity Maternal: LOAEL: 2 mg/kg body weight
 Embryo-fetal toxicity.: NOAEL: 2 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-fetal development
 Species: Rabbit
 Application Route: Oral
 General Toxicity Maternal: LOAEL: 3 mg/kg body weight
 Embryo-fetal toxicity.: NOAEL: 3 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

L-Menthol:

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

STOT-single exposure

Not classified based on available information.

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Assessment : May cause respiratory irritation.

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT-repeated exposure

Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Target Organs	:	Gastrointestinal tract, Kidney, Blood
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

2-Pyrrolidone:

Species	:	Rat
NOAEL	:	207 mg/kg
Application Route	:	Ingestion
Exposure time	:	3 Months
Method	:	OECD Test Guideline 408

Benzyl alcohol:

Species	:	Rat
NOAEL	:	1,072 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	28 Days
Method	:	OECD Test Guideline 412

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species	:	Rat
NOAEL	:	2 mg/kg
LOAEL	:	< 4 mg/kg
Application Route	:	Oral
Exposure time	:	6 w
Target Organs	:	Gastrointestinal tract

Species	:	Rat
NOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	1 y
Target Organs	:	Gastrointestinal tract, Kidney

Species	:	Monkey
NOAEL	:	15 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Target Organs	:	Gastrointestinal tract, Blood

Species	:	Rabbit
LOAEL	:	80 mg/kg
Application Route	:	Dermal
Exposure time	:	21 d
Symptoms	:	Severe irritation

Species	:	Dog
LOAEL	:	11 mg/kg

Flunixin Liquid (with Alcohol) Formulation

Version 4.10 Revision Date: 30.09.2023 SDS Number: 954146-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

Application Route : Oral
 Exposure time : 9 d
 Target Organs : Gastrointestinal tract
 Symptoms : Vomiting

L-Menthol:

Species : Mouse
 NOAEL : 1.250 mg/kg
 Application Route : Ingestion
 Exposure time : 91 Days
 Method : OECD Test Guideline 408
 Remarks : Based on data from similar materials

Propan-2-ol:

Species : Rat
 NOAEL : 12,5 mg/l
 Application Route : inhalation (vapor)
 Exposure time : 104 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Inhalation : Symptoms: respiratory tract irritation
 Skin contact : Symptoms: Skin irritation
 Eye contact : Symptoms: Severe irritation
 Ingestion : Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-Pyrrolidone:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 4.600 - 10.000 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
 Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22,2 mg/l
 Exposure time: 72 h

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l
Exposure time: 96 h
Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): 5,5 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15 mg/l
Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic plants : NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l
Exposure time: 13 d
Method: FDA 4.01

NOEC (Selenastrum capricornutum (green algae)): 96 mg/l
Exposure time: 12 d

L-Menthol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 15,6 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26,6 mg/l
Exposure time: 48 h

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 21,4 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

NOEC (Desmodesmus subspicatus (green algae)): 9,65 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to microorganisms : EC50: 237 mg/l
Exposure time: 96 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1.050 mg/l
Exposure time: 16 h

Persistence and degradability

Components:

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Benzyl alcohol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Stability in water : Hydrolysis: 0 %(28 d)

L-Menthol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 64 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

Bioaccumulative potential

Components:

2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0,71
Method: OECD Test Guideline 107

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1,05

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Partition coefficient: n-octanol/water : log Pow: 1,34

L-Menthol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0,5 - 15
Exposure time: 6 Weeks
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,15

Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0,05

Mobility in soil

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Distribution among environmental compartments : log Koc: 1,92

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Propan-2-ol

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 30.09.2023
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
BR BEI : Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents
BR OEL : Brazil. NR 15 - Unhealthy activities and operations
ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
BR OEL / LT : Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.10	30.09.2023	954146-00019	Date of first issue: 28.10.2016

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8