

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Flunixin Liquid (with Alcohol) Formulation

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com


Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids : Category 3
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 2
Serious eye damage/eye irritation : Category 1
Reproductive toxicity : Category 1B
Specific target organ toxicity - repeated exposure : Category 1 (Gastrointestinal tract, Kidney, Blood)

GHS label elements

Hazard pictograms :    

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H302 Harmful if swallowed.

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

H318 Causes serious eye damage.
H330 Fatal if inhaled.
H360FD May damage fertility. May damage the unborn child.
H372 Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

Precautionary statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Pyrrolidone	616-45-5	>= 30 -< 50
Benzyl alcohol	100-51-6	>= 20 -< 30
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	>= 10 -< 20
L-Menthol	2216-51-5	>= 10 -< 20
Propan-2-ol	67-63-0	>= 1 -< 10

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
 If not breathing, give artificial respiration.
 If breathing is difficult, give oxygen.
 Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
 Remove contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
 Causes serious eye damage.
 Fatal if inhaled.
 May damage fertility. May damage the unborn child.
 Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

Unsuitable extinguishing media	:	Dry chemical High volume water jet
Specific hazards during fire-fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Fluorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Remove all sources of ignition. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable gases
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Poisonous gases
Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-	42461-84-7	TWA	40 µg/m ³ (OEB 3)	Internal

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
 Date of first issue: 28.10.2016

(perfluoromethyl)anilino]nicotinate				
Further information: Skin				
		Wipe limit	400 µg/100 cm ²	Internal
Propan-2-ol	67-63-0	PEL (long term)	400 ppm 983 mg/m ³	SG OEL
		PEL (short term)	500 ppm 1,230 mg/m ³	SG OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).
 Minimize open handling.
 Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

- Skin and body protection : aerosols.
: Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
-

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : yellow
- Odour : mint-like
- Odour Threshold : No data available
- pH : 8.0
- Melting point/freezing point : < -20 °C
- Initial boiling point and boiling range : No data available
- Flash point : 43.33 °C
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

Relative density	:	No data available
Density	:	1.05 g/cm ³
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Harmful if swallowed.
Fatal if inhaled.

Product:

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Acute oral toxicity : Acute toxicity estimate: 306.94 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.3027 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**2-Pyrrolidone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg
LD50 (Mouse): 176 - 249 mg/kg
LD50 (Guinea pig): 488.3 mg/kg
LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0.52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59.4 - 185.3 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 164 - 363 mg/kg
Application Route: Intraperitoneal

L-Menthol:

Acute inhalation toxicity : LC50 (Rat): 5.289 mg/l

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l
Exposure time: 6 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**2-Pyrrolidone:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Mild skin irritation

L-Menthol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Propan-2-ol:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Components:**2-Pyrrolidone:**

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

Benzyl alcohol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Irreversible effects on the eye

L-Menthol:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days
Method : OECD Test Guideline 405

Propan-2-ol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**2-Pyrrolidone:**

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

Benzyl alcohol:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : negative

L-Menthol:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

Propan-2-ol:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**2-Pyrrolidone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: in vitro assay
Test system: mouse lymphoma cells
Result: positive

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: positive

Test Type: in vitro assay
Test system: Escherichia coli
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Mouse
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative
Remarks : Based on data from similar materials

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rat
Application Route : oral (feed)
Exposure time : 104 w
LOAEL : 2 mg/kg body weight
Result : negative
Target Organs : Gastrointestinal tract
Remarks : Significant toxicity observed in testing

Species : Mouse
Application Route : oral (feed)
Exposure time : 97 w
NOAEL : 0.6 mg/kg body weight
Result : negative
Target Organs : Gastrointestinal tract
Remarks : Significant toxicity observed in testing

L-Menthol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Propan-2-ol:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 104 weeks
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**2-Pyrrolidone:**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: positive
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity - Parent: LOAEL: 1 - 1.5 mg/kg body weight
Symptoms: No foetal abnormalities
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Development

Flunixin Liquid (with Alcohol) Formulation

Version 3.10	Revision Date: 30.09.2023	SDS Number: 954161-00019	Date of last issue: 04.04.2023 Date of first issue: 28.10.2016
-----------------	------------------------------	-----------------------------	---

ment

Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 2 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 2 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: LOAEL: 3 mg/kg body weight
Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

L-Menthol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Assessment : May cause respiratory irritation.

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Components:**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****2-Pyrrolidone:**

Species : Rat
NOAEL : 207 mg/kg
Application Route : Ingestion
Exposure time : 3 Months
Method : OECD Test Guideline 408

Benzyl alcohol:

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rat
NOAEL : 2 mg/kg
LOAEL : < 4 mg/kg
Application Route : Oral
Exposure time : 6 w
Target Organs : Gastrointestinal tract

Species : Rat
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 1 y
Target Organs : Gastrointestinal tract, Kidney

Species : Monkey
NOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Gastrointestinal tract, Blood

Species : Rabbit
LOAEL : 80 mg/kg
Application Route : Dermal
Exposure time : 21 d
Symptoms : Severe irritation

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

Species	: Dog
LOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 9 d
Target Organs	: Gastrointestinal tract
Symptoms	: Vomiting

L-Menthol:

Species	: Mouse
NOAEL	: 1,250 mg/kg
Application Route	: Ingestion
Exposure time	: 91 Days
Method	: OECD Test Guideline 408
Remarks	: Based on data from similar materials

Propan-2-ol:

Species	: Rat
NOAEL	: 12.5 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 104 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Inhalation	: Symptoms: respiratory tract irritation
Skin contact	: Symptoms: Skin irritation
Eye contact	: Symptoms: Severe irritation
Ingestion	: Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-Pyrrolidone:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770
plants : mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 51 mg/l
aquatic invertebrates (Chronic toxicity) : Exposure time: 21 d
Method: OECD Test Guideline 211

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l
Exposure time: 96 h
Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 15 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic : NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l
plants : Exposure time: 13 d
Method: FDA 4.01

NOEC (Selenastrum capricornutum (green algae)): 96 mg/l
Exposure time: 12 d

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

L-Menthol:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 15.6 mg/l
Exposure time: 96 h
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26.6 mg/l
Exposure time: 48 h
Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 21.4 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
- NOEC (Desmodesmus subspicatus (green algae)): 9.65 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
- Toxicity to microorganisms : EC50: 237 mg/l
Exposure time: 96 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209

Propan-2-ol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l
Exposure time: 16 h

Persistence and degradability**Components:****2-Pyrrolidone:**

- Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Benzyl alcohol:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

- Stability in water : Hydrolysis: 0 %(28 d)

L-Menthol:

Flunixin Liquid (with Alcohol) Formulation

Version 3.10 Revision Date: 30.09.2023 SDS Number: 954161-00019 Date of last issue: 04.04.2023
Date of first issue: 28.10.2016

Biodegradability : Result: Readily biodegradable.
Biodegradation: 64 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

Bioaccumulative potential**Components:****2-Pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.71
Method: OECD Test Guideline 107

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Partition coefficient: n-octanol/water : log Pow: 1.34

L-Menthol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0.5 - 15
Exposure time: 6 Weeks
Method: OECD Test Guideline 305
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.15

Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

Mobility in soil**Components:****1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Distribution among environmental compartments : log Koc: 1.92

Other adverse effects

No data available

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)
Class	:	3
Packing group	:	III
Labels	:	3
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Propan-2-ol)
Class	:	3
Packing group	:	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355

IMDG-Code

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)
Class	:	3
Packing group	:	III
Labels	:	3
EmS Code	:	F-E, <u>S-E</u>
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Isopropanol
Regulations

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Revision Date : 30.09.2023

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD
compile the Safety Data eChem Portal search results and European Chemicals Agen-
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
SG OEL : Singapore. Workplace Safety and Health (General Provisions)
Regulations - First Schedule Permissible Exposure Limits of
Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term
SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.10	30.09.2023	954161-00019	Date of first issue: 28.10.2016

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN