

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

**Section 1: Identification**

**Product identifier** : Flunixin Liquid (with Alcohol) Formulation

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**





Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

**Section 2: Hazard identification****Classification of the substance or mixture**

Flammable liquids : Category 3  
Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 2  
Serious eye damage/eye irritation : Category 1  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - repeated exposure : Category 1 (Gastrointestinal tract, Kidney, Blood)

**GHS Label elements, including precautionary statements**

Hazard pictograms :    

Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

**Precautionary statements**

:

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
P284 Wear respiratory protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

---

**Section 3: Composition/information on ingredients**

## Flunixin Liquid (with Alcohol) Formulation

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
 Date of first issue: 28.10.2016

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Pyrrolidone	616-45-5	>= 30 -< 50
Benzyl alcohol	100-51-6	>= 20 -< 30
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	>= 10 -< 20
L-Menthol	2216-51-5	>= 10 -< 20
Propan-2-ol	67-63-0	>= 1 -< 10

### Section 4: First-aid measures

#### Description of necessary first-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention immediately.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
 If easy to do, remove contact lens, if worn.  
 Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.  
 Causes serious eye damage.  
 Fatal if inhaled.  
 May damage fertility. May damage the unborn child.  
 Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

#### Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically and supportively.

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

**Section 5: Fire-fighting measures****Extinguishing media**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

**Special hazards arising from the substance or mixture**

- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Fluorine compounds  
Nitrogen oxides (NO<sub>x</sub>)

**Special protective actions for fire-fighters**

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- 

**Section 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Evacuate personnel to safe areas.  
Only trained personnel should re-enter the area.  
Remove all sources of ignition.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions**

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

- Methods for cleaning up : Non-sparking tools should be used.
-

## Flunixin Liquid (with Alcohol) Formulation

Version 5.0	Revision Date: 06.07.2024	SDS Number: 954161-00021	Date of last issue: 06.04.2024 Date of first issue: 28.10.2016
----------------	------------------------------	-----------------------------	---

Soak up with inert absorbent material.  
 Suppress (knock down) gases/vapours/mists with a water spray jet.  
 For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### Section 7: Handling and storage

#### Precautions for safe handling

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation.<br>Use explosion-proof electrical, ventilating and lighting equipment.   |
| Advice on safe handling | : | Do not get on skin or clothing.<br>Do not breathe mist or vapours.<br>Do not swallow.<br>Do not get in eyes.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Non-sparking tools should be used.<br>Keep container tightly closed.<br>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.   |

## Flunixin Liquid (with Alcohol) Formulation

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
 Date of first issue: 28.10.2016

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Oxidizing agents  
 Flammable gases  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Poisonous gases  
 Explosives

## Section 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Propan-2-ol	67-63-0	PEL (long term)	400 ppm 983 mg/m <sup>3</sup>	SG OEL
		PEL (short term)	500 ppm 1,230 mg/m <sup>3</sup>	SG OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

- Appropriate engineering control measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.  
  
Use explosion-proof electrical, ventilating and lighting equipment.
- Individual protection measures, such as personal protective equipment (PPE)**
- Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

---

### Section 9: Physical and chemical properties

- Appearance : liquid
- Colour : yellow
- Odour : mint-like
- Odour Threshold : No data available
- pH : 8.0
- Melting point/freezing point : < -20 °C

**Flunixin Liquid (with Alcohol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

Initial boiling point and boiling range	:	No data available
Flash point	:	43.33 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	1.05 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

---

**Section 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
------------	---	--



**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Harmful if swallowed.  
Fatal if inhaled.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 306.94 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0.3027 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****2-Pyrrolidone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Flunixin Liquid (with Alcohol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg  
LD50 (Mouse): 176 - 249 mg/kg  
LD50 (Guinea pig): 488.3 mg/kg  
LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0.52 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59.4 - 185.3 mg/kg  
Application Route: Intraperitoneal  
LD50 (Mouse): 164 - 363 mg/kg  
Application Route: Intraperitoneal

**L-Menthol:**

Acute inhalation toxicity : LC50 (Rat): 5.289 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

**Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

Result : No skin irritation

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Mild skin irritation

**L-Menthol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Propan-2-ol:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****2-Pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

**Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Irreversible effects on the eye

**L-Menthol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days  
Method : OECD Test Guideline 405

**Propan-2-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

**Respiratory sensitisation**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

**Benzyl alcohol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

**L-Menthol:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

**Propan-2-ol:**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Method: OECD Test Guideline 474  
 Result: negative

### **Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Result: negative

### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: in vitro assay  
 Test system: mouse lymphoma cells  
 Result: positive

Test Type: Chromosomal aberration  
 Test system: Chinese hamster ovary cells  
 Result: positive

Test Type: in vitro assay  
 Test system: Escherichia coli  
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

### L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### 2-Pyrrolidone:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 18 month(s)  
Result : negative  
Remarks : Based on data from similar materials

#### Benzyl alcohol:

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rat  
Application Route : oral (feed)  
Exposure time : 104 w  
LOAEL : 2 mg/kg body weight

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

Result : negative  
 Target Organs : Gastrointestinal tract  
 Remarks : Significant toxicity observed in testing

Species : Mouse  
 Application Route : oral (feed)  
 Exposure time : 97 w  
 NOAEL : 0.6 mg/kg body weight  
 Result : negative  
 Target Organs : Gastrointestinal tract  
 Remarks : Significant toxicity observed in testing

### L-Menthol:

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 103 weeks  
 Method : OECD Test Guideline 453  
 Result : negative  
 Remarks : Based on data from similar materials

### Propan-2-ol:

Species : Rat  
 Application Route : inhalation (vapour)  
 Exposure time : 104 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### 2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

#### Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

Species: Rat  
 Application Route: Ingestion  
 Result: negative  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 General Toxicity - Parent: LOAEL: 1 - 1.5 mg/kg body weight  
 Symptoms: No foetal abnormalities  
 Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 General Toxicity Maternal: LOAEL: 2 mg/kg body weight  
 Embryo-foetal toxicity: NOAEL: 2 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Oral  
 General Toxicity Maternal: LOAEL: 3 mg/kg body weight  
 Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

### L-Menthol:

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

### Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion



**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

Result: negative

**STOT - single exposure**

Not classified based on available information.

**Components:****1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Assessment : May cause respiratory irritation.

**Propan-2-ol:**

Assessment : May cause drowsiness or dizziness.

**STOT - repeated exposure**

Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

**Components:****1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****2-Pyrrolidone:**

Species : Rat  
NOAEL : 207 mg/kg  
Application Route : Ingestion  
Exposure time : 3 Months  
Method : OECD Test Guideline 408

**Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rat  
NOAEL : 2 mg/kg  
LOAEL : < 4 mg/kg  
Application Route : Oral  
Exposure time : 6 w  
Target Organs : Gastrointestinal tract

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

Species : Rat  
NOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 1 y  
Target Organs : Gastrointestinal tract, Kidney

Species : Monkey  
NOAEL : 15 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Target Organs : Gastrointestinal tract, Blood

Species : Rabbit  
LOAEL : 80 mg/kg  
Application Route : Dermal  
Exposure time : 21 d  
Symptoms : Severe irritation

Species : Dog  
LOAEL : 11 mg/kg  
Application Route : Oral  
Exposure time : 9 d  
Target Organs : Gastrointestinal tract  
Symptoms : Vomiting

**L-Menthol:**

Species : Mouse  
NOAEL : 1,250 mg/kg  
Application Route : Ingestion  
Exposure time : 91 Days  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

**Propan-2-ol:**

Species : Rat  
NOAEL : 12.5 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 104 Weeks

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Inhalation : Symptoms: respiratory tract irritation  
Skin contact : Symptoms: Skin irritation  
Eye contact : Symptoms: Severe irritation

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

Ingestion : Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

---

### Section 12: Ecological information

#### Toxicity

##### Components:

##### **2-Pyrrolidone:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

##### **Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

##### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

Exposure time: 96 h  
Method: FDA 4.11

LC50 (*Oncorhynchus mykiss* (rainbow trout)): 5.5 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 15 mg/l  
Exposure time: 48 h  
Method: FDA 4.08

Toxicity to algae/aquatic plants : NOEC (*Microcystis aeruginosa* (blue-green algae)): 97 mg/l  
Exposure time: 13 d  
Method: FDA 4.01

NOEC (*Selenastrum capricornutum* (green algae)): 96 mg/l  
Exposure time: 12 d

**L-Menthol:**

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 15.6 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 26.6 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : EC50 (*Desmodesmus subspicatus* (green algae)): 21.4 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

NOEC (*Desmodesmus subspicatus* (green algae)): 9.65 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.

Toxicity to microorganisms : EC50: 237 mg/l  
Exposure time: 96 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

**Propan-2-ol:**

Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 9,640 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 1,050 mg/l  
Exposure time: 16 h

**Flunixin Liquid (with Alcohol) Formulation**

Version 5.0      Revision Date: 06.07.2024      SDS Number: 954161-00021      Date of last issue: 06.04.2024  
Date of first issue: 28.10.2016

---

**Persistence and degradability****Components:****2-Pyrrolidone:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Stability in water : Hydrolysis: 0 %(28 d)

**L-Menthol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 64 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

**Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

**Bioaccumulative potential****Components:****2-Pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.71  
Method: OECD Test Guideline 107

**Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Partition coefficient: n-octanol/water : log Pow: 1.34

**L-Menthol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0.5 - 15  
Exposure time: 6 Weeks

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

Method: OECD Test Guideline 305  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3.15

### Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0.05

### Mobility in soil

### Components:

#### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Distribution among environmental compartments : log Koc: 1.92

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : UN 1993  
UN proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol)  
Transport hazard class(es) : 3  
Packing group : III  
Labels : 3  
Environmental hazards : no

#### IATA-DGR

UN/ID No. : UN 1993  
UN proper shipping name : Flammable liquid, n.o.s.  
(Propan-2-ol)  
Transport hazard class(es) : 3  
Packing group : III

**Flunixin Liquid (with Alcohol) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)  
Transport hazard class(es) : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : no

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**Section 15: Regulatory information****Safety, health and environmental regulations specific for the product in question**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) Regulations : Isopropanol

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

**Section 16: Other information**

Revision Date : 06.07.2024

**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

compile the Safety Data Sheet

eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
 SG OEL : Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
 ACGIH / STEL : Short-term exposure limit  
 SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term  
 SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for



## Flunixin Liquid (with Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
5.0	06.07.2024	954161-00021	Date of first issue: 28.10.2016

---

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN